



RESEARCH MEMORANDUM

DETERMINATION OF AIRCRAFT ANTENNA LOADS

PRODUCED BY NATURAL ICING CONDITIONS

By William L. Kepple

Flight Propulsion Research Laboratory
Cleveland, Ohio

**NATIONAL ADVISORY COMMITTEE
FOR AERONAUTICS**

WASHINGTON
February 18, 1948

NACA LIBRARY
LANGLEY MEMORIAL AERONAUTICAL
LABORATORY
Langley Field, Va.

RATIONAL ADVISORY COMMITTEE FOR AERONAUTICSRESEARCH MEMORANDUM

DETERMINATION OF AIRCRAFT ANTENNA LOADS

PRODUCED BY NATURAL ICING CONDITIONS

By William L. Kepple

SUMMARY

A flight investigation **was** made to determine the effect of distance flown in the icing region, antenna length, and antenna angle on the tension occurring in **aircraft antennas while** in regions of **aircraft** icing.

The **experimental antennas were of lengths ranging from 15 to 43 feet** and were placed at **angles of 0° to 64° with the airplane thrust axis**. Distances up to 256 miles were flown in **diverse** icing conditions at true **airspeeds** from 157 to 214 miles per hour and pressure altitudes at which **icing** conditions were encountered.

The results indicate that: The effect of ice formation on antenna tension increased with the angle of the antennas with the **longitudinal axis** of the airplane. The **maximum tension for antennas having angles from 0° to 15° was 68 pounds, whereas the maximum tension for antennas having angles of 44° and 64° was 274 and 436 pounds, respectively.**

INTRODUCTION

The current use of **improved** airplane ice-prevention equipment has extended **operations** in icing conditions and **thus** accentuated the need for protecting aircraft antennae against structural failures resulting **from ice accretions**. A flight investigation was therefore conducted at the **NACA** Cleveland laboratory to determine the tension in **aircraft** antennas produced by ice formations.

The investigation was conducted in natural **icing conditions** over a range of true **airspeeds** from 157 to 214 miles per hour and altitudes from 3500 to 9500 feet. Seven experimental antennas of **lengths ranging from 15 to 43 feet** were placed at **angles of 0° to 64°** with the thrust **axis** of the airplane. The effect of the following factors on **the antenna tension was** investigated: antenna **length, included angle between the antenna and the thrust axis** of the airplane, and **distance** flown in the **icing** region.

APPARATUS AND PROCEDURE

The location of the seven experimental antennas on the airplane is shown in figure 1; the length and the angle of each experimental antenna are also presented and are listed in the following table:

Antenna angle (deg)	Antenna length (ft)
64	40
44	42
15	43
15	32
15	15
8	41
0	41

Inasmuch as it was anticipated that the tension which would be imposed on the antennas would **exceed** the breaking strength of the ordinary antenna wire, the experimental antennas used **were of 1/16-inch diameter, 7 by 7, aircraft-control cable. Turnbuckles and spring-tension units were mounted on the rear of the antennas (fig. 2) in order to impose a static tension of 30 pounds.**

The tension in the antennas was measured by **strain gages located at the front of the antennas (fig. 3). The strain gages were temperature-compensating and were sealed in order to keep them moisture-free. Electrically heated anti-icing boots were installed around the body of the strain gages. A recording galvanometer indicated the tension in the antennas. The strain-gage system was accurate to ± 2 percent.**

Multitrotating cylinders, as shown in **figure 4**, were used to determine the average droplet diameter, the drop-size distribution, and the liquid-water content. These cylinders were similar to those **used in reference 1 with minor mechanical modifications.** Pressure altitude **and** indicated airspeed were measured by service instruments and the ambient-air temperature was measured by a shielded resistance-bulb thermometer.

A series of four flights was conducted into areas of predicted icing. Table I presents the meteorological conditions for the respective flights. The values shown in this table are the averages of individual values recorded at intervals **throughout**

each flight operation. The notation for the drop-size distribution corresponds to that given in reference 1, table I, page 6. The factors that made possible the existence and the suspension of **supercooled** liquid-water droplets encountered during the flight operations **are** presented in the appendix.

RESULTS AND DISCUSSION

Photographs of ice configurations on the **8°**, **41-foot** antenna and the **15°**, **32-foot** antenna are presented in figures 5 and 6, respectively, and are representative of **ice** formations on antennas **having** angles from **0°** to **15°**. Figure 7 is a photograph, taken in flight, of the ice formation on the **15°**, **32-foot** antenna and the **64°**, **40-foot** antenna. The ice configuration on the **64°**, **40-foot** antenna **is illustrative** of configurations collected on the **64°**, **40-foot** and the **44°**, **42-foot** antennas during **most** of the flight operations.

The variation of antenna tension with distance flown in the icing region for the **antennas** is presented in figure 8 for the four flight operations. The shaded areas on the figures for the **64°**, **40-foot** and **44°**, **42-foot** antennas represent the maximum and minimum tensions produced by whipping. The variation of antenna tension due to whipping for the **0°** and **15°** antennas **was insignificant**. Figure 8 shows that, **in** general, for the **44°** and **64°** antennas, antenna tension increases considerably with the distance flown in the icing region; whereas, **for** the antennas of **15°** and less, the variation of tension with distance is **insignificant**. The change in the slope of the antenna-tension curve from positive to negative indicates **that** whipping of the **antennas** broke off ice formations and thereby temporarily reduced the antenna tension.

The variation of antenna tension with antenna angle for antennas of approximately 42 feet in length is presented in figure 9. The tension values presented in this figure were obtained from figure 8. Figure 9 indicates that the antenna tension increased with increasing antenna **angle** for antennae of nearly constant length. With increasing angle, the antenna tension increased eight times faster **in the 44° to 64°** range than in the **0° to 15°** range. The slope of the **curve** for antenna angles greater than **15°** indicates that the required antenna strength increases rapidly as the **antenna** angle is increased beyond **15°**. The investigation presented in reference 2 **also recommends** a limiting antenna angle of **15°**. The variation of antenna tension with **antenna length** at a constant **antenna** angle of **15°** is presented in figure 10. The

data were obtained from figure 8 and indicate that the tension increases nearly linearly with antenna length. The maximum tension measured for each of the seven experimental antennas during the four flight operations is given in table II.

825

SUMMARY OF RESULTS

From an analysis of the tension occurring in aircraft antennas during flights in regions of aircraft icing made for antennas with angles to the thrust axis of the airplane of 0° , 8° , 15° , 44° , and 64° and lengths from 15 to 43 feet, the following results were obtained:

1. The tension in the 44° and 64° antennas increased considerably with distance flown in the icing region, whereas the tension for antenna angles of 15° and less did not increase appreciably with distance flown in the icing condition.

2. The rate of change of antenna tension with antenna angle in the 0° to 15° range was one-eighth the rate of change of antenna tension with antenna angle in the 44° to 64° range. The slope of the curves of tension as a function of antenna angle begins to change appreciably above 15° , which indicates that the required strength of antennas will increase rapidly if the antenna angle is increased beyond 15° .

3. Antenna tension varied approximately linearly with antenna length.

4. The maximum recorded tension for the 0° to 15° antennas was 68 pounds. The maximum tension for the 44° and 64° antennas was 274 and 438 pounds, respectively.

Flight Propulsion Research Laboratory,
National Advisory Committee for Aeronautics,
Cleveland, Ohio.

APPENDIX - METEOROLOGICAL HISTORY OF FLIGHT OPERATIONS

Flight operation 1. - This flight was conducted in a region having meteorological conditions **that** resulted from: (1) a convergence of several **air** masses; (2) the lifting of relatively warm, moist air over the upper cold frontal surface; and (3) an unstable **condition** in the **lower** 4800 feet. These factors made possible the existence **and** suspension of supercooled **liquid-water** droplets.

Flight operation 2. - Flight operation 2 was conducted in an area ahead of cold-front weather. The suspension of supercooled liquid-water droplets was enhanced by the following factors: (1) a strong convergent air flow in the deepening pressure system **associated with** the front; (2) a temperature inversion through which a strong vertical ascent of **saturated** air **occurred**; and (3) the evaporation of melting snow plus an unstable lapse rate to the **cloud base**.

Flight operation 3. - The flight was **made** into a region dominated by a deck of altostratus clouds caused by the overrunning of **maritime tropical** air over a quasi-stationary continental polar front. The flight **was conducted** near the **northern** periphery of the precipitation area, in which it appeared **that** nearly colloidal unstable conditions existed.

Flight operation 4. - This flight was conducted in a convective-type cloud of limited geographical extent. Strong **vertical** **air** motion carried the cloud tops several hundred feet above the temperature inversion, which was conducive to the suspension of a **large amount** of supercooled water droplets in the cloud.

REFERENCES

1. Vonnegut, B., **Cunningham**, R. M., and **Katz**, R. E.: Instruments for Measuring Atmospheric **Factors** Related to Ice Formation on **Airplanes**. M.I.T., De-Icing Res. Lab., April 1946.
2. **Haller**, George L.: Icing of Aircraft **Antenna** Wires. **Jour. Aero. Sci.**, vol. 6, no. 1, Nov. 1938, pp. 27-28.

TABLE I - FLIGHT AND METEOROLOGICAL VARIABLES

Flight operation	Distance in icing region (miles)	Pressure altitude (ft)	Ambient-air temperature (°F)	Droplet diameter (microns)	^a Drop-size distribution	Liquid-water content (g/cu m)
	153	3500	26	8	E	0.25
2	115	3700	25	13	E	.30
3	256	9500	20	18	E	.21
4'	121	5700	21	15	A	.26


^aSee reference 1, table I, page 6.

TABLE II - MAXIMUM ANTENNA TENSION

Antenna angle (deg)	Antenna length (ft)	Antenna tension (lb)
64	40	438
44	42	274
15	43	68
15	32	57
15	15	43
8	41	56
0	41	50

National Advisory Committee
for Aeronautics

65



NATIONAL ADVISORY
COMMITTEE FOR AERONAUTICS

Figure 1. - Location of experimental antennas on airplane and angle and length of antennas.

.


.

0

12

.


.



NACA
C-18119
3-11-47

Figure 2. - Turnbuckle and spring-tension unit mounted on rear of experimental antenna.


Figure 3. - Strain gage installed on front of experimental antenna.



NACA
C 16130
2-11-47

NACA RM No. ETH26a

825




NACA
C-18118
3-11-47

Figure 4. - Multi rotating cylinder extended into air stream for collection of meteorological data.

• •


•

•




NACA
C-18657
5-7-47

Figure 5. - Typical ice formation collected on 8°, 41-foot antenna during flight. Air flow from left to right.



NACA
C. 18658
5-7-47

Figure 6. - Typical ice formation collected on 15°, 32-foot antenna during flight. View looking aft. 17







Figure 7. - Typical Ice formations collected during flight on 15°, 34-foot antenna and 64°, 40-foot antenna. View underneath antennas, looking forward.


•

• •

• •




(a) Flight operation 1; pressure altitude, 3500 feet; true airspeed, 155 miles per hour; ambient-air temperature 26° F; liquid-water content, -0.25 grams per cubic meter; average droplet diameter, 8 microns; 64°, 40-foot antenna not installed for the flight operation.




(b) Flight operation 2; pressure altitude, 3700 feet; true airspeed, 177 miles per hour; ambient-air temperature, 25° F; liquid-water content, 0.30 grams per cubic meter; average droplet diameter, 13 microns.

Figure 8. - Variation of antenna tension with distance flown in icing region for experimental antennas.



(c) Flight operation 3; pressure altitude, 9500 feet; true airspeed, 214 miles per hour; ambient-air temperature, 20° F; liquid-water content, 0.21 grams per cubic meter; average droplet diameter, 18 microns; data for 44°, 42-foot antenna not obtained owing to strain-gage failure.

Figure 8. - Continued. Variation of antenna tension with distance flown in icing region for experimental antennas.



fd) Flight operation 4; pressure altitude, 5700 feet; true air-speed, 182 miles per hour; ambient-air temperature, 21° F; liquid-water content, 0.26 gram per cubic meter; average droplet diameter, 15 microns.

Figure 8. - Concluded. Variation of antenna tension with distance flown in icing region for experimental antennas.




Figure 9. - Variation Of antenna tension with antenna angle for antennas of 40, 41, 42, and 43 feet in length. Distance flown in icing region, 115 miles.




Figure 10. - Variation of antenna tension with antenna length at antenna angle of 15°. Distance flown in icing region, 115 miles.

NASA Technical Library



3 1176 01425 9700

