

NAC  
1135  
C. I

NADS  
TECHNICAL LIBRARY  
AFL 2811

1135  
LCT 9 → 6151

# NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

REPORT 1135

## EQUATIONS, TABLES, AND CHARTS FOR COMPRESSIBLE FLOW

By AMES RESEARCH STAFF



1953

TECHNICAL LIBRARY  
AFL 2811



G. W. Braun

12 Dec 56

TECH LIBRARY KAFB, NM



0143074

---

---

## REPORT 1135

---

### EQUATIONS, TABLES, AND CHARTS FOR COMPRESSIBLE FLOW

By AMES RESEARCH STAFF

Ames Aeronautical Laboratory  
Moffett Field, Calif.

---

---

I

# National Advisory Committee for Aeronautics

*Headquarters, 1724 F Street NW., Washington 25, D. C.*

Created by act of Congress approved March 3, 1915, for the supervision and direction of the scientific study of the problems of flight (U. S. Code, title 50, sec. 151). Its membership was increased from 12 to 15 by act approved March 2, 1929, and to 17 by act approved May 25, 1948. The members are appointed by the President, and serve as such without compensation.

JEROME C. HUNSAKER, Sc. D., Massachusetts Institute of Technology, *Chairman*

DETLEV W. BRONK, Ph. D., President, Rockefeller Institute for Medical Research, *Vice Chairman*

HON. JOSEPH P. ADAMS, member, Civil Aeronautics Board.

ALLEN V. ASTIN, Ph. D., Director, National Bureau of Standards.

LEONARD CARMICHAEL, Ph. D., Secretary, Smithsonian Institution.

LAURENCE C. CRAIGIE, Lieutenant General, United States Air Force, Deputy Chief of Staff (Development).

JAMES H. DOOLITTLE, Sc. D., Vice President, Shell Oil Co.

LLOYD HARRISON, Rear Admiral, United States Navy, Deputy and Assistant Chief of the Bureau of Aeronautics.

R. M. HAZEN, B. S., Director of Engineering, Allison Division, General Motors Corp.

WILLIAM LITTLEWOOD, M. E., Vice President—Engineering, American Airlines, Inc.

HON. ROBERT B. MURRAY, JR., Under Secretary of Commerce for Transportation.

RALPH A. OFSTIE, Vice Admiral, United States Navy, Deputy Chief of Naval Operations (Air).

DONALD L. PUTT, Lieutenant General, United States Air Force, Commander, Air Research and Development Command.

ARTHUR E. RAYMOND, Sc. D., Vice President—Engineering, Douglas Aircraft Co., Inc.

FRANCIS W. REICHELDERFER, Sc. D., Chief, United States Weather Bureau.

THEODORE P. WRIGHT, Sc. D., Vice President for Research, Cornell University.

---

HUGH L. DRYDEN, Ph. D., *Director*

JOHN W. CROWLEY, JR., B. S., *Associate Director for Research*

JOHN F. VICTORY, LL. D., *Executive Secretary*

E. H. CHAMBERLIN, *Executive Officer*

---

HENRY J. E. REID, D. Eng., Director, Langley Aeronautical Laboratory, Langley Field, Va.

SMITH J. DEFRANCE, D. Eng., Director, Ames Aeronautical Laboratory, Moffett Field, Calif.

EDWARD R. SHARP, Sc. D., Director, Lewis Flight Propulsion Laboratory, Cleveland Airport, Cleveland, Ohio

---

LANGLEY AERONAUTICAL LABORATORY,  
Langley Field, Va.

AMES AERONAUTICAL LABORATORY,  
Moffett Field, Calif.

LEWIS FLIGHT PROPULSION LABORATORY,  
Cleveland Airport, Cleveland, Ohio

*Conduct, under unified control, for all agencies, of scientific research on the fundamental problems of flight*

# REPORT 1135

## CONTENTS

	Page
SUMMARY.....	1
INTRODUCTION.....	1
SYMBOLS AND NOTATION.....	1
FUNDAMENTAL RELATIONS.....	2
THERMODYNAMICS.....	2
Thermal equations of state.....	2
Caloric equation of state.....	2
Energy relations.....	3
Specific heats.....	3
Enthalpy.....	3
Entropy.....	3
CONTINUOUS ONE-DIMENSIONAL FLOW.....	3
Basic equations and definitions.....	3
Integrated forms of energy equation.....	4
Pressure-density relation.....	4
Bernoulli's equation.....	4
Relations between local and free-stream conditions.....	4
Useful ratios.....	4
Stream-tube-area relations.....	6
SHOCK WAVES.....	6
NORMAL SHOCK WAVES.....	6
Basic equations.....	6
Useful relations.....	7
OBLIQUE SHOCK WAVES.....	8
Basic equations.....	8
Connection with normal shock.....	9
Useful relations.....	9
Shock polar.....	11
SUPERSONIC FLOW PAST WEDGES AND CONES.....	12
FLOW PAST WEDGES.....	12
FLOW PAST CONES.....	12
PRANDTL-MEYER EXPANSION.....	14
IMPERFECT-GAS EFFECTS.....	14
THERMODYNAMICS.....	14
Equations of state.....	14
Specific heats.....	15
CONTINUOUS ONE-DIMENSIONAL FLOW.....	15
Basic equations and definitions.....	15
Integrated forms of energy equation.....	15
Pressure and density relations.....	16
Stream-tube-area relations.....	16
NORMAL SHOCK WAVES.....	17
OBLIQUE SHOCK WAVES.....	17
PRANDTL-MEYER EXPANSION.....	18
APPENDIX A—VISCOSITY AND THERMODYNAMIC CONSTANTS FOR AIR.....	19
APPENDIX B—REYNOLDS NUMBER.....	19
APPENDIX C—PRESSURE CONVERSION FACTORS.....	19
REFERENCES.....	20
TABLES.....	20
CHARTS.....	40

# REPORT 1135

## EQUATIONS, TABLES, AND CHARTS FOR COMPRESSIBLE FLOW<sup>1</sup>

By AMES RESEARCH STAFF

### SUMMARY

This report, which is a revision and extension of NACA TN 1428, presents a compilation of equations, tables, and charts useful in the analysis of high-speed flow of a compressible fluid. The equations provide relations for continuous one-dimensional flow, normal and oblique shock waves, and Prandtl-Meyer expansions for both perfect and imperfect gases. The tables present useful dimensionless ratios for continuous one-dimensional flow and for normal shock waves as functions of Mach number for air considered as a perfect gas. One series of charts presents the characteristics of the flow of air (considered a perfect gas) for oblique shock waves and for cones in a supersonic air stream. A second series shows the effects of caloric imperfections on continuous one-dimensional flow and on the flow through normal and oblique shock waves.

### INTRODUCTION

The practical analysis of compressible flow involves frequent application of a few basic results. A convenient compilation of equations, tables, and charts embodying these results is therefore of great assistance in both research and design. The present report makes one of the first such compilations (ref. 1) more readily available in a revised and extended form. The revisions include a complete rewriting of the lists of equations, as well as the correction of certain typographical errors which appeared in the earlier work. The extensions are primarily in the directions dictated by increasing flight speeds, that is, to higher Mach numbers and to higher temperatures with the accompanying gaseous imperfections.

Compilations similar to those of reference 1 have been given in other publications, as, for example, references 2 through 6. These references have been utilized in extending the tables and charts to higher values of the Mach number. The extension to imperfect gases is based on the relations presented in references 7 and 8.

### SYMBOLS AND NOTATION

#### PRIMARY SYMBOLS

$a$	speed of sound
$A$	cross-sectional area of stream tube or channel

$C_N$	normal-force coefficient for cones, $\frac{\text{normal force}}{q_\infty S_b}$
$c_p$	specific heat at constant pressure
$c_v$	specific heat at constant volume
$h$	enthalpy per unit mass, $u + pv$
$l$	characteristic reference length
$M$	Mach number, $\frac{V}{a}$
$p$	pressure <sup>2</sup>
$q$	dynamic pressure, $\rho V^2/2$
$q$	heat added per unit mass
$R$	gas constant
$R$	Reynolds number, $\frac{\rho V l}{\mu}$
$S_b$	base area of cone
$s$	entropy per unit mass
$T$	absolute temperature <sup>2</sup>
$u$	internal energy per unit mass
$v$	specific volume, $\frac{1}{\rho}$
$u, v$	velocity components parallel and perpendicular respectively, to free-stream flow direction
$\tilde{u}, \tilde{v}$	velocity components normal and tangential, respectively, to oblique shock wave
$V$	speed of flow
$V_m$	maximum speed obtainable by expanding to zero absolute temperature
$w$	external work performed per unit mass
$\alpha$	angle of attack
$\beta$	$\sqrt{ M^2 - 1 }$
$\gamma$	ratio of specific heats, $\frac{c_p}{c_v}$
$\delta$	angle of flow deflection across an oblique shock wave
$\theta$	shock-wave angle measured from upstream flow direction
$\Theta$	molecular vibrational-energy constant
$\mu$	Mach angle, $\sin^{-1} \frac{1}{M}$
$\mu$	absolute viscosity
$\nu$	Prandtl-Meyer angle (angle through which a supersonic stream is turned to expand from $M=1$ to $M>1$ )

<sup>1</sup> Supersedes NACA TN 1428, "Notes and Tables for Use in the Analysis of Supersonic Flow" by the Staff of the Ames 1- by 3-foot Supersonic Wind-Tunnel Section, 1947.

<sup>2</sup> When used without subscripts,  $p$ ,  $\rho$ , and  $T$  denote static pressure, static density, and static temperature, respectively.

$\xi$	pressure ratio across a shock wave, $\frac{p_2}{p_1}$
$\rho$	mass density <sup>2</sup>
$\sigma$	semivertex angle of cone
SUBSCRIPTS	
$\infty$	free-stream conditions
1	conditions just upstream of a shock wave
2	conditions just downstream of a shock wave
$t$	total conditions (i. e., conditions that would exist if the gas were brought to rest isentropically)
*	critical conditions (i. e., conditions where the local speed is equal to the local speed of sound)
$c$	conditions on the surface of a cone
$r$	reference (or datum) values
perf	quantity evaluated for a gas which is both thermally and calorically perfect
therm perf	quantity evaluated for a gas which is thermally perfect but calorically imperfect
( ) <sub>p</sub>	derivative evaluated at constant pressure
( ) <sub>s</sub>	derivative evaluated at constant entropy
( ) <sub>T</sub>	derivative evaluated at constant temperature
( ) <sub>v</sub>	derivative evaluated at constant specific volume
( ) <sub>rev</sub>	quantity evaluated over a reversible path

## NOTATION

The notation in brackets [ ] after many of the equations signifies that the equation is valid only within certain limitations. For example:

[perf]	means that the equation is restricted to a gas which is both thermally and calorically perfect. (By "thermally perfect" it is meant that the gas obeys the thermal equation of state $p = \rho RT$ . By "calorically perfect" it is meant that the specific heats $c_p$ and $c_v$ are constant.)
[therm perf]	means that the only restriction on the gas is that it must be thermally perfect. Equations so marked may be used for calorically imperfect gases. (They are, of course, also valid for completely perfect gases.)
[isen]	means that the flow process must take place isentropically. Equations so marked may not be applied to the flow across a shock wave.
[adiab]	means that the only restriction on the flow process is that it must take place adiabatically—that is, without heat transfer. (Such a flow process may or may not be isentropic depending on whether it is or is not reversible.) Equations so marked may be applied to the flow across a shock wave.

An equation without notation has no restrictions beyond those basic to the study of thermodynamics and/or inviscid compressible flow.

## FUNDAMENTAL RELATIONS

## THERMODYNAMICS

## THERMAL EQUATIONS OF STATE

A thermal equation of state is an equation of the form

$$p = p(v, T) \quad (1)$$

Several of the more commonly used thermal equations of state are the following:

Equation for thermally perfect gas

$$p = \frac{RT}{v} = \rho RT \quad [\text{therm perf}] \quad (2)$$

or

$$\frac{dp}{p} - \frac{dp}{\rho} - \frac{dT}{T} = 0 \quad [\text{therm perf}] \quad (3)$$

Equations for thermally imperfect gas

Van der Waals' equation (ref. 9)

$$p = \frac{RT}{v-b} - \frac{a}{v^2} \quad (4)$$

where  $a$  is the intermolecular-force constant and  $b$  is the molecular-size constant (see ref. 9, pp. 390 et seq. for numerical values).

Berthelot's equation (ref. 7)

$$p = \frac{RT}{v-b} - \frac{c}{v^2 T} \quad (5)$$

where  $b$  is the molecular-size constant and  $c$  is the intermolecular-force constant (see ref. 7 for numerical values).

Beattie-Bridgeman equation (ref. 10)

$$p = \frac{RT}{v^2} \left( 1 - \frac{c}{v T^3} \right) \left[ v + B_0 \left( 1 - \frac{b}{v} \right) \right] - \frac{A_0}{v^2} \left( 1 - \frac{a}{v} \right) \quad (6)$$

where  $a$ ,  $A_0$ ,  $b$ ,  $B_0$ , and  $c$  are constants for a given gas (see ref. 10, p. 270 for numerical values).

## CALORIC EQUATION OF STATE

A caloric equation of state is an equation of the form

$$u = u(v, T) \quad (7)$$

It can be shown that

$$du = c_v dT + \left[ T \left( \frac{\partial p}{\partial T} \right)_v - p \right] dv \quad (8a)$$

$$du = c_v dT \quad [\text{therm perf}] \quad (8b)$$

If the gas is calorically perfect—that is, the specific heats are constant—equation (8b) can be integrated to obtain

$$u = c_v T + u_v \quad [\text{perf}] \quad (9)$$

<sup>2</sup> When used without subscripts,  $p$ ,  $\rho$ , and  $T$  denote static pressure, static density, and static temperature, respectively.

## ENERGY RELATIONS

The law of conservation of energy gives

$$\left. \begin{aligned} dq &= du + dw \quad (\text{first law of thermodynamics}) \\ &= du + p dv = dh - v dp \end{aligned} \right\} \quad (10a)$$

$$\left. \begin{aligned} dq &= c_v dT + p dv \\ &= c_v dT - v dp \end{aligned} \right\} \quad [\text{therm perf}] \quad (10b)$$

## SPECIFIC HEATS

The specific heats at constant pressure and constant volume are defined by

$$c_p = \left( \frac{\partial q}{\partial T} \right)_p = \left( \frac{\partial h}{\partial T} \right)_p \quad (11)$$

$$c_v = \left( \frac{\partial q}{\partial T} \right)_v = \left( \frac{\partial u}{\partial T} \right)_v \quad (12)$$

It can be shown that

$$c_p - c_v = \left[ \left( \frac{\partial u}{\partial v} \right)_T + p \right] \left( \frac{\partial v}{\partial T} \right)_p = -T \frac{\left( \frac{\partial p}{\partial T} \right)_v^2}{\left( \frac{\partial v}{\partial p} \right)_T} \quad (13a)$$

$$c_p - c_v = R \quad [\text{therm perf}] \quad (13b)$$

The ratio of specific heats is defined as

$$\gamma = \frac{c_p}{c_v} \quad (14)$$

According to the kinetic theory of gases, for many gases over a moderate range of temperature,

$$\gamma = \frac{n+2}{n} \quad (15)$$

where  $n$  is the number of effective degrees of freedom of the gas molecule. Useful relations for thermally perfect gases are

$$c_p = \frac{dh}{dT} = c_v + R = \frac{\gamma R}{\gamma - 1} \quad [\text{therm perf}] \quad (16)$$

$$c_v = \frac{du}{dT} = c_p - R = \frac{R}{\gamma - 1} \quad [\text{therm perf}] \quad (17)$$

## ENTHALPY

The enthalpy of a gas is defined by

$$h = u + pv \quad (18)$$

It follows that

$$dh = du + p dv + v dp = dq + v dp$$

$$= \left[ c_v + v \left( \frac{\partial p}{\partial T} \right)_v \right] dT + \left[ v \left( \frac{\partial p}{\partial v} \right)_T + T \left( \frac{\partial p}{\partial T} \right)_v \right] dv \quad (19a)$$

$$dh = (c_v + R) dT = c_p dT \quad [\text{therm perf}] \quad (19b)$$

$$h = (c_v + R) T + u_r = c_p T + u_r \quad [\text{perf}] \quad (20)$$

## ENTROPY

The entropy is defined by

$$ds = \left( \frac{dq}{T} \right)_{rev} \quad (21)$$

It follows that

$$ds = \left( \frac{du + dw}{T} \right)_{rev} = \left( \frac{du + p dv}{T} \right)_{rev} = c_v \frac{dT}{T} + \left( \frac{\partial p}{\partial T} \right)_v dv \quad (22a)$$

$$\left. \begin{aligned} ds &= c_v \frac{dT}{T} + R \frac{dv}{v} \\ &= c_v \frac{dT}{T} - R \frac{dp}{p} \\ &= c_v \frac{dT}{T} - R \frac{dp}{p} \\ &= c_v \frac{dp}{p} - c_p \frac{dp}{p} \end{aligned} \right\} \quad [\text{therm perf}] \quad (22b)$$

$$\left. \begin{aligned} s - s_r &= c_v \ln \frac{T}{T_r} - R \ln \frac{p}{p_r} \\ &= c_v \ln \frac{T}{T_r} - R \ln \frac{p}{p_r} \\ &= c_v \ln \frac{p}{p_r} - c_p \ln \frac{p}{p_r} \end{aligned} \right\} \quad [\text{perf}] \quad (23a)$$

$$\left. \begin{aligned} s - s_r &= c_v \ln \frac{T/T_r}{(\rho/\rho_r)^{\gamma-1}} \\ &= c_v \ln \frac{T/T_r}{(p/p_r)^{(\gamma-1)/\gamma}} \\ &= c_v \ln \frac{p/p_r}{(\rho/\rho_r)^\gamma} \end{aligned} \right\} \quad [\text{perf}] \quad (23b)$$

$$\frac{p}{\rho^\gamma} = \frac{p_r}{\rho_r^\gamma} e^{(s-s_r)/c_v} \quad [\text{perf}] \quad (24)$$

The second law of thermodynamics requires that

$$s - s_r \geq 0 \quad [\text{adiab}] \quad (25)$$

## CONTINUOUS ONE-DIMENSIONAL FLOW

## BASIC EQUATIONS AND DEFINITIONS

The basic equations for the continuous flow of an inviscid non-heat-conducting gas along a streamline are as follows:  
Thermal equation of state

$$\frac{p}{\rho} = RT \quad [\text{therm perf}] \quad (26)$$

Dynamic equation

$$\frac{1}{\rho} dp + V dV = 0 \quad (27)$$

Energy equation

$$\left. \begin{aligned} du + d\left(\frac{p}{\rho}\right) + VdV = 0 \\ dh + VdV = 0 \end{aligned} \right\} \text{[adiab]} \quad (28a)$$

$$\left. \begin{aligned} c_p dT + VdV = 0 \\ \frac{\gamma}{\gamma-1} d\left(\frac{p}{\rho}\right) + VdV = 0 \end{aligned} \right\} \text{[adiab, therm perf]} \quad (28b)$$

Additional useful variables are defined as follows:

Speed of sound

$$a = \sqrt{\left(\frac{\partial p}{\partial \rho}\right)_s} = \sqrt{\gamma \left(\frac{\partial p}{\partial \rho}\right)_T} \quad (29a)$$

$$= \sqrt{\gamma \frac{p}{\rho}} = \sqrt{\gamma R T} \quad \text{[therm perf]} \quad (29b)$$

$$\cong 49.0 \sqrt{T} \text{ ft/sec for air} \\ \text{if } T \text{ is in degrees Rankine} \\ (= \text{degrees Fahrenheit} + 459.6) \quad (29c)$$

Mach number

$$M = \frac{V}{a} \quad (30)$$

Dynamic pressure

$$q = \frac{1}{2} \rho V^2 \quad (31a)$$

$$= \frac{\gamma}{2} p M^2 \quad \text{[therm perf]} \quad (31b)$$

#### INTEGRATED FORMS OF ENERGY EQUATION

The energy equation (28) can be integrated at once to obtain

$$h + \frac{V^2}{2} = \text{constant} = h_t \quad \text{[adiab]} \quad (32a)$$

$$\left. \begin{aligned} c_p T + \frac{V^2}{2} &= c_p T_t \\ \frac{\gamma}{\gamma-1} \left(\frac{p}{\rho}\right) + \frac{V^2}{2} &= \frac{\gamma}{\gamma-1} \left(\frac{p_t}{\rho_t}\right) \\ \frac{a^2}{\gamma-1} + \frac{V^2}{2} &= \frac{a_t^2}{\gamma-1} \end{aligned} \right\} \text{[adiab, perf]} \quad (32b)$$

$$\left. \begin{aligned} \frac{a^2}{\gamma-1} + \frac{V^2}{2} &= \frac{1}{2} \left(\frac{\gamma+1}{\gamma-1}\right) a_*^2 \\ \frac{a^2}{\gamma-1} + \frac{V^2}{2} &= \frac{V_m^2}{2} \end{aligned} \right]$$

The three reference speeds  $a_t$ ,  $a_*$ , and  $V_m$  are related by

$$\left. \begin{aligned} \left(\frac{a_t}{a_*}\right)^2 &= \frac{\gamma+1}{2} \\ \left(\frac{V_m}{a_*}\right)^2 &= \frac{\gamma+1}{\gamma-1} \\ \left(\frac{V_m}{a_t}\right)^2 &= \frac{2}{\gamma-1} \end{aligned} \right\} \text{[adiab, perf]} \quad (33)$$

#### PRESSURE-DENSITY RELATION

From equations (27) and (28b) it follows that

$$\frac{p}{\rho^\gamma} = \text{constant} = \frac{p_t}{\rho_t^\gamma} \quad \text{[isen, perf]} \quad (34)$$

from which

$$\frac{p}{p_t} = \left(\frac{\rho}{\rho_t}\right)^\gamma = \left(\frac{T}{T_t}\right)^{\frac{\gamma}{\gamma-1}} = \left(\frac{a}{a_t}\right)^{\frac{2\gamma}{\gamma-1}} \quad \text{[isen, perf]} \quad (35)$$

#### BERNOULLI'S EQUATION

Combination of equations (32b) and (35) gives Bernoulli's equation for compressible flow in the form

$$\frac{\gamma}{\gamma-1} \left(\frac{p_t}{\rho_t}\right) \left(\frac{p}{\rho}\right)^{\frac{\gamma}{\gamma-1}} + \frac{V^2}{2} = \frac{\gamma}{\gamma-1} \left(\frac{p_t}{\rho_t}\right) \quad \text{[isen, perf]} \quad (36)$$

#### RELATIONS BETWEEN LOCAL AND FREE-STREAM CONDITIONS

With the aid of the foregoing equations it can be shown that

$$\frac{T}{T_\infty} = 1 - \frac{\gamma-1}{2} M_\infty^2 \left[ \left( \frac{V}{V_\infty} \right)^2 - 1 \right] \quad \text{[adiab, perf]} \quad (37)$$

$$\frac{p}{p_\infty} = \left\{ 1 - \frac{\gamma-1}{2} M_\infty^2 \left[ \left( \frac{V}{V_\infty} \right)^2 - 1 \right] \right\}^{\frac{\gamma}{\gamma-1}} \quad \text{[isen, perf]} \quad (38)$$

$$\frac{\rho}{\rho_\infty} = \left\{ 1 - \frac{\gamma-1}{2} M_\infty^2 \left[ \left( \frac{V}{V_\infty} \right)^2 - 1 \right] \right\}^{\frac{1}{\gamma-1}} \quad \text{[isen perf]} \quad (39)$$

In small-disturbance theory, where it is assumed that  $(V - V_\infty) \ll V_\infty$ , these equations take on the simplified form

$$\frac{T}{T_\infty} \cong 1 - (\gamma-1) M_\infty^2 \frac{V - V_\infty}{V_\infty} \quad \text{[adiab, perf]} \quad (40)$$

$$\frac{p}{p_\infty} \cong 1 - \gamma M_\infty^2 \frac{V - V_\infty}{V_\infty} \quad \text{[isen, perf]} \quad (41)$$

$$\frac{\rho}{\rho_\infty} \cong 1 - M_\infty^2 \frac{V - V_\infty}{V_\infty} \quad \text{[isen, perf]} \quad (42)$$

#### USEFUL RATIOS

On the basis of the above results, useful relations can be derived expressing various dimensionless ratios as functions of a single parameter. These relations are given below, grouped according to which of the various parameters ( $M$ ,  $V/a_*$ ,  $V/a_t$ , or  $V/V_m$ ) is used as the independent variable.

In each case the second form of the equation applies for  $\gamma = \frac{7}{5}$ . Parameter  $M$ .

$$\frac{T}{T_t} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-1} = \left(1 + \frac{M^2}{5}\right)^{-1} \quad \text{[adiab, perf]} \quad (43)$$

$$\frac{p}{p_t} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma}{\gamma-1}} = \left(1 + \frac{M^2}{5}\right)^{-\frac{7}{2}} \quad \text{[isen, perf]} \quad (44)$$

$$\frac{\rho}{\rho_t} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{\gamma-1}} = \left(1 + \frac{M^2}{5}\right)^{-\frac{5}{2}} \quad \text{[isen, perf]} \quad (45)$$

$$\frac{a}{a_t} = \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{1}{2}} = \left(1 + \frac{M^2}{5}\right)^{-\frac{1}{2}} \quad \text{[adiab, perf]} \quad (46)$$

$$\frac{q}{p} = \frac{\gamma}{2} M^2 = \frac{7}{10} M^2 \quad [\text{therm perf}] \quad (47)$$

$$\begin{aligned} \frac{q}{p_t} &= \frac{\gamma}{2} M^2 \left( 1 + \frac{\gamma-1}{2} M^2 \right)^{-\frac{\gamma}{\gamma-1}} \\ &= \frac{7}{10} M^2 \left( 1 + \frac{M^2}{5} \right)^{-\frac{7}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (48)$$

$$\begin{aligned} \left(\frac{V}{a_t}\right)^2 &= M^2 \left( 1 + \frac{\gamma-1}{2} M^2 \right)^{-1} \\ &= M^2 \left( 1 + \frac{M^2}{5} \right)^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (49)$$

$$\begin{aligned} \left(\frac{V}{a_*}\right)^2 &= \frac{\gamma+1}{2} M^2 \left( 1 + \frac{\gamma-1}{2} M^2 \right)^{-1} \\ &= \frac{6M^2}{5} \left( 1 + \frac{M^2}{5} \right)^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (50)$$

$$\begin{aligned} \left(\frac{V}{V_m}\right)^2 &= \frac{\gamma-1}{2} M^2 \left( 1 + \frac{\gamma-1}{2} M^2 \right)^{-1} \\ &= \frac{M^2}{5} \left( 1 + \frac{M^2}{5} \right)^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (51)$$

Parameter  $\frac{V}{a_*}$ .

$$\frac{T}{T_t} = 1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 = 1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \quad [\text{adiab, perf}] \quad (52)$$

$$\begin{aligned} \frac{p}{p_t} &= \left[ 1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{\gamma}{\gamma-1}} \\ &= \left[ 1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{7}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (53)$$

$$\begin{aligned} \frac{\rho}{\rho_t} &= \left[ 1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{1}{\gamma-1}} \\ &= \left[ 1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (54)$$

$$\begin{aligned} \frac{a}{a_t} &= \left[ 1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{1}{2}} \\ &= \left[ 1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{1}{2}} \quad [\text{adiab, perf}] \end{aligned} \quad (55)$$

$$\begin{aligned} \frac{q}{p} &= \frac{\gamma}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \left[ 1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \right]^{-1} \\ &= \frac{7}{12} \left(\frac{V}{a_*}\right)^2 \left[ 1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \right]^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (56)$$

$$\begin{aligned} \frac{q}{p_t} &= \frac{\gamma}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \left[ 1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{1}{\gamma-1}} \\ &= \frac{7}{12} \left(\frac{V}{a_*}\right)^2 \left[ 1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (57)$$

$$M^2 = \frac{2}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \left[ 1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 \right]^{-1}$$

$$= \frac{5}{6} \left(\frac{V}{a_*}\right)^2 \left[ 1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \right]^{-1} \quad [\text{adiab, perf}] \quad (58)$$

$$\left(\frac{V}{a_t}\right)^2 = \frac{2}{\gamma+1} \left(\frac{V}{a_*}\right)^2 = \frac{5}{6} \left(\frac{V}{a_*}\right)^2 \quad [\text{adiab, perf}] \quad (59)$$

$$\left(\frac{V}{V_m}\right)^2 = \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2 = \frac{1}{6} \left(\frac{V}{a_*}\right)^2 \quad [\text{adiab, perf}] \quad (60)$$

Parameter  $\frac{V}{a_t}$ .

$$\frac{T}{T_t} = 1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 = 1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \quad [\text{adiab, perf}] \quad (61)$$

$$\begin{aligned} \frac{p}{p_t} &= \left[ 1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{\gamma}{\gamma-1}} \\ &= \left[ 1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{7}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (62)$$

$$\begin{aligned} \frac{\rho}{\rho_t} &= \left[ 1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{1}{\gamma-1}} \\ &= \left[ 1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (63)$$

$$\begin{aligned} \frac{a}{a_t} &= \left[ 1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{1}{2}} \\ &= \left[ 1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{1}{2}} \quad [\text{adiab, perf}] \end{aligned} \quad (64)$$

$$\begin{aligned} \frac{q}{p} &= \frac{\gamma}{2} \left(\frac{V}{a_t}\right)^2 \left[ 1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 \right]^{-1} \\ &= \frac{7}{10} \left(\frac{V}{a_t}\right)^2 \left[ 1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \right]^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (65)$$

$$\begin{aligned} \frac{q}{p_t} &= \frac{\gamma}{2} \left(\frac{V}{a_t}\right)^2 \left[ 1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{1}{\gamma-1}} \\ &= \frac{7}{10} \left(\frac{V}{a_t}\right)^2 \left[ 1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (66)$$

$$\begin{aligned} M^2 &= \left(\frac{V}{a_t}\right)^2 \left[ 1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 \right]^{-1} \\ &= \left(\frac{V}{a_t}\right)^2 \left[ 1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \right]^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (67)$$

$$\left(\frac{V}{a_*}\right)^2 = \frac{\gamma+1}{2} \left(\frac{V}{a_t}\right)^2 = \frac{6}{5} \left(\frac{V}{a_t}\right)^2 \quad [\text{adiab, perf}] \quad (68)$$

$$\left(\frac{V}{V_m}\right)^2 = \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2 = \frac{1}{5} \left(\frac{V}{a_t}\right)^2 \quad [\text{adiab, perf}] \quad (69)$$

Parameter  $\frac{V}{V_m}$ .

$$\frac{T}{T_m} = 1 - \left(\frac{V}{V_m}\right)^2 \quad [\text{adiab, perf}] \quad (70)$$

$$\frac{p}{p_m} = \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{\gamma}{\gamma-1}} = \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{7}{2}} \quad [\text{isen, perf}] \quad (71)$$

$$\frac{\rho}{\rho_m} = \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{1}{\gamma-1}} = \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{5}{2}} \quad [\text{isen, perf}] \quad (72)$$

$$\frac{a}{a_m} = \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{1}{2}} \quad [\text{adiab, perf}] \quad (73)$$

$$\begin{aligned} \frac{q}{p} &= \frac{\gamma}{\gamma-1} \left(\frac{V}{V_m}\right)^2 \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{-1} \\ &= \frac{7}{2} \left(\frac{V}{V_m}\right)^2 \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (74)$$

$$\begin{aligned} \frac{q}{p_m} &= \frac{\gamma}{\gamma-1} \left(\frac{V}{V_m}\right)^2 \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{1}{\gamma-1}} \\ &= \frac{7}{2} \left(\frac{V}{V_m}\right)^2 \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (75)$$

$$\begin{aligned} M^2 &= \frac{2}{\gamma+1} \left(\frac{V}{V_m}\right)^2 \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{-1} \\ &= \frac{5}{6} \left(\frac{V}{V_m}\right)^2 \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{-1} \quad [\text{adiab, perf}] \end{aligned} \quad (76)$$

$$\left(\frac{V}{a_m}\right)^2 = \frac{2}{\gamma-1} \left(\frac{V}{V_m}\right)^2 = 5 \left(\frac{V}{V_m}\right)^2 \quad [\text{adiab, perf}] \quad (77)$$

$$\left(\frac{V}{a_*}\right)^2 = \frac{\gamma+1}{\gamma-1} \left(\frac{V}{V_m}\right)^2 = 6 \left(\frac{V}{V_m}\right)^2 \quad [\text{adiab, perf}] \quad (78)$$

Tables I and II list numerical values of the following ratios with Mach number  $M$  as the independent variable:

$$\frac{p}{p_m}, \frac{\rho}{\rho_m}, \frac{T}{T_m}, \frac{q}{p_m}, \frac{V}{a_m}$$

#### STREAM-TUBE-AREA RELATIONS

If it is assumed that the density and speed are uniform across any section of a given stream tube, then the equation of continuity is

$$\rho V A = \text{constant} = \rho_* a_* A_* \quad (79)$$

By combining this and certain of the foregoing equations, the area ratio  $A_*/A$  can be expressed as a function of any one of the four parameters used above. The final equations are

$$\begin{aligned} \frac{A_*}{A} &= \left(\frac{\gamma+1}{2}\right)^{\frac{\gamma+1}{2(\gamma-1)}} M \left(1 + \frac{\gamma-1}{2} M^2\right)^{-\frac{\gamma+1}{2(\gamma-1)}} \\ &= \frac{216}{125} M \left(1 + \frac{M^2}{5}\right)^{-3} \quad [\text{isen, perf}] \end{aligned} \quad (80)$$

$$\begin{aligned} \frac{A_*}{A} &= \left(\frac{\gamma+1}{2}\right)^{\frac{1}{\gamma-1}} \left(\frac{V}{a_*}\right) \left[1 - \frac{\gamma-1}{\gamma+1} \left(\frac{V}{a_*}\right)^2\right]^{\frac{1}{\gamma-1}} \\ &= \left(\frac{6}{5}\right)^{\frac{5}{2}} \left(\frac{V}{a_*}\right) \left[1 - \frac{1}{6} \left(\frac{V}{a_*}\right)^2\right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (81)$$

$$\begin{aligned} \frac{A_*}{A} &= \left(\frac{\gamma+1}{2}\right)^{\frac{\gamma+1}{2(\gamma-1)}} \left(\frac{V}{a_t}\right) \left[1 - \frac{\gamma-1}{2} \left(\frac{V}{a_t}\right)^2\right]^{\frac{1}{\gamma-1}} \\ &= \frac{216}{125} \left(\frac{V}{a_t}\right) \left[1 - \frac{1}{5} \left(\frac{V}{a_t}\right)^2\right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (82)$$

$$\begin{aligned} \frac{A_*}{A} &= \left(\frac{2}{\gamma-1}\right)^{\frac{1}{2}} \left(\frac{\gamma+1}{2}\right)^{\frac{\gamma+1}{2(\gamma-1)}} \left(\frac{V}{V_m}\right) \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{1}{\gamma-1}} \\ &= \frac{1}{2} \left(\frac{216}{125}\right) \left(\frac{V}{V_m}\right) \left[1 - \left(\frac{V}{V_m}\right)^2\right]^{\frac{5}{2}} \quad [\text{isen, perf}] \end{aligned} \quad (83)$$

Numerical values of  $A_*/A$  as a function of  $M$  are given in tables I and II.

Equation (79) combined with equations (26), (29b), (45), and (46) can be employed to obtain the mass-flow rate per unit area  $\rho V$  along a stream tube as a function of Mach number, total temperature, and total pressure. Numerical values can be obtained conveniently from chart 1 where the variation with Mach number of the mass-flow rate per unit cross-sectional area is presented for various total temperatures and a total pressure of 1 pound per square inch absolute.

#### SHOCK WAVES

##### NORMAL SHOCK WAVES

###### BASIC EQUATIONS

The previous relations for isentropic flow are valid on either side of a shock wave, but not across it, because at the shock wave the flow quantities have discontinuities. Jump




FIGURE 1.—Notation for normal shock wave.

conditions for a steady normal shock wave (fig. 1) result from requiring conservation of

$$\text{mass:} \quad \rho_1 u_1 = \rho_2 u_2 \quad (84)$$

$$\text{momentum:} \quad p_1 + \rho_1 u_1^2 = p_2 + \rho_2 u_2^2 \quad (85)$$

$$\text{energy:}^3 \quad \frac{1}{2} u_1^2 + h_1 = \frac{1}{2} u_2^2 + h_2 \quad [\text{adiab}] \quad (86a)$$

<sup>3</sup> The actual relation for conservation of energy is  $\rho_1 u_1 \left(\frac{1}{2} u_1^2 + h_1\right) = \rho_2 u_2 \left(\frac{1}{2} u_2^2 + h_2\right)$ ; it reduces to the above form in view of equation (84).

$$\left. \begin{aligned} \frac{1}{2} u_1^2 + c_p T_1 &= \frac{1}{2} u_2^2 + c_p T_2 \\ \frac{1}{2} u_1^2 + \frac{\gamma}{\gamma-1} \frac{p_1}{\rho_1} &= \frac{1}{2} u_2^2 + \frac{\gamma}{\gamma-1} \frac{p_2}{\rho_2} \\ \frac{1}{2} u_1^2 + \frac{1}{\gamma-1} a_1^2 &= \frac{1}{2} u_2^2 + \frac{1}{\gamma-1} a_2^2 \end{aligned} \right\} [\text{adiab, perf}] \quad (86\text{b})$$

together with the requirement that the entropy does not decrease:

$$\Delta s \equiv s_2 - s_1 \geq 0. \quad (87)$$

It follows immediately from the energy relation (86) that total enthalpy, total temperature, and total speed of sound are constant across the shock and hence (from the previous relations (33) for adiabatic flow) also the critical speed of sound and limiting speed:

$$h_{t_1} = h_t \quad [\text{adiab}] \quad (88\text{a})$$

$$\left. \begin{aligned} T_{t_1} &= T_{t_2} \\ a_{t_1} &= a_{t_2} \\ a_{*1} &= a_{*2} \\ V_{m_1} &= V_{m_2} \end{aligned} \right\} [\text{adiab, perf}] \quad (88\text{b})$$

Combining equations (84) to (86) leads to Prandtl's relation

$$u_1 u_2 = a_*^2 = \frac{p_2 - p_1}{\rho_2 - \rho_1} \quad [\text{adiab, perf}] \quad (89)$$

which implies that the flow is supersonic ahead of the shock wave and subsonic behind (the reverse possibility is ruled out by the requirement of nondecreasing entropy), and to the Rankine-Hugoniot relations

$$\frac{p_2}{p_1} = \frac{(\gamma+1)\rho_2 - (\gamma-1)\rho_1}{(\gamma+1)\rho_1 - (\gamma-1)\rho_2} \quad [\text{adiab, perf}] \quad (90)$$

$$\frac{p_2}{p_1} = \frac{(\gamma+1)p_2 + (\gamma-1)p_1}{(\gamma+1)p_1 + (\gamma-1)p_2} \quad [\text{adiab, perf}] \quad (91)$$

$$\frac{p_2 - p_1}{\rho_2 - \rho_1} = \gamma \frac{p_2 + p_1}{\rho_2 + \rho_1} \quad [\text{adiab, perf}] \quad (92)$$

#### USEFUL RELATIONS

Many relations for normal shock waves are conveniently expressed in terms of either upstream Mach number  $M_1$  or the static-pressure ratio across the shock  $\xi \equiv p_2/p_1$ . The following relations apply to adiabatic flow of a completely perfect fluid. The last form of each equation holds for  $\gamma = 7/5$ .

#### Parameter $M_1$ .—

$$\frac{p_2}{p_1} = \xi = \frac{2\gamma M_1^2 - (\gamma-1)}{\gamma+1} = \frac{7M_1^2 - 1}{6} \quad (93)$$

$$\frac{p_2}{p_1} = \frac{u_1}{u_2} = \frac{u_1^2}{a_*^2} = \frac{u_2^2}{a_*^2} = \frac{(\gamma+1)M_1^2}{(\gamma-1)M_1^2 + 2} = \frac{6M_1^2}{M_1^2 + 5} \quad (94)$$

$$\left. \begin{aligned} \frac{T_2}{T_1} &= \frac{a_2^2}{a_1^2} = \frac{[2\gamma M_1^2 - (\gamma-1)][(\gamma-1)M_1^2 + 2]}{(\gamma+1)^2 M_1^2} \\ &= \frac{(7M_1^2 - 1)(M_1^2 + 5)}{36M_1^2} \end{aligned} \right\} \quad (95)$$

$$M_2^2 = \frac{(\gamma-1)M_1^2 + 2}{2\gamma M_1^2 - (\gamma-1)} = \frac{M_1^2 + 5}{7M_1^2 - 1} \quad (96)$$

$$\left. \begin{aligned} \frac{p_2}{p_{t_1}} &= \frac{2\gamma M_1^2 - (\gamma-1)}{\gamma+1} \left[ \frac{2}{(\gamma-1)M_1^2 + 2} \right]^{\frac{1}{\gamma-1}} \\ &= \frac{7M_1^2 - 1}{6} \left( \frac{5}{M_1^2 + 5} \right)^{\frac{1}{2}} \end{aligned} \right\} \quad (97)$$

$$\frac{p_2}{p_{t_2}} = \left[ \frac{4\gamma M_1^2 - 2(\gamma-1)}{(\gamma+1)^2 M_1^2} \right]^{\frac{1}{\gamma-1}} = \left[ \frac{5(7M_1^2 - 1)}{36M_1^2} \right]^{\frac{1}{2}} \quad (98)$$

$$\left. \begin{aligned} \frac{p_{t_2}}{p_{t_1}} &= \frac{\rho_{t_2}}{\rho_{t_1}} = e^{-\frac{\Delta s}{R}} \\ &= \left[ \frac{(\gamma+1)M_1^2}{(\gamma-1)M_1^2 + 2} \right]^{\frac{1}{\gamma-1}} \left[ \frac{\gamma+1}{2\gamma M_1^2 - (\gamma-1)} \right]^{\frac{1}{\gamma-1}} \\ &= \left( \frac{6M_1^2}{M_1^2 + 5} \right)^{\frac{1}{2}} \left( \frac{6}{7M_1^2 - 1} \right)^{\frac{1}{2}} \end{aligned} \right\} \quad (99)$$

$$\left. \begin{aligned} \frac{p_{t_2}}{p_1} &= \left[ \frac{(\gamma+1)M_1^2}{2} \right]^{\frac{1}{\gamma-1}} \left[ \frac{\gamma+1}{2\gamma M_1^2 - (\gamma-1)} \right]^{\frac{1}{\gamma-1}} \\ &= \left( \frac{6M_1^2}{5} \right)^{\frac{1}{2}} \left( \frac{6}{7M_1^2 - 1} \right)^{\frac{1}{2}} \end{aligned} \right\} \quad (100)$$

(Rayleigh pitot formula)

$$\left. \begin{aligned} \frac{\Delta s}{c_v} &= (\gamma-1) \frac{\Delta s}{R} = -(\gamma-1) \ln \left( \frac{p_{t_2}}{p_{t_1}} \right) \\ &= \ln \left[ \frac{2\gamma M_1^2 - (\gamma-1)}{\gamma+1} \right] - \gamma \ln \left[ \frac{(\gamma+1)M_1^2}{(\gamma-1)M_1^2 + 2} \right] \\ &= \ln \left( \frac{7M_1^2 - 1}{6} \right) - \frac{7}{5} \ln \left( \frac{6M_1^2}{M_1^2 + 5} \right) \end{aligned} \right\} \quad (101)$$

$$\frac{p_2 - p_1}{q_1} = \frac{4(M_1^2 - 1)}{(\gamma+1)M_1^2} = \frac{5(M_1^2 - 1)}{3M_1^2} \quad (102)$$

Numerical values from equations (93), (94), (95), (96), (99), and (100) (with  $\gamma = 7/5$ ) are given in table II.

For weak shock waves ( $M_1$  only slightly greater than unity) the following series are useful:

$$\left. \begin{aligned} \frac{p_{t_2}}{p_{t_1}} &= 1 - \frac{2\gamma}{3(\gamma+1)^2} (M_1^2 - 1)^3 + \frac{2\gamma^2}{(\gamma+1)^3} (M_1^2 - 1)^4 + \dots \\ &= 1 - \frac{35}{216} (M_1^2 - 1)^3 + \frac{245}{864} (M_1^2 - 1)^4 + \dots \end{aligned} \right\} \quad (103)$$

$$\left. \begin{aligned} \frac{\Delta s}{R} &= \frac{1}{\gamma-1} \frac{\Delta s}{c_v} = \frac{2\gamma}{3(\gamma+1)^2} (M_1^2 - 1)^3 - \frac{2\gamma^2}{(\gamma+1)^3} (M_1^2 - 1)^4 + \dots \\ &= \frac{35}{216} (M_1^2 - 1)^3 - \frac{245}{864} (M_1^2 - 1)^4 + \dots \end{aligned} \right\} \quad (104)$$

Parameter  $\xi \equiv p_2/p_1$ .

$$M_1^2 = \frac{(\gamma+1)\xi + (\gamma-1)}{2\gamma} = \frac{6\xi+1}{7} \quad (105)$$

$$\frac{p_2}{p_1} = \frac{u_1}{u_2} = \frac{(\gamma+1)\xi + (\gamma-1)}{(\gamma-1)\xi + (\gamma+1)} = \frac{6\xi+1}{\xi+6} \quad (106)$$

$$\frac{T_2}{T_1} = \frac{a_2^2}{a_1^2} = \xi \frac{(\gamma-1)\xi + (\gamma+1)}{(\gamma+1)\xi + (\gamma-1)} = \xi \frac{\xi+6}{6\xi+1} \quad (107)$$

$$M_2^2 = \frac{(\gamma-1)\xi + (\gamma+1)}{2\gamma\xi} = \frac{\xi+6}{7\xi} \quad (108)$$

$$\frac{p_2}{p_{t_1}} = \xi \frac{p_1}{p_{t_1}} = \xi \left\{ \frac{4\gamma}{(\gamma+1)[(\gamma-1)\xi + (\gamma+1)]} \right\}^{\frac{1}{\gamma-1}} = \xi \left[ \frac{35}{6(\xi+6)} \right]^{\frac{1}{\gamma-1}} \quad (109)$$

$$\frac{p_2}{p_{t_2}} = \xi \frac{p_1}{p_{t_2}} = \left\{ \frac{4\gamma\xi}{(\gamma+1)[(\gamma+1)\xi + (\gamma-1)]} \right\}^{\frac{1}{\gamma-1}} = \left[ \frac{35\xi}{6(6\xi+1)} \right]^{\frac{1}{\gamma-1}} \quad (110)$$

$$\begin{aligned} \frac{p_{t_2}}{p_{t_1}} &= \frac{p_{t_2}}{p_1} = e^{-\frac{\Delta s}{R}} = \xi^{-\frac{1}{\gamma-1}} \left[ \frac{(\gamma+1)\xi + (\gamma-1)}{(\gamma-1)\xi + (\gamma+1)} \right]^{\frac{1}{\gamma-1}} \\ &= \left( \frac{1}{\xi} \right)^{\frac{5}{2}} \left( \frac{6\xi+1}{\xi+6} \right)^{\frac{1}{2}} \end{aligned} \quad (111)$$

$$\frac{\Delta s}{c_v} = (\gamma-1) \frac{\Delta s}{R} = -(\gamma-1) \ln \left( \frac{p_{t_2}}{p_{t_1}} \right) = \ln \xi -$$

$$\gamma \ln \left[ \frac{(\gamma+1)\xi + (\gamma-1)}{(\gamma-1)\xi + (\gamma+1)} \right] = \ln \xi - \frac{7}{5} \ln \left( \frac{6\xi+1}{\xi+6} \right) \quad (112)$$

For weak shock waves ( $\xi$  only slightly greater than unity)

$$\begin{aligned} \frac{p_{t_2}}{p_{t_1}} &= 1 - \frac{\gamma+1}{12\gamma^2} (\xi-1)^3 + \frac{\gamma+1}{8\gamma^2} (\xi-1)^4 + \dots \\ &= 1 - \frac{5}{49} (\xi-1)^3 + \frac{15}{98} (\xi-1)^4 + \dots \end{aligned} \quad (113)$$

$$\frac{\Delta s}{R} = \frac{1}{\gamma-1} \frac{\Delta s}{c_v} = \frac{\gamma+1}{12\gamma^2} (\xi-1)^3 - \frac{\gamma+1}{8\gamma^2} (\xi-1)^4 + \dots$$

$$= \frac{5}{49} (\xi-1)^3 - \frac{15}{98} (\xi-1)^4 + \dots \quad (114)$$

In unsteady flow a normal shock wave acts at each instant as a steady shock. Hence all the above relations are valid across a moving normal shock wave if instantaneous velocities are measured relative to the shock.

### OBLIQUE SHOCK WAVES

In general, a three-dimensional shock wave will be curved, and will separate two regions of nonuniform flow. However, the shock transition at each point takes place instantaneously, so that it is sufficient to consider an arbitrarily small neighborhood of the point. In such a neighborhood




FIGURE 2.—Notation for oblique shock wave.

the shock wave may be regarded as plane to any desired degree of accuracy, and the flows on either side as uniform and parallel. Moreover, with the proper orientation of axes the flow is locally two-dimensional. Hence it is sufficient to consider a straight oblique shock wave in a uniform parallel two-dimensional stream, as shown in figure 2.

### BASIC EQUATIONS

For a steady oblique shock wave, jump conditions result from requiring conservation of

$$\text{mass: } p_1 \tilde{u}_1 = p_2 \tilde{u}_2 \quad (115)$$

$$\text{normal momentum: } p_1 + p_1 \tilde{u}_1^2 = p_2 + p_2 \tilde{u}_2^2 \quad (116)$$

$$\text{tangential momentum: } p_1 \tilde{u}_1 \tilde{v}_1 = p_2 \tilde{u}_2 \tilde{v}_2 \quad (117)$$

$$\text{energy}^4: \frac{1}{2} (\tilde{u}_1^2 + \tilde{v}_1^2) + h_1 = \frac{1}{2} (\tilde{u}_2^2 + \tilde{v}_2^2) + h_2 \text{ [adiab]} \quad (118a)$$

$$\left. \begin{aligned} \frac{1}{2} (\tilde{u}_1^2 + \tilde{v}_1^2) + c_p T_1 &= \frac{1}{2} (\tilde{u}_2^2 + \tilde{v}_2^2) + c_p T_2 \\ \frac{1}{2} (\tilde{u}_1^2 + \tilde{v}_1^2) + \frac{\gamma}{\gamma-1} \frac{p_1}{\rho_1} &= \frac{1}{2} (\tilde{u}_2^2 + \tilde{v}_2^2) + \frac{\gamma}{\gamma-1} \frac{p_2}{\rho_2} \end{aligned} \right\} \begin{aligned} &\text{[adiab,]} \\ &\text{[perf]} \end{aligned} \quad (118b)$$

together with the requirement that the entropy does not decrease:

$$\Delta s \equiv s_2 - s_1 \geq 0 \quad (119)$$

Again it follows from the energy relation (118) that total enthalpy, total temperature, and total speed of sound are constant across the shock and hence also the critical speed of sound and limiting speed:

$$h_{t_1} = h_{t_2} \text{ [adiab]} \quad (120)$$

$$\left. \begin{aligned} T_{t_1} &= T_{t_2} \\ a_{t_1} &= a_{t_2} \\ a_{*1} &= a_{*2} \end{aligned} \right\} \begin{aligned} &\text{[adiab,]} \\ &\text{[perf]} \end{aligned} \quad (121)$$

$$V_{m_1} = V_{m_2}$$

<sup>4</sup> Compare remark for normal shock waves, footnote on page 6.

## CONNECTION WITH NORMAL SHOCK

A comparison of equation (115) with (117) shows that the tangential velocity is constant across the shock wave:

$$\tilde{v}_1 = \tilde{v}_2 \quad [\text{adiab}] \quad (122)$$

so that the change in velocity is normal to the shock. It follows that

$$\frac{1}{2} \tilde{v}_1^2 = \frac{1}{2} \tilde{v}_2^2$$

so that the energy equation (118a) reduces to

$$\frac{1}{2} \tilde{u}_1^2 + h_1 = \frac{1}{2} \tilde{u}_2^2 + h_2 \quad [\text{adiab}] \quad (123)$$

Now equations (115), (116), and (123) involve only the component of velocity  $\tilde{u}$  normal to the shock, and are identical with equations (84), (85), and (86) for normal shock waves. Hence an oblique shock wave acts as a normal shock to the component of flow perpendicular to it, while the tangential component is unchanged. This is also clear physically from the "sweepback principle" that the oblique flow is reduced to the normal flow by a uniform translation of axes (Galilean transformation).

Because the speed of sound depends on the tangential velocity, Prandtl's relation differs from that for normal shock waves (see ref. 11, pp. 302-303):

$$\tilde{u}_1 \tilde{u}_2 = a_*^2 - \frac{\gamma-1}{\gamma+1} \tilde{v}^2 \quad [\text{adiab, perf}] \quad (124)$$

where  $a_*$  and  $\tilde{v}$  can be evaluated on either side of the shock.

The Rankine-Hugoniot relations are the same as for normal shock waves:

$$\frac{p_2}{p_1} = \frac{(\gamma+1)\rho_2 - (\gamma-1)\rho_1}{(\gamma+1)\rho_1 - (\gamma-1)\rho_2} \quad [\text{adiab, perf}] \quad (125)$$

$$\frac{p_2}{p_1} = \frac{(\gamma+1)p_2 + (\gamma-1)p_1}{(\gamma+1)p_1 + (\gamma-1)p_2} \quad [\text{adiab, perf}] \quad (126)$$

$$\frac{p_2 - p_1}{\rho_2 - \rho_1} = \gamma \frac{p_2 + p_1}{\rho_2 + \rho_1} \quad [\text{adiab, perf}] \quad (127)$$

## USEFUL RELATIONS

Because an oblique shock wave acts as a normal shock to the flow perpendicular to it, the previous relations for normal shocks (except those for ratios of static to total pressures) apply to oblique shocks if  $M_1$  and  $M_2$  are replaced by their normal components  $M_1 \sin \theta$  and  $M_2 \sin(\theta-\delta)$ . This gives most of the following relations; the remainder are derived from them by using the kinematic condition that the stream turns through an angle  $\delta$ , together with the previous isentropic-flow relations.

Parameters  $M_1$  and  $\theta$ .

$$\frac{p_2}{p_1} = \xi = \frac{2\gamma M_1^2 \sin^2 \theta - (\gamma-1)}{\gamma+1} = \frac{7M_1^2 \sin^2 \theta - 1}{6} \quad (128)$$

$$\frac{\rho_2}{\rho_1} = \frac{\tilde{u}_1}{\tilde{u}_2} = \frac{(\gamma+1)M_1^2 \sin^2 \theta}{(\gamma-1)M_1^2 \sin^2 \theta + 2} = \frac{6M_1^2 \sin^2 \theta}{M_1^2 \sin^2 \theta + 5} \quad (129)$$

$$\begin{aligned} \frac{T_2}{T_1} &= \frac{a_2^2}{a_1^2} = \frac{[2\gamma M_1^2 \sin^2 \theta - (\gamma-1)][(\gamma-1)M_1^2 \sin^2 \theta + 2]}{(\gamma+1)^2 M_1^2 \sin^2 \theta} \\ &= \frac{(7M_1^2 \sin^2 \theta - 1)(M_1^2 \sin^2 \theta + 5)}{36M_1^2} \end{aligned} \quad (130)$$

$$M_2^2 \sin^2(\theta - \delta) = \frac{(\gamma-1)M_1^2 \sin^2 \theta + 2}{2\gamma M_1^2 \sin^2 \theta - (\gamma-1)} = \frac{M_1^2 \sin^2 \theta + 5}{7M_1^2 \sin^2 \theta - 1} \quad (131)$$

$$\begin{aligned} M_2^2 &= \frac{(\gamma+1)^2 M_1^4 \sin^2 \theta - 4(M_1^2 \sin^2 \theta - 1)(\gamma M_1^2 \sin^2 \theta + 1)}{[2\gamma M_1^2 \sin^2 \theta - (\gamma-1)][(\gamma-1)M_1^2 \sin^2 \theta + 2]} \\ &= \frac{36M_1^4 \sin^2 \theta - 5(M_1^2 \sin^2 \theta - 1)(7M_1^2 \sin^2 \theta + 5)}{(7M_1^2 \sin^2 \theta - 1)(M_1^2 \sin^2 \theta + 5)} \end{aligned} \quad (132)$$

$$\frac{\tilde{u}_2}{V_1} = \frac{(\gamma-1)M_1^2 \sin^2 \theta + 2}{(\gamma+1)M_1^2 \sin^2 \theta} \sin \theta = \frac{M_1^2 \sin^2 \theta + 5}{6M_1^2 \sin^2 \theta} \sin \theta \quad (133)$$

$$\frac{\tilde{v}_2}{V_1} = \frac{\tilde{v}_1}{V_1} = \cos \theta \quad (134)$$

$$\frac{u_2}{V_1} = 1 - \frac{2(M_1^2 \sin^2 \theta - 1)}{(\gamma+1)M_1^2} = 1 - \frac{5(M_1^2 \sin^2 \theta - 1)}{6M_1^2} \quad (135)$$

$$\frac{v_2}{V_1} = \frac{2(M_1^2 \sin^2 \theta - 1)}{(\gamma+1)M_1^2} \cot \theta = \frac{5(M_1^2 \sin^2 \theta - 1)}{6M_1^2} \cot \theta \quad (136)$$

$$\begin{aligned} \frac{V_2^2}{V_1^2} &= 1 - 4 \frac{(M_1^2 \sin^2 \theta - 1)(\gamma M_1^2 \sin^2 \theta + 1)}{(\gamma+1)^2 M_1^4 \sin^2 \theta} \\ &= 1 - \frac{5}{36} \frac{(M_1^2 \sin^2 \theta - 1)(7M_1^2 \sin^2 \theta + 5)}{M_1^4 \sin^2 \theta} \end{aligned} \quad (137)$$

$$\begin{aligned} \cot \delta &= \tan \theta \left[ \frac{(\gamma+1)M_1^2}{2(M_1^2 \sin^2 \theta - 1)} - 1 \right] \\ &= \tan \theta \left[ \frac{6M_1^2}{5(M_1^2 \sin^2 \theta - 1)} - 1 \right] \end{aligned} \quad (138)$$

$$\tan \delta = \frac{2 \cot \theta (M_1^2 \sin^2 \theta - 1)}{2 + M_1^2(\gamma + 1 - 2 \sin^2 \theta)} = \frac{5 \cot \theta (M_1^2 \sin^2 \theta - 1)}{5 + M_1^2(6 - 5 \sin^2 \theta)} \quad (139a)$$

$$\frac{M_1^2 \sin 2\theta - 2 \cot \theta}{2 + M_1^2(\gamma + \cos 2\theta)} = 5 \frac{M_1^2 \sin 2\theta - 2 \cot \theta}{10 + M_1^2(7 + 5 \cos 2\theta)} \quad (139b)$$

$$\begin{aligned} \frac{p_2}{p_{t_1}} &= \frac{2\gamma M_1^2 \sin^2 \theta - (\gamma-1)}{(\gamma+1)} \left[ \frac{2}{(\gamma-1)M_1^2 + 2} \right]^{\frac{\gamma}{\gamma-1}} \\ &= \frac{7M_1^2 \sin^2 \theta - 1}{6} \left( \frac{5}{M_1^2 + 5} \right)^{\frac{\gamma}{\gamma-1}} \end{aligned} \quad (140)$$

$$\begin{aligned} \frac{p_2}{p_{t_2}} &= \left\{ 2 \frac{[2\gamma M_1^2 \sin^2 \theta - (\gamma-1)][(\gamma-1)M_1^2 \sin^2 \theta + 2]}{(\gamma+1)^2 M_1^2 \sin^2 \theta} \right\}^{\frac{\gamma}{\gamma-1}} \\ &= \left[ 5 \frac{(7M_1^2 \sin^2 \theta - 1)(M_1^2 \sin^2 \theta + 5)}{36M_1^2 \sin^2 \theta (M_1^2 + 5)} \right]^{\frac{\gamma}{\gamma-1}} \end{aligned} \quad (141)$$

$$\begin{aligned} \frac{p_{t_2}}{p_{t_1}} &= \frac{p_{t_2}}{p_{t_1}} = e^{-\frac{\Delta s}{R}} \\ &= \left[ \frac{(\gamma+1)M_1^2 \sin^2 \theta}{(\gamma-1)M_1^2 \sin^2 \theta + 2} \right]^{\frac{1}{\gamma-1}} \left[ \frac{\gamma+1}{2\gamma M_1^2 \sin^2 \theta - (\gamma-1)} \right]^{\frac{1}{\gamma-1}} \\ &= \left( \frac{6M_1^2 \sin^2 \theta}{M_1^2 \sin^2 \theta + 5} \right)^{1/2} \left( \frac{6}{7M_1^2 \sin^2 \theta - 1} \right)^{5/2} \end{aligned} \quad (142)$$

$$\begin{aligned} \frac{p_{t_2}}{p_1} &= \left[ \frac{\gamma+1}{2\gamma M_1^2 \sin^2 \theta - (\gamma-1)} \right]^{\frac{1}{\gamma-1}} \times \\ &\quad \left\{ \frac{(\gamma+1)M_1^2 \sin^2 \theta [(\gamma-1)M_1^2 + 2]}{2[(\gamma-1)M_1^2 \sin^2 \theta + 2]} \right\}^{\frac{1}{\gamma-1}} \\ &= \left( \frac{6}{7M_1^2 \sin^2 \theta - 1} \right)^{5/2} \left[ \frac{6M_1^2 \sin^2 \theta (M_1^2 + 5)}{5(M_1^2 \sin^2 \theta + 5)} \right]^{1/2} \end{aligned} \quad (143)$$

$$\begin{aligned} \frac{\Delta s}{c_s} &= (\gamma-1) \frac{\Delta s}{R} = -(\gamma-1) \ln \left( \frac{p_{t_2}}{p_{t_1}} \right) \\ &= \ln \left[ \frac{2\gamma M_1^2 \sin^2 \theta - (\gamma-1)}{\gamma+1} \right] - \\ &\quad \gamma \ln \left[ \frac{(\gamma+1)M_1^2 \sin^2 \theta}{(\gamma-1)M_1^2 \sin^2 \theta + 2} \right] \\ &= \ln \left( \frac{7M_1^2 \sin^2 \theta - 1}{6} \right) - \frac{7}{5} \ln \left( \frac{6M_1^2 \sin^2 \theta}{M_1^2 \sin^2 \theta + 5} \right) \end{aligned} \quad (144)$$

$$\frac{p_2 - p_1}{q_1} = \frac{4(M_1^2 \sin^2 \theta - 1)}{(\gamma+1)M_1^2} = \frac{5}{3} \frac{M_1^2 \sin^2 \theta - 1}{M_1^2} \quad (145)$$

Values of the following ratios for oblique shock waves can be read from table II, provided  $M_1 \sin \theta$  is used instead of  $M_1$  in the first column:

$$\frac{p_2}{p_1}, \frac{p_2}{\rho_1}, \frac{T_2}{T_1}, \frac{p_{t_2}}{p_{t_1}}$$

For weak shock waves ( $M_1 \sin \theta$  only slightly greater than unity) the following series are obtained from equations (103) and (104) by replacing  $M_1$  by  $M_1 \sin \theta$ :

$$\begin{aligned} \frac{p_{t_2}}{p_{t_1}} &= 1 - \frac{2\gamma}{3(\gamma+1)^2} (M_1^2 \sin^2 \theta - 1)^3 + \frac{2\gamma^2}{(\gamma+1)^4} (M_1^2 \sin^2 \theta - 1)^4 + \dots \\ &= 1 - \frac{35}{216} (M_1^2 \sin^2 \theta - 1)^3 + \frac{245}{864} (M_1^2 \sin^2 \theta - 1)^4 + \dots \end{aligned} \quad (146)$$

$$\begin{aligned} \frac{\Delta s}{R} &= \frac{1}{\gamma-1} \frac{\Delta s}{c_s} = \frac{2\gamma}{3(\gamma+1)^2} (M_1^2 \sin^2 \theta - 1)^3 - \\ &\quad \frac{2\gamma^2}{(\gamma+1)^3} (M_1^2 \sin^2 \theta - 1)^4 + \dots \\ &= \frac{35}{216} (M_1^2 \sin^2 \theta - 1)^3 - \frac{245}{864} (M_1^2 \sin^2 \theta - 1)^4 + \dots \end{aligned} \quad (147)$$

### Parameters $\theta$ and $\delta$ .

$$\begin{aligned} \frac{1}{M_1^2} &= \sin^2 \theta - \frac{\gamma+1}{2} \frac{\sin \theta \sin \delta}{\cos(\theta-\delta)} = \sin^2 \theta - \frac{\gamma+1}{2} \frac{\tan \delta}{\tan \delta + \cot \theta} \\ &= \sin^2 \theta - \frac{\gamma+1}{2} \frac{\tan \theta}{\tan \theta + \cot \delta} \end{aligned} \quad (148a)$$

$$\begin{aligned} M_1^2 &= \frac{2(\cot \theta + \tan \delta)}{\sin 2\theta - \tan \delta(\gamma + \cos 2\theta)} \\ &= \frac{10(\cot \theta + \tan \delta)}{5 \sin 2\theta - \tan \delta(7 + 5 \cos 2\theta)} \end{aligned} \quad (148b)$$

$$\begin{aligned} \frac{p_2 - p_1}{q_1} &= 2 \frac{\sin \theta \sin \delta}{\cos(\theta-\delta)} \\ &= 2 \frac{\tan \delta}{\tan \delta + \cot \theta} = 2 \frac{\tan \theta}{\tan \theta + \cot \delta} \end{aligned} \quad (149a)$$

$$\frac{p_2 - p_1}{p_2} = \frac{\sin \delta}{\sin \theta \cos(\theta-\delta)} \quad (149b)$$

### Parameters $M_1$ and $\delta$ .

No convenient explicit relations exist. However, the value of  $\sin^2 \theta$  can be found by solving the following cubic equation (ref. 12):

$$\sin^6 \theta + b \sin^4 \theta + c \sin^2 \theta + d = 0 \quad (150a)$$

where

$$\left. \begin{aligned} b &= -\frac{M_1^2 + 2}{M_1^2} - \gamma \sin^2 \delta \\ c &= \frac{2M_1^2 + 1}{M_1^4} + \left[ \frac{(\gamma+1)^2}{4} + \frac{\gamma-1}{M_1^2} \right] \sin^2 \delta \\ d &= -\frac{\cos^2 \delta}{M_1^4} \end{aligned} \right\} \quad (150b)$$

The smallest of the three roots corresponds to a decrease in entropy and should be disregarded.

For weak shock waves (small deflections  $\delta$ ) the following series are useful (note that  $\delta$  must be measured in radians):

$$\begin{aligned} \frac{p_2}{p_1} &= 1 + \frac{\gamma M_1^2}{(M_1^2 - 1)^{1/2}} \delta + \gamma M_1^2 \frac{(\gamma+1)M_1^4 - 4(M_1^2 - 1)}{4(M_1^2 - 1)^2} \delta^2 + \\ &\quad \frac{\gamma M_1^2}{(M_1^2 - 1)^{1/2}} \left[ \frac{(\gamma+1)^2}{32} M_1^8 - \frac{7+12\gamma-3\gamma^2}{24} M_1^6 + \right. \\ &\quad \left. \frac{3}{4} (\gamma+1)M_1^4 - M_1^2 + \frac{2}{3} \right] \delta^3 + \dots \end{aligned} \quad (151)$$

$$\begin{aligned} \frac{p_2 - p_1}{q_1} &= \frac{2}{(M_1^2 - 1)^{1/2}} \delta + \frac{(\gamma+1)M_1^4 - 4(M_1^2 - 1)}{2(M_1^2 - 1)^2} \delta^2 + \\ &\quad \frac{1}{(M_1^2 - 1)^{1/2}} \left[ \frac{(\gamma+1)^2}{16} M_1^8 - \frac{7+12\gamma-3\gamma^2}{12} M_1^6 + \right. \\ &\quad \left. \frac{3}{2} (\gamma+1)M_1^4 - 2M_1^2 + \frac{4}{3} \right] \delta^3 + \dots \end{aligned} \quad (152)$$

$$\frac{p_2}{p_1} = 1 + \frac{M_1^2}{(M_1^2 - 1)^{1/2}} \delta + M_1^2 \frac{(3-\gamma)M_1^2(M_1^2-2)+4}{4(M_1^2-1)^2} \delta^2 + \dots \quad (153)$$

$$\frac{T_2}{T_1} = 1 + \frac{(\gamma-1)M_1^2}{(M_1^2-1)^{1/2}} \delta + (\gamma-1)M_1^2 \frac{(\gamma+1)M_1^4 - 2(M_1^2+2)(M_1^2-1)}{4(M_1^2-1)^2} \delta^2 + \dots \quad (154)$$

Since flow through weak shock waves is nearly isentropic, compressions through small angles can also be calculated with the aid of table II by regarding them as reversed Prandtl-Meyer expansions (see later section). The resulting numerical accuracy is greater than that obtained by retaining terms up to  $\delta^2$  in the above series, and nearly equal to that obtained by retaining terms up to  $\delta^3$ .

Charts 2, 3, and 4 show the variation of shock-wave angle, pressure coefficient across a shock wave, and downstream Mach number with flow-deflection angle for various upstream Mach numbers.

Parameter  $\xi \equiv p_1/p_2$ .—

$$M_1^2 \sin^2 \theta = \frac{(\gamma+1)\xi + (\gamma-1)}{2\gamma} = \frac{6\xi+1}{7} \quad (155)$$

$$M_2^2 \sin^2(\theta-\delta) = \frac{(\gamma-1)\xi + (\gamma+1)}{2\gamma\xi} = \frac{\xi+6}{7\xi} \quad (156)$$

$$M_2^2 = \frac{M_1^2[(\gamma+1)\xi + (\gamma-1)] - 2(\xi^2-1)}{\xi[(\gamma-1)\xi + (\gamma+1)]} = \frac{M_1^2(6\xi+1) - 5(\xi^2-1)}{\xi(\xi+6)} \quad (157)$$

$$\frac{p_2}{p_1} = \frac{(\gamma+1)\xi + (\gamma-1)}{(\gamma-1)\xi + (\gamma+1)} = \frac{6\xi+1}{\xi+6} \quad (158)$$

$$\frac{T_2}{T_1} = \frac{a_2^2}{a_1^2} = \xi \frac{(\gamma-1)\xi + (\gamma+1)}{(\gamma+1)\xi + (\gamma-1)} = \xi \frac{\xi+6}{6\xi+1} \quad (159)$$

$$\tan^2 \delta = \left( \frac{\xi-1}{\gamma M_1^2 - \xi+1} \right)^2 \frac{2\gamma M_1^2 - (\gamma-1) - (\gamma+1)\xi}{(\gamma+1)\xi + (\gamma-1)} = \left[ \frac{5(\xi-1)}{7M_1^2 - 5(\xi-1)} \right]^2 \frac{7M_1^2 - (6\xi+1)}{6\xi+1} \quad (160)$$





FIGURE 3.—Shock polar.

$$\frac{p_{t_2}}{p_{t_1}} = \frac{p_{t_2}}{p_{t_1}} = e^{-\frac{\Delta s}{R}} = \left[ \frac{(\gamma+1)\xi + (\gamma-1)}{(\gamma-1)\xi + (\gamma+1)} \right]^{\frac{\gamma}{\gamma-1}} \xi^{-\frac{1}{\gamma-1}} = \left( \frac{6\xi+1}{\xi+6} \right)^{\frac{\gamma}{\gamma-1}} \xi^{-\frac{1}{\gamma-1}} \quad (161)$$

$$\frac{V_2^2}{V_1^2} = 1 - \frac{2(\xi^2-1)}{M_1^2[(\gamma+1)\xi + (\gamma-1)]} = 1 - \frac{5(\xi^2-1)}{M_1^2(6\xi+1)} \quad (162)$$

For weak shock waves, equations (113) and (114) apply to oblique as well as normal shocks.

#### SHOCK POLAR

The velocities associated with an oblique shock wave are conveniently represented in the velocity-vector (hodograph) plane. For a given Mach number ahead of the shock wave, all possible velocity vectors behind the shock lie on a single curve.

Only the closed loop represents real shock waves with non-decreasing entropy, and forms Busemann's shock polar (fig. 3). Its equation is

$$v_2^2 = (V_1 - u_2)^2 \frac{\frac{u_2 - a_*^2}{V_1}}{\frac{2}{\gamma+1} \frac{V_1 + a_*^2}{V_1} - u_2} \quad (163)$$

Other forms of this equation convenient for computation are, given  $V_1$  and  $M_1$ ,

$$\begin{aligned} \left( \frac{v_2}{V_1} \right)^2 &= \left( 1 - \frac{u_2}{V_1} \right)^2 \frac{(M_1^2 - 1) - \frac{\gamma+1}{2} M_1^2 \left( 1 - \frac{u_2}{V_1} \right)}{1 + \frac{\gamma+1}{2} M_1^2 \left( 1 - \frac{u_2}{V_1} \right)} \\ &= \left( 1 - \frac{u_2}{V_1} \right)^2 \frac{5(M_1^2 - 1) - 6M_1^2 \left( 1 - \frac{u_2}{V_1} \right)}{5 + 6M_1^2 \left( 1 - \frac{u_2}{V_1} \right)} \end{aligned} \quad (164a)$$

given  $a_*$  and  $V_1$ ,

$$\left(\frac{V_2}{a_*}\right)^2 = \left(\frac{V_1 - u_2}{a_* - a_*}\right)^2 \frac{\frac{V_1}{a_*} \frac{u_2}{a_*} - 1}{1 + \frac{2}{\gamma+1} \left(\frac{V_1}{a_*}\right)^2 - \frac{V_1}{a_*} \frac{u_2}{a_*}}$$

$$\left(\frac{V_1 - u_2}{a_* - a_*}\right)^2 \frac{6 \left(\frac{V_1}{a_*} \frac{u_2}{a_*} - 1\right)}{5 \left(\frac{V_1}{a_*}\right)^2 - 6 \left(\frac{V_1}{a_*} \frac{u_2}{a_*} - 1\right)} \quad (164b)$$

and given  $V_1$  and  $V_m$ ,

$$\left(\frac{v_2}{V_m}\right)^2 = \left(\frac{V_1 - u_2}{V_m - V_m}\right)^2 \frac{\frac{V_1}{V_m} \frac{u_2}{V_m} - \frac{\gamma-1}{\gamma+1}}{\frac{2}{\gamma+1} \left(\frac{V_1}{V_m}\right)^2 + \frac{\gamma-1}{\gamma+1} - \frac{V_1}{V_m} \frac{u_2}{V_m}}$$

$$= \left(\frac{V_1 - u_2}{V_m - V_m}\right)^2 \frac{\left(6 \frac{V_1}{V_m} \frac{u_2}{V_m} - 1\right)}{5 \left(\frac{V_1}{V_m}\right)^2 - \left(6 \frac{V_1}{V_m} \frac{u_2}{V_m} - 1\right)} \quad (164c)$$

The shock-wave angle  $\theta$  and wedge angle  $\delta$  are given in terms of the velocity components by

$$\tan \theta = \frac{V_1 - u_2}{v_2} = \frac{\tilde{u}_1}{\tilde{v}_1} \quad (165)$$

$$\tan \delta = \frac{v_2}{u_2} \quad (166)$$

The shock-wave angle  $\theta_*$  for sonic flow behind the shock is found (by setting  $M_2=1$  in eq. (132)) to be given by

$$\sin^2 \theta_* = \frac{1}{4\gamma M_1^2} \{ (\gamma+1) M_1^2 - (3-\gamma) + \sqrt{(\gamma+1)[(\gamma+1)M_1^4 - 2(3-\gamma)M_1^2 + (\gamma+9)]} \}$$

$$= \frac{1}{7M_1^2} [3M_1^2 - 2 + \sqrt{3(3M_1^4 - 4M_1^2 + 13)}] \quad (167)$$

The shock-wave angle  $\theta_{max}$  for maximum stream deflection behind the shock is given by

$$\sin^2 \theta_{max} = \frac{1}{4\gamma M_1^2} \{ (\gamma+1) M_1^2 - 4 + \sqrt{(\gamma+1)[(\gamma+1)M_1^4 + 8(\gamma-1)M_1^2 + 16]} \}$$

$$= \frac{1}{7M_1^2} [3M_1^2 - 5 + \sqrt{3(3M_1^4 + 4M_1^2 + 20)}] \quad (168)$$

For small deflection angles (hence Mach numbers close to unity), the deflection angle (radians) for sonic flow behind the shock is given approximately in terms of the upstream Mach number by

$$\delta_* = \frac{1}{\sqrt{2}(\gamma+1)} \frac{(M_1^2 - 1)^{3/2}}{M_1^2} = 0.2946 \frac{(M_1^2 - 1)^{3/2}}{M_1^2} \quad (169)$$

The maximum stream deflection angle for a specified upstream Mach number is given approximately by

$$\delta_{max} = \frac{4}{3\sqrt{3}(\gamma+1)} \frac{(M_1^2 - 1)^{3/2}}{M_1^2} = 0.3208 \frac{(M_1^2 - 1)^{3/2}}{M_1^2} \quad (170)$$

In unsteady flow all the above relations are valid across a moving oblique shock wave if instantaneous velocities are measured relative to the shock.

## SUPersonic FLOW PAST WEDGES AND CONES

A shock wave forms ahead of any body in supersonic flight and remains fixed relative to the body if the flight is steady. It stands ahead of blunt shapes, but may be attached to pointed shapes.

Just at the tip of a pointed airfoil or body of revolution the flow is the same as for the initially tangent wedge or cone. The bow wave is attached at sufficiently high Mach numbers for a wedge of semivertex angle  $\delta$  less than  $\sin^{-1}(1/\gamma) = 45.6^\circ$  for  $\gamma=7/5$ , and for a circular cone of semivertex angle  $\sigma$  less than  $57.5^\circ$  for  $\gamma=1.405$ . Below these limits, the wave is attached above a minimum Mach number whose dependence upon nose angle is shown for wedges and cones in figure 4. (These values can be applied to pointed airfoils and bodies of revolution which are not concave.) Also shown in figure 4 are the slightly higher Mach numbers above which the velocity behind the shock wave is supersonic, and for the cone the still higher Mach number above which the flow is supersonic even at the surface. (For wedges these last two coincide.) For thin wedges, these Mach numbers are given approximately by equations (169) and (170).

### FLOW PAST WEDGES

If the bow shock wave is attached to a wedge, it is straight, and the flow behind the shock consists of uniform streams parallel to either face of the wedge. The flow pattern above the upper face (fig. 5) may be regarded as obtained from the straight oblique shock-wave pattern of figure 2 by replacing the streamline behind the shock wave with a solid wall. Flow quantities are determined by the oblique-shock-wave relations, equations (115) to (170). As noted previously, table II can also be applied if  $M_1 \sin \theta$  is used in place of  $M_1$  in the first column.

The flows above and below the wedge are independent, so that inclined wedges can be treated if neither face exceeds the attachment angle shown in figure 4. However, if the angle of attack exceeds the semivertex angle, the flow over the upper (leeward) surface is given by a Prandtl-Meyer expansion (see fig. 4) rather than by the shock relations.

It is clear from the shock polar (fig. 3) that two different shock waves and flow patterns are theoretically possible for a given wedge and Mach number. However, it is believed that only the weaker shock wave (larger  $u_2$  and smaller  $\theta$ ) can occur attached to an isolated convex body.

Charts 2, 3, and 4 show the dependence of shock-wave angle, surface pressure coefficient, and downstream Mach number upon wedge angle for various free-stream Mach numbers.

### FLOW PAST CONES

If the bow shock wave is attached to an uninclined circular cone, the shock wave too has the form of a circular cone. Flow quantities are constant on all concentric conical surfaces lying between the shock wave and the body, and so depend upon only one space variable. The transition across the shock wave is governed by the oblique-shock relations,




FIGURE 4.—Upstream Mach numbers for shock attachment and for supersonic flow behind shock wave on wedges and cones, and for supersonic flow at surface of cones.




FIGURE 5.—Flow past a wedge.

and is followed by a continuous isentropic compression to surface conditions, as indicated in figure 6. The flow quantities have been extensively tabulated in reference 6 for  $\gamma=1.405$  and for  $\gamma=4/3$ . As in the case of wedges, two solutions exist for each cone and Mach number, but it is believed that only the weaker shock wave can occur on an isolated convex body. Charts 5, 6, and 7 show the dependence of shock-wave angle, surface-pressure coefficient, and




FIGURE 6.—Flow past a cone.

surface Mach number on cone semivertex angle for various free-stream Mach numbers.

The effects of slightly inclining a cone have been considered by Stone (ref. 13) and numerical results are tabulated in reference 14. Chart 8 shows the variation with Mach number of the initial slope of the normal-force curve for various cone angles. Stone has also sought an approximation for larger inclinations by retaining squares as well as first powers of angle of attack (ref. 15), and numerical results have been tabulated (ref. 16); however, these results are not free of error (see refs. 17 and 18).

### PRANDTL-MEYER EXPANSION

A uniform two-dimensional supersonic stream flowing over a convex bend expands isentropically. Convenient relations are found by considering the special case of a stream at Mach number unity flowing around a sharp corner (fig. 7).




FIGURE 7.—Prandtl-Meyer expansion around a corner.

For a perfect gas, the Prandtl-Meyer angle  $\nu$  through which the stream turns in expanding from  $M=1$  to a supersonic Mach number  $M$  is

$$\nu = \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1} (M^2 - 1)} - (90^\circ - \mu) \quad (171a)$$

$$= \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1} (M^2 - 1)} - \cos^{-1} \frac{1}{M} \quad (171b)$$

$$= \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1} (M^2 - 1)} - \tan^{-1} \sqrt{M^2 - 1} \quad (171c)$$

(For  $\gamma = 7/5$ ,  $\sqrt{\frac{\gamma+1}{\gamma-1}} = 2.4495$ , and  $\sqrt{\frac{\gamma-1}{\gamma+1}} = 0.40825$ .) The maximum expansion angle, for  $M = \infty$ , is

$$\nu_{max} = \left( \sqrt{\frac{\gamma+1}{\gamma-1}} - 1 \right) \times 90^\circ = 130.45^\circ \text{ for } \gamma = 7/5 \quad (172)$$

The ratio of static to total pressure, corresponding to Mach number  $M$  is given by

$$\left( \frac{p}{p_t} \right)^{\frac{\gamma}{\gamma-1}} = \frac{1}{\gamma+1} \left\{ 1 + \cos \left[ 2 \sqrt{\frac{\gamma-1}{\gamma+1}} (\nu + 90^\circ - \mu) \right] \right\} \quad (173a)$$

$$= \frac{1}{\gamma+1} \left\{ 1 + \cos \left[ 2 \sqrt{\frac{\gamma-1}{\gamma+1}} \left( \nu + \cos^{-1} \frac{1}{M} \right) \right] \right\} \quad (173b)$$

$$= \frac{1}{\gamma+1} \left\{ 1 + \cos \left[ 2 \sqrt{\frac{\gamma-1}{\gamma+1}} \left( \nu + \tan^{-1} \sqrt{M^2 - 1} \right) \right] \right\} \quad (173c)$$

which falls to zero as  $\nu \rightarrow \nu_{max}$ . Numerical values of  $\nu$ ,  $\mu$ , and  $p/p_t$  are given in table II as functions of  $M$ .

These relations and the values in table II apply to a uniform stream flowing past any convex surface in the ab-

sence of external disturbances. (They also give a very good approximation at all Mach numbers when, as on an airfoil, external disturbances arise only from interaction with a shock wave, and are disregarded.) If flow quantities are known at one point, the values at any second point can be read from table II by identifying the change in flow angle between the two points with  $\Delta\nu = \nu_2 - \nu_1$ , as indicated in figure 8.




FIGURE 8.—Prandtl-Meyer expansion over a convex surface.

For expansions through small angles  $\Delta\nu$ , the ratio of final to initial static pressures is given by the following series ( $\Delta\nu$  in radians):

$$\begin{aligned} \frac{p_2}{p_1} = 1 & - \frac{\gamma M_1^2}{\sqrt{M_1^2 - 1}} (\Delta\nu) + \gamma M_1^2 \frac{(\gamma+1)}{4(M_1^2 - 1)^2} (M_1^2 - 1) (\Delta\nu)^2 - \\ & \frac{\gamma M_1^2}{2(M_1^2 - 1)^{3/2}} \left[ \frac{\gamma+1}{6} M_1^4 - \frac{5+7\gamma-2\gamma^2}{6} M_1^6 + \right. \\ & \left. \frac{5}{3} (\gamma+1) M_1^4 - 2 M_1^2 + \frac{4}{3} \right] (\Delta\nu)^3 + \dots \quad (174) \end{aligned}$$

Up to and including the term in  $(\Delta\nu)^2$  this series is identical with that for compression through an oblique shock wave (eq. (151) with  $\delta = -\Delta\nu$ ).

### IMPERFECT-GAS EFFECTS

Methods for calculating the flow of a calorically imperfect, thermally imperfect gas and a calorically imperfect, thermally perfect gas at temperatures up to 5000° R are described in this section. The equations presented are in substantially the same form as those given in references 7 and 8. Effects of gaseous imperfections, such as molecular dissociation, which become important at temperatures greater than about 5000° R are not considered.

Atmospheric and wind-tunnel air flows are of primary concern here. In such flows air generally exhibits only caloric imperfections to any appreciable degree. Consequently, numerical results are presented only for the flow of a calorically imperfect, thermally perfect diatomic gas.

### THERMODYNAMICS EQUATIONS OF STATE

The thermal equation of state used here for a calorically and thermally imperfect gas is the Berthelot equation

(eq. (5)). The thermal equation of state used for a calorically imperfect, thermally perfect gas is equation (2). The caloric equation of state used for a calorically and thermally imperfect gas is equation (8a). The caloric equation of state used for a calorically imperfect, thermally perfect gas is equation (8b).

## SPECIFIC HEATS

The assumption of a simple harmonic vibrator is used to account for the contribution of the vibrational heat capacity to the specific heats. The equations for the specific heats at constant volume and constant pressure, respectively, are (see ref. 7)

$$c_v = (c_v)_{\text{perf}} \left\{ 1 + (\gamma_{\text{perf}} - 1) \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} + \frac{2c\rho}{RT^2} \right] \right\} \quad (175)$$

$$c_v = (c_v)_{\text{perf}} \left\{ 1 + (\gamma_{\text{perf}} - 1) \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} \right] \right\} [\text{therm perf}] \quad (176)$$

$$c_p = (c_p)_{\text{perf}} \left\{ 1 + \frac{\gamma_{\text{perf}} - 1}{\gamma_{\text{perf}}} \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} + \frac{2c\rho}{RT^2} \left( 1 + \frac{\frac{2-b\rho}{1-b\rho} + \frac{c\rho}{2RT^2}}{\frac{1}{(1-b\rho)^2} - \frac{2c\rho}{RT^2}} \right) \right] \right\} \quad (177)$$

$$c_p = (c_p)_{\text{perf}} \left\{ 1 + \frac{\gamma_{\text{perf}} - 1}{\gamma_{\text{perf}}} \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} \right] \right\} [\text{therm perf}] \quad (178)$$

The ratio of specific heats is then

$$\gamma = \gamma_{\text{perf}} \times$$

$$\frac{\left[ 1 + \frac{\gamma_{\text{perf}} - 1}{\gamma_{\text{perf}}} \left\{ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} + \frac{2c\rho}{RT^2} \left[ 1 + \frac{\frac{2-b\rho}{1-b\rho} + \frac{c\rho}{2RT^2}}{\frac{1}{(1-b\rho)^2} - \frac{2c\rho}{RT^2}} \right] \right\} \right]}{1 + (\gamma_{\text{perf}} - 1) \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} + \frac{2c\rho}{RT^2} \right]} \quad (179)$$

or, for a thermally perfect gas,

$$\gamma = 1 + \frac{\gamma_{\text{perf}} - 1}{1 + (\gamma_{\text{perf}} - 1) \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} \right]} [\text{therm perf}] \quad (180)$$

The following values of  $\gamma$  are for temperatures from  $400^\circ \text{R}$  to  $5000^\circ \text{R}$ , with  $\Theta = 5500^\circ \text{R}$  (see ref. 7). For engineering purposes, these are a satisfactory approximation for air.

VARIATION OF RATIO OF SPECIFIC HEATS WITH TEMPERATURE

T, °R	$\gamma$	T, °R	$\gamma$	T, °R	$\gamma$
500	1.400	1300	1.361	2200	1.322
600	1.399	1400	1.355	2400	1.317
700	1.398	1500	1.349	2600	1.313
800	1.392	1600	1.344	2800	1.309
900	1.387	1700	1.339	3000	1.306
1000	1.381	1800	1.335	3500	1.301
1100	1.375	1900	1.331	4000	1.298
1200	1.368	2000	1.328	4500	1.296
				5000	1.294

## CONTINUOUS ONE-DIMENSIONAL FLOW

## BASIC EQUATIONS AND DEFINITIONS

Basic equations pertinent to this section are equations (26), (27), (28), (29), (30), and (31). The equations for the speed of sound are (see ref. 7)

$$a^2 = RT \left\{ \frac{1}{(1-b\rho)^2} - \frac{2c\rho}{RT^2} + \frac{(\gamma_{\text{perf}} - 1) \left( \frac{c\rho}{RT^2} + \frac{1}{1-b\rho} \right)^2}{1 + (\gamma_{\text{perf}} - 1) \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} + \frac{2c\rho}{RT^2} \right]} \right\} \quad (181)$$

and

$$a^2 = RT \left\{ 1 + \frac{\gamma_{\text{perf}} - 1}{\left[ 1 + (\gamma_{\text{perf}} - 1) \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} \right]} \right\} [\text{therm perf}] \quad (182)$$

## INTEGRATED FORMS OF ENERGY EQUATION

The integrated forms of the energy equation are (see ref. 7)

$$V^2 = 2RT_i \left[ \frac{1 - \frac{T}{T_i}}{\gamma_{\text{perf}} - 1} + \frac{\Theta}{T_i} \left( \frac{1}{e^{\Theta/T_i} - 1} - \frac{1}{e^{\Theta/T} - 1} \right) + \frac{2c}{RT_i} \left( \frac{\rho}{T} - \frac{\rho_i}{T_i} \right) + \frac{1}{RT_i} \left( \frac{p_i}{\rho_i} - \frac{p}{\rho} \right) \right] [\text{adiab}] \quad (183)$$

and

$$V^2 = 2RT_i \left[ \frac{\gamma_{\text{perf}}}{\gamma_{\text{perf}} - 1} \left( 1 - \frac{T}{T_i} \right) + \frac{\Theta}{T_i} \left( \frac{1}{e^{\Theta/T_i} - 1} - \frac{1}{e^{\Theta/T} - 1} \right) \right]$$

$$\left. \frac{\Theta}{T_i} \left( \frac{1}{e^{\Theta/T_i} - 1} - \frac{1}{e^{\Theta/T} - 1} \right) \right] [\text{adiab, therm perf}] \quad (184)$$

In terms of Mach number these equations become, respectively,

$$M^2 = \frac{2T_t \left[ \frac{1 - \frac{T}{T_t}}{\gamma_{\text{perf}} - 1} + \frac{\Theta}{T_t} \left( \frac{1}{e^{\Theta/T_t} - 1} - \frac{1}{e^{\Theta/T} - 1} \right) + \frac{2c}{RT_t} \left( \frac{\rho}{T} - \frac{\rho_t}{T_t} \right) + \frac{1}{RT_t} \left( \frac{p_t}{\rho_t} - \frac{p}{\rho} \right) \right]}{T \left\{ \frac{1}{(1 - b\rho)^2} - \frac{2c\rho}{RT^2} + \frac{(\gamma_{\text{perf}} - 1) \left( \frac{c\rho}{RT^2} + \frac{1}{1 - b\rho} \right)^2}{1 + (\gamma_{\text{perf}} - 1) \left[ \left( \frac{\Theta}{T} \right)^2 \frac{e^{\Theta/T}}{(e^{\Theta/T} - 1)^2} + \frac{2c\rho}{RT^2} \right]} \right\}} \quad [\text{adiab}] \quad (185)$$

and

$$M^2 = \frac{2T_t}{\gamma T} \left[ \frac{\gamma_{\text{perf}}}{\gamma_{\text{perf}} - 1} \left( 1 - \frac{T}{T_t} \right) + \frac{\Theta}{T_t} \left( \frac{1}{e^{\Theta/T_t} - 1} - \frac{1}{e^{\Theta/T} - 1} \right) \right] \quad [\text{adiab, therm perf}] \quad (186)$$

where  $\gamma$  is given by equation (180).

The variations of  $\frac{(\frac{V}{a_*})_{\text{therm perf}}}{(\frac{V}{a_*})_{\text{perf}}}$  and  $\frac{(\frac{T}{T_t})_{\text{therm perf}}}{(\frac{T}{T_t})_{\text{perf}}}$  with Mach number for several values of total temperature  $T_t$  are given in charts 9 and 10.

#### PRESSURE AND DENSITY RELATIONS

For isentropic flow, the relations between density and temperature are (see ref. 7)

$$\left( \frac{\rho}{\rho_t} \right) \left( \frac{1 - b\rho_t}{1 - b\rho} \right) = \left( \frac{e^{\Theta/T_t} - 1}{e^{\Theta/T} - 1} \right) \left( \frac{T}{T_t} \right)^{\frac{1}{\gamma_{\text{perf}} - 1}} \exp \left[ \frac{c\rho_t}{RT_t^2} - \frac{c\rho}{RT^2} + \left( \frac{\Theta}{T} \right) \frac{e^{\Theta/T}}{e^{\Theta/T} - 1} - \left( \frac{\Theta}{T_t} \right) \frac{e^{\Theta/T_t}}{e^{\Theta/T_t} - 1} \right] \quad [\text{isen}] \quad (187)$$

and, for a thermally perfect gas,

$$\frac{\rho}{\rho_t} = \left( \frac{e^{\Theta/T_t} - 1}{e^{\Theta/T} - 1} \right) \left( \frac{T}{T_t} \right)^{\frac{1}{\gamma_{\text{perf}} - 1}} \exp \left[ \left( \frac{\Theta}{T} \right) \frac{e^{\Theta/T}}{e^{\Theta/T} - 1} - \left( \frac{\Theta}{T_t} \right) \frac{e^{\Theta/T_t}}{e^{\Theta/T_t} - 1} \right] \quad [\text{isen, therm perf}] \quad (188)$$

The variation of  $\frac{(\frac{\rho}{\rho_t})_{\text{therm perf}}}{(\frac{\rho}{\rho_t})_{\text{perf}}}$  with Mach number for several total temperatures is presented in chart 11.

For the isentropic flow of a thermally imperfect, calorically imperfect gas, the relation between pressure, density, and temperature can be obtained by a trial-and-error procedure using equations (5) and (187).<sup>5</sup> For the isentropic flow of a thermally perfect gas, the relation between pressure and temperature is

$$\frac{p}{p_t} = \left( \frac{e^{\Theta/T_t} - 1}{e^{\Theta/T} - 1} \right) \left( \frac{T}{T_t} \right)^{\frac{\gamma_{\text{perf}}}{\gamma_{\text{perf}} - 1}} \exp \left[ \left( \frac{\Theta}{T} \right) \frac{e^{\Theta/T}}{e^{\Theta/T} - 1} - \left( \frac{\Theta}{T_t} \right) \frac{e^{\Theta/T_t}}{e^{\Theta/T_t} - 1} \right] \quad [\text{isen, therm perf}] \quad (189)$$

The relation between dynamic and static pressure for a thermally imperfect gas can be obtained by a trial-and-error procedure using equations (5), (31a), (183), and (187). The relation between dynamic and static pressure for a thermally perfect gas can be obtained with equations (31b) and (186), and is

$$\frac{q}{p} = \frac{\gamma_{\text{perf}}}{\gamma_{\text{perf}} - 1} \left( \frac{T_t}{T} - 1 \right) + \frac{\Theta}{T} \left( \frac{1}{e^{\Theta/T_t} - 1} - \frac{1}{e^{\Theta/T} - 1} \right) \quad [\text{adiab, therm perf}] \quad (190)$$

The variations of  $\frac{(\frac{p}{p_t})_{\text{therm perf}}}{(\frac{p}{p_t})_{\text{perf}}}$  and  $\frac{(\frac{q}{p_t})_{\text{therm perf}}}{(\frac{q}{p_t})_{\text{perf}}}$  with Mach

number for several total temperatures are given in charts 12 and 13.

#### STREAM-TUBE-AREA RELATIONS

The stream-tube-area relation is given by equation (79), or, in more convenient form,

$$\frac{A}{A_*} = \frac{\rho_* a_*}{\rho a M} \quad (191)$$

This ratio can be evaluated for a thermally imperfect gas with the aid of equations (187), (181), (5), and (185), and for a thermally perfect gas with the aid of equations (188),

(182), and (186). The variation of  $\frac{(\frac{A}{A_*})_{\text{therm perf}}}{(\frac{A}{A_*})_{\text{perf}}}$  with Mach

number for several values of total temperature is presented in chart 14.

<sup>5</sup> In this, as in many of the cases to be presented, no direct solution for flow properties is possible if the gas exhibits both thermal and calorific imperfections. Approximate solutions of this type can be obtained, however, if the degree of imperfection is small (see ref. 7).

## NORMAL SHOCK WAVES

The requirements for conservation of mass, momentum, and energy across a normal shock wave are given by equations (84), (85), and (86a). The energy relation can be written

$$\frac{u_2^2 - u_1^2}{2} + \frac{R}{\gamma_{\text{perf}} - 1} (T_2 - T_1) - \left( \frac{2c\rho_2}{T_2} - \frac{2c\rho_1}{T_1} \right) + \left( \frac{p_2}{\rho_2} - \frac{p_1}{\rho_1} \right) + R\theta \left( \frac{1}{e^{\Theta/T_2} - 1} - \frac{1}{e^{\Theta/T_1} - 1} \right) = 0 \quad [\text{adiab}] \quad (192)$$

or, for a thermally perfect gas,

$$\frac{u_2^2 - u_1^2}{2} + \left( \frac{\gamma_{\text{perf}}}{\gamma_{\text{perf}} - 1} \right) R(T_2 - T_1) + R\theta \left( \frac{1}{e^{\Theta/T_2} - 1} - \frac{1}{e^{\Theta/T_1} - 1} \right) = 0 \quad [\text{adiab, therm perf}] \quad (193)$$

No explicit equation has been found to relate the temperature downstream of a normal shock wave in thermally imperfect air to the upstream conditions. A trial-and-error procedure, starting with assumed values of  $\rho_2$  and  $T_2$ , and involving equations (5), (84), (85), and (192), can be used to determine the downstream temperature.

For the flow of a thermally perfect gas, the simultaneous solution of equations (84), (85), (193), and (2) yields the following relation from which the temperature behind the shock wave can be found:

$$\begin{aligned} \left( u_1 + \frac{RT_1}{u_1} \right)^2 - \left( u_1 + \frac{RT_1}{u_1} \right) \sqrt{\left( u_1 + \frac{RT_1}{u_1} \right)^2 - 4RT_2} - 2RT_2 - \\ 2u_1^2 + \left( \frac{\gamma_{\text{perf}}}{\gamma_{\text{perf}} - 1} \right) 4R(T_2 - T_1) + \\ 4R\theta \left( \frac{1}{e^{\Theta/T_2} - 1} - \frac{1}{e^{\Theta/T_1} - 1} \right) = 0 \quad [\text{adiab, therm perf}] \quad (194) \end{aligned}$$

Since the total temperature  $T_t$  remains constant across a shock wave, other flow parameters behind the shock wave can be found with the aid of previously presented one-dimensional flow relations. The variations of

$$\begin{aligned} \frac{\left( \frac{T_2}{T_1} \right)_{\text{therm perf}}}{\left( \frac{T_2}{T_1} \right)_{\text{perf}}}, \frac{\left( \frac{\rho_2}{\rho_1} \right)_{\text{therm perf}}}{\left( \frac{\rho_2}{\rho_1} \right)_{\text{perf}}}, \frac{\left( \frac{p_1}{p_{t_2}} \right)_{\text{therm perf}}}{\left( \frac{p_1}{p_{t_2}} \right)_{\text{perf}}}, \\ \left( \frac{p_2}{p_1} \right)_{\text{therm perf}}, \frac{M_2_{\text{therm perf}}}{M_2_{\text{perf}}}, \text{ and } \frac{\left( \frac{p_{t_2}}{p_{t_1}} \right)_{\text{therm perf}}}{\left( \frac{p_{t_2}}{p_{t_1}} \right)_{\text{perf}}} \end{aligned}$$

with upstream Mach number for several total temperatures are presented in charts 15 through 20, respectively.

## OBLIQUE SHOCK WAVES

For a thermally imperfect gas, no simple equations can be found to relate the values of the flow parameters across oblique shock waves. In general, trial-and-error procedure, starting with assumed values of  $\rho_2$  and  $T_2$ , and involving the relations for the conservation of mass, momentum, and energy, must be used. (See eqs. (115), (116), (117), and (118a) as well as equations (5) and (183).) For a thermally perfect gas, the Mach number downstream of an oblique shock wave can be found with the aid of the energy equation (see eqs. (118a) and (186)), thus

$$M_2^2 = \frac{2T_1}{\gamma_2 T_2} \left[ \frac{\gamma_1 M_1^2}{2} + \left( \frac{\gamma_{\text{perf}}}{\gamma_{\text{perf}} - 1} \right) \left( 1 - \frac{T_2}{T_1} \right) + \frac{\Theta}{T_1} \left( \frac{1}{e^{\Theta/T_1} - 1} - \frac{1}{e^{\Theta/T_2} - 1} \right) \right] \quad [\text{adiab, therm perf}] \quad (195)$$

where  $\gamma_1$  and  $\gamma_2$  are the functions of  $T_1$  and  $T_2$ , respectively, given by equation (180). The pressure ratio across the shock is given by

$$\begin{aligned} \frac{p_1}{p_2} = \frac{1}{2} \left\{ \left( 1 + \gamma_2 M_2^2 \right) - \frac{T_1}{T_2} \left( 1 + \gamma_1 M_1^2 \right) + \right. \\ \left. \sqrt{\left[ \left( 1 + \gamma_2 M_2^2 \right) - \frac{T_1}{T_2} \left( 1 + \gamma_1 M_1^2 \right) \right]^2 + 4 \frac{T_1}{T_2}} \right\} \\ [\text{adiab, therm perf}] \quad (196) \end{aligned}$$

The density ratio can be determined from the equation of state (eq. (2)) with the aid of the pressure and temperature ratios. The shock-wave and deflection angles are given by (see ref. 8)

$$\sin^2 \theta = \frac{\left( \frac{\gamma_2}{\gamma_1} \right) \left( \frac{T_2}{T_1} \right) \left( \frac{M_2}{M_1} \right)^2 - 1}{\left( \frac{p_1}{p_2} \right)^2 - 1} \quad [\text{adiab, therm perf}] \quad (197)$$

and

$$\cot \delta = \tan \theta \left( \frac{\gamma_1 M_1^2}{\frac{p_2}{p_1} - 1} \right) \quad [\text{adiab, therm perf}] \quad (198)$$

respectively.

The variation of  $\theta$  with  $\delta$  for various values of  $M_1$  and  $T_1$  is presented in chart 21. In addition, the variations of  $\frac{(M_2)_{\text{therm perf}}}{(M_2)_{\text{perf}}}$  and  $\frac{\left( \frac{p_2 - p_1}{q_1} \right)_{\text{therm perf}}}{\left( \frac{p_2 - p_1}{q_1} \right)_{\text{perf}}}$  with  $\delta$  for various  $M_1$  and  $T_1$  are presented in charts 22 and 23.

Values of the ratios

$$\frac{p_2}{p_1}, \frac{\rho_2}{\rho_1}, \frac{T_2}{T_1}, \frac{p_{t_2}}{p_{t_1}}$$

for the flow of a thermally perfect gas across an oblique shock wave can be determined from the normal-shock relations,

provided that  $M_1 \sin \theta$  is used instead of  $M_1$  and that the static temperature  $T_1$  just upstream of the shock wave is the same for the oblique shock wave as for the normal shock wave.

#### PRANDTL-MEYER EXPANSION

The Prandtl-Meyer angle for the flow of an imperfect gas can be found by graphically integrating the equation (see ref. 8)

$$\nu = - \int_{p_1}^p \frac{dp}{\rho V^2 \tan \mu} \quad [\text{isen}] \quad (199)$$

The relations between  $p$ ,  $\rho$ ,  $V$ , and  $\mu$  can be found with the

aid of equations (5), (187), (183), and (185). For a thermally perfect gas this equation becomes (see, again, ref. 8)

$$\nu = - \int_{p_1}^p \frac{\sin 2\mu}{2\gamma p} dp \quad [\text{isen, therm perf}] \quad (200)$$

The relations between  $\gamma$ ,  $p$ , and  $\mu$  can be found with the aid of equations (180), (189), and (186) using the temperature as a parameter. The graphical integration of equation (200) has been carried out, and the variations of  $\nu_{\text{therm perf}}$  and  $\frac{\nu_{\text{therm perf}}}{\nu_{\text{perf}}}$  with Mach number for various values of total temperature are presented in chart 24.

## APPENDIX A

### VISCOSITY AND THERMODYNAMIC CONSTANTS FOR AIR

#### VISCOSITY

The viscosity of air is nearly independent of pressure; the variation with absolute temperature, between temperatures of about 300° R and 900° R, may be approximated by the formula

$$\frac{\mu}{\mu_r} = \left( \frac{T}{T_r} \right)^{0.76} \quad (A1)$$

For a wider range of temperatures, between about 180° R and 3400° R, Sutherland's formula (see ref. 19) is more accurate:

$$\frac{\mu}{\mu_r} = \frac{T_r + 198.6}{T + 198.6} \left( \frac{T}{T_r} \right)^{3/2} \quad (A2)$$

The viscosity of air, as determined from this relation, may be expressed as

$$\mu = 2.270 \frac{T^{3/2}}{T + 198.6} \times 10^{-8} \frac{\text{lb sec}}{\text{ft}^2} \quad (A3)$$

This latter equation has been employed in the calculations of Reynolds number (chart 25).

#### THERMODYNAMIC CONSTANTS

The value of  $\gamma$  employed for air, when treated as a completely perfect gas, is 7/5. This simple value, which has been employed in table I, table II, charts 1 to 4, and chart 25, is a good approximation to the more precise values obtained from spectroscopic measurements (see ref. 20). Values of  $c_p$ ,  $c_v$ , and  $R$  for air, consistent with the approximation  $\gamma=7/5$ , are

$$c_p = 6006 \text{ ft}^2/\text{sec}^2 \text{ °R}$$

$$c_v = 4290 \text{ ft}^2/\text{sec}^2 \text{ °R}$$

$$R = 1716 \text{ ft}^2/\text{sec}^2 \text{ °R}$$

## APPENDIX B

### REYNOLDS NUMBER

Reynolds number is defined as

$$R = \frac{\rho V l}{\mu} \quad (B1)$$

For sea-level conditions,

$$R \approx 10,000 \quad (V \text{ in mph}) \quad (l \text{ in ft}) \quad (B2)$$

In a wind tunnel (subsonic or supersonic), if isentropic expansion is assumed from a total pressure  $p_t$  and equation

(A2) is used for the variation of viscosity with temperature, the Reynolds number per unit reference length is given by

$$R = \frac{p_t M}{\mu_t} \sqrt{\frac{\gamma}{(\gamma - 1)c_v T_t}} \left( \frac{T_t}{T} \right)^{\frac{\gamma-2}{\gamma-1}} \frac{\frac{T}{T_t} + \frac{198.6}{T_t}}{1 + \frac{198.6}{T_t}} \quad [\text{perf}] \quad (B3)$$

The Reynolds number per unit length for  $p_t = 1$  psia has been plotted in chart 25 as a function of  $M$  for various total temperatures  $T_t$ .

## APPENDIX C

### PRESSURE CONVERSION FACTORS AND CONSTANTS

Multiply by to obtain	lb/in. <sup>2</sup>	lb ft <sup>-2</sup>	in. H <sub>2</sub> O at 70° F	in. Hg at 70° F	cm. Hg at 70° F	Standard atmos- pheres
lb/in. <sup>2</sup>	1	0.006944	0.03607	0.4892	0.1926	14.70
in. H <sub>2</sub> O (70° F)	144	1	5.194	70.45	27.74	2117
in. Hg (70° F)	27.73	.1925	1	13.56	5.340	407.6
cm. Hg (70° F)	2.044	.01420	.07373	2.540	1	30.05
Standard atmospheres	5.192	.03605	.1873			76.33
	.00804	.0004725	.002453	.03328	.01810	1

## REFERENCES

1. The Staff of the Ames 1- by 3-Foot Supersonic Wind-Tunnel Section: Notes and Tables for Use in the Analysis of Supersonic Flow. NACA TN 1428, 1947.
2. Burcher, Marie A.: Compressible Flow Tables for Air. NACA TN 1592, 1948.
3. Neice, Mary M.: Tables and Charts of Flow Parameters Across Oblique Shocks. NACA TN 1673, 1948.
4. Moeckel, W. E., and Connors, J. F.: Charts for the Determination of Supersonic Air Flow Against Inclined Planes and Axially Symmetric Cones. NACA TN 1373, 1947.
5. Anon.: Handbook of Supersonic Aerodynamics. Bur. of Ord., Navy Dept. NAVORD Rep. 1488, 1950.
6. Mass. Inst. of Tech., Dept. of Elect. Engr., Center of Analysis. Tables of Supersonic Flow Around Cones by the Staff of the Computing Section, under the direction of Zdenek Kopal. Tech. Rep. no. 1. Cambridge, 1947.
7. Eggers, A. J., Jr.: One-Dimensional Flows of an Imperfect Diatomic Gas. NACA Rep. 959, 1950.
8. Eggers, A. J., Jr., and Syvertson, Clarence A.: Inviscid Flow About Airfoils at High Supersonic Speeds. NACA TN 2646, 1952.
9. Van der Waals, J. D.: The Continuity of the Liquid and Gaseous States. Physical Memoirs, Physical Society of London, vol. I, pt. 3, 1888–90, pp. 332–496.
10. Beattie, J. A., and Bridgeman, Oscar C.: A New Equation of State for Fluids. Proc. Amer. Acad. of Arts and Sci., vol. 63, no. 5, Dec. 1928, pp. 229–308.
11. Courant, R., and Friedrichs, K. O.: Supersonic Flow and Shock Waves. Interscience Publishers, Inc., New York, 1948.
12. Thompson, M. J.: A Note on the Calculation of Oblique Shock-Wave Characteristics. Jour. Aero. Sci., vol. 17, no. 11, Nov. 1950, pp. 741–744.
13. Stone, A. H.: On Supersonic Flow Past a Slightly Yawing Cone. Jour. Math. and Phys., vol. XXVII, no. 1, April 1948, pp. 67–81.
14. Mass. Inst. of Tech., Dept. of Elect. Engr., Center of Analysis. Tables of Supersonic Flow Around Yawing Cones by the Staff of the Computing Section, under the direction of Zdenek Kopal. Tech. Rep. no. 3. Cambridge, 1947.
15. Stone, A. H.: On Supersonic Flow Past a Slightly Yawing Cone II. Jour. Math. and Phys., vol. XXX, no. 4, Jan. 1952.
16. Mass. Inst. of Tech., Dept. of Elect. Engr., Center of Analysis. Tables of Supersonic Flow Around Cones of Large Yaw by the Staff of the Computing Section under the direction of Zdenek Kopal. Tech. Rep. no. 5. Cambridge, 1949.
17. Moore, Franklin K.: Laminar Boundary Layer on a Circular Cone in Supersonic Flow at a Small Angle of Attack. NACA TN 2521, 1951.
18. Ferri, Antonio: Supersonic Flow Around Circular Cones at Angles of Attack. NACA Rep. 1045, 1951. (Supersedes NACA TN 2236.)
19. Anon.: The NBS-NACA Tables of Thermal Properties of Gases. Table 2.39 Dry Air, Coefficients of Viscosity. F. C. Morey, comp., National Bureau of Standards. Dec. 1950.

20. Anon.: The NBS-NACA Tables of Thermal Properties of Gases. Table 2.10 Dry Air (Ideal Gas State), Specific Heat, Enthalpy, Entropy. Harold W. Wooley, comp., National Bureau of Standards. July 1949.

## TABLES

The tables that follow contain numerical values for certain quantities often required for the solution of problems in compressible flow. The symbols used in these tables are the same as those used in the preceding sections. For convenience, however, the symbols are redefined at the end of table II.

To conserve space, a modified computing-machine notation has been adopted to indicate the position of the decimal point in the tabulated quantities. The location of the decimal point is governed by the following rules:

- (a) A group of digits followed by  $_{-n}$  indicates that the decimal point should be n places to the left of the first digit.

Example: .3268  $_{-3} = .0003268$

- (b) A group of digits followed by  $_{+n}$  indicates that the decimal point should be n places to the right of the last digit.

Example: 3268  $_{+3} = 3,268,000$

- (c) A group of digits without a suffix indicates that the decimal point is correctly located as printed.

## TABLE I.—SUBSONIC FLOW

The ratios given by equations (43), (44), (45), (48), (50), and (83) are given as functions of Mach number. If, at a point in an isentropic flow, any one of these ratios or the Mach number is known, then all other ratios for that point can be read or interpolated from the table. In addition, the parameter  $\beta = \sqrt{M^2 - 1}$ , which is sometimes more convenient to use than the Mach number itself, is also tabulated.

## TABLE II.—SUPERSONIC FLOW

The ratios given in table I for subsonic flow are also given in table II for supersonic flow. The Mach angle  $\mu$  and the Prandtl-Meyer angle  $\nu$  are also given as functions of Mach number. In addition to these point functions for isentropic flow, the normal-shock relations given by equations (93), (94), (95), (96), (99), and (100) are tabulated as functions of the Mach number  $M_1$  ahead of the shock wave. Although these values are for normal shock waves, the values of  $p_2/p_1$ ,  $\rho_2/\rho_1$ ,  $T_2/T_1$ , and  $p_{t_2}/p_{t_1}$  may also be used for oblique shock waves, provided  $M_1 \sin \theta$  is used instead of  $M_1$  in the first column.

TABLE I.—SUBSONIC FLOW

 $\gamma = 7/5$ 

$M$	$\frac{p}{p_t}$	$\frac{\rho}{\rho_t}$	$\frac{T}{T_t}$	$\beta$	$\frac{q}{p_t}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$M$	$\frac{p}{p_t}$	$\frac{\rho}{\rho_t}$	$\frac{T}{T_t}$	$\beta$	$\frac{q}{p_t}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	
0	1.0000	1.0000	1.0000	1.0000	0	$\infty$	0	0.50	0.8430	0.8852	0.9524	0.8680	0.1475	1.3398	0.53452	
.01	.9999	1.0000	1.0000	1.0000	.7000	-4	57.8738	.01095	.51	.8874	.5809	.9508	.8602	.1525	1.3212	.54469
.02	.9997	.9998	.9998	.9998	.2799	-3	28.9421	.02191	.52	.8817	.8766	.9487	.8542	.1574	1.3034	.55483
.03	.9994	.9996	.9998	.9995	.6296	-3	19.3005	.03286	.53	.8259	.8723	.9468	.8480	.1624	1.2865	.56493
.04	.9990	.9992	.9997	.9992	.1119	-2	14.4815	.04381	.54	.8201	.8679	.9449	.8417	.1674	1.2703	.57501
.05	.9983	.9988	.9995	.9987	.1747	-2	11.5914	.05478	.55	.8142	.8634	.9420	.8352	.1724	1.2550	.58506
.08	.9975	.9982	.9993	.9992	.2514	-2	9.6659	.06570	.56	.8082	.8589	.9410	.8285	.1774	1.2403	.58507
.07	.9906	.9976	.9990	.9975	.3418	-2	8.2915	.07664	.57	.8022	.8544	.9390	.8216	.1825	1.2263	.60505
.08	.9955	.9968	.9987	.9968	.4460	-2	7.2616	.08758	.58	.7962	.8498	.9370	.8148	.1875	1.2130	.61501
.09	.9944	.9960	.9984	.9955	.5638	-2	6.4613	.09851	.59	.7901	.8451	.9349	.8074	.1925	1.2003	.62492
.10	.9930	.9950	.9980	.9950	.6951	-2	5.8218	.10944	.60	.7840	.8405	.9328	.8000	.1976	1.1882	.63481
.11	.9916	.9940	.9976	.9939	.8399	-2	5.2902	.12035	.61	.7778	.8357	.9307	.7924	.2026	1.1767	.64466
.12	.9900	.9928	.9971	.9928	.9979	-2	4.8643	.13126	.62	.7716	.8310	.9286	.7846	.2076	1.1657	.65448
.13	.9883	.9916	.9956	.9915	.1169	-1	4.4969	.14217	.63	.7654	.8262	.9265	.7766	.2127	1.1552	.66427
.14	.9864	.9903	.9961	.9902	.1353	-1	4.1824	.15306	.64	.7591	.8213	.9243	.7684	.2177	1.1452	.67402
.15	.9844	.9888	.9955	.9887	.1550	-1	3.9103	.16395	.65	.7528	.8164	.9221	.7599	.2227	1.1356	.68374
.16	.9823	.9873	.9849	.9871	.1760	-1	3.6727	.17482	.66	.7465	.8115	.9199	.7513	.2276	1.1265	.69342
.17	.9800	.9857	.9843	.9854	.1883	-1	3.4655	.18569	.67	.7401	.8066	.9176	.7424	.2326	1.1179	.70307
.18	.9776	.9840	.9836	.9837	.2217	-1	3.2779	.19654	.68	.7338	.8016	.9153	.7332	.2375	1.1097	.71288
.19	.9751	.9822	.9828	.9818	.2464	-1	3.1123	.20739	.69	.7274	.7966	.9131	.7238	.2424	1.1018	.72225
.20	.9725	.9803	.9921	.9798	.2723	-1	2.9635	.21822	.70	.7209	.7916	.9107	.7141	.2473	1.0914	.73179
.21	.9697	.9783	.9913	.9777	.2994	-1	2.8293	.22904	.71	.7145	.7865	.9084	.7042	.2521	1.0873	.74128
.22	.9668	.9762	.9904	.9755	.3276	-1	2.7076	.23984	.72	.7080	.7814	.9061	.6940	.2569	1.0806	.75076
.23	.9638	.9740	.9895	.9732	.3569	-1	2.5988	.25063	.73	.7016	.7763	.9037	.6834	.2617	1.0742	.76019
.24	.9607	.9718	.9886	.9708	.3874	-1	2.4956	.26141	.74	.6951	.7712	.9013	.6726	.2664	1.0681	.76958
.25	.9575	.9694	.9877	.9682	.4189	-1	2.4027	.27217	.75	.6886	.7660	.8989	.6614	.2711	1.0624	.77894
.26	.9541	.9670	.9867	.9656	.4515	-1	2.3173	.28291	.76	.6821	.7609	.8964	.6498	.2758	1.0570	.78825
.27	.9506	.9645	.9856	.9629	.4851	-1	2.2385	.29284	.77	.6766	.7557	.8940	.6380	.2804	1.0519	.79753
.28	.9470	.9619	.9846	.9600	.5197	-1	2.1656	.30345	.78	.6691	.7505	.8915	.6258	.2849	1.0471	.80677
.29	.9433	.9592	.9835	.9570	.5553	-1	2.0979	.31504	.79	.6625	.7452	.8890	.6131	.2894	1.0425	.81597
.30	.9395	.9564	.9823	.9539	.5919	-1	2.0351	.32572	.80	.6560	.7400	.8865	.6000	.2939	1.0382	.82514
.31	.9355	.9525	.9811	.9507	.6288	-1	1.9765	.33637	.81	.6495	.7347	.8840	.5884	.2983	1.0342	.83426
.32	.9315	.9506	.9799	.9474	.6677	-1	1.9219	.34701	.82	.6430	.7295	.8815	.5724	.3027	1.0305	.84335
.33	.9274	.9476	.9440	.9440	.7069	-1	1.8707	.35782	.83	.6365	.7242	.8789	.5578	.3069	.1.0270	.85239
.34	.9231	.9445	.9404	.9404	.7470	-1	1.8229	.36822	.84	.6300	.7189	.8763	.5426	.3112	1.0237	.86140
.35	.9188	.9413	.9761	.9367	.7879	-1	1.7780	.37879	.85	.6235	.7136	.8737	.5268	.3153	1.0207	.87037
.36	.9143	.9380	.9747	.9330	.8295	-1	1.7358	.38935	.86	.6170	.7083	.8711	.5103	.3195	1.0179	.87929
.37	.9098	.9347	.9733	.9290	.8719	-1	1.6981	.39988	.87	.6106	.7030	.8685	.4931	.3235	1.0153	.88818
.38	.9052	.9313	.9719	.9250	.9149	-1	1.6587	.41039	.88	.6041	.6977	.8659	.4760	.3275	1.0129	.89703
.39	.9004	.9278	.9705	.9208	.9587	-1	1.6224	.42087	.89	.5977	.6924	.8632	.4560	.3314	1.0108	.90583
.40	.8956	.9243	.9690	.9165	.1003		1.5901	.43133	.90	.5913	.6870	.8606	.4359	.3352	1.0089	.91460
.41	.8907	.9207	.9675	.9121	.1048		1.5597	.44177	.91	.5849	.6817	.8579	.4146	.3390	1.0071	.92332
.42	.8857	.9170	.9659	.9075	.1094		1.5289	.45218	.92	.5785	.6764	.8552	.3919	.3427	1.0058	.93201
.43	.8807	.9132	.9643	.9028	.1140		1.5007	.46267	.93	.5721	.6711	.8525	.3767	.3464	1.0043	.94065
.44	.8765	.9094	.9627	.9080	.1187		1.4740	.47293	.94	.5658	.6658	.8498	.3412	.3500	1.0031	.94925
.45	.8703	.9055	.9611	.8930	.1234		1.4487	.48326	.95	.5595	.6604	.8471	.3122	.3524	1.0022	.95781
.46	.8650	.9016	.9594	.8879	.1281		1.4246	.49357	.96	.5532	.6551	.8444	.2800	.3568	1.0014	.96633
.47	.8596	.8976	.9577	.8827	.1329		1.4018	.50385	.97	.5469	.6498	.8416	.2431	.3602	1.0008	.97481
.48	.8541	.8935	.9560	.8773	.1378		1.3801	.51410	.98	.5407	.6445	.8389	.1980	.3635	1.0003	.98325
.49	.8486	.8894	.9542	.8717	.1426		1.3595	.52433	.99	.5345	.6392	.8361	.1411	.3667	1.0001	.99165
								1.00	.5283	.6339	.8333	.0000	.3698	1.0000	1.00000	

TABLE II.—SUPERSONIC FLOW

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_t}$	$\frac{\rho}{\rho_t}$	$\frac{T}{T_t}$	$\beta$	$\frac{q}{p_t}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t2}}{p_{t1}}$	$\frac{\rho_{t2}}{\rho_{t1}}$
1.00	0.5283	0.6339	0.8333	0	0.3698	1.000	1.00000	0	90.00	1.000	1.000	1.000	1.000	1.000	0.5283
1.01	.5221	.6287	.8306	.1418	.3728	1.000	1.00831	.04478	81.98	.9901	.1.023	1.017	1.007	1.000	.5221
1.02	.5160	.6234	.8278	.2010	.3758	1.000	1.01658	.1257	78.64	.9805	.1.047	1.038	1.013	1.000	.5160
1.03	.5099	.6181	.8250	.2468	.3787	1.001	1.02431	.2294	76.14	.9712	.1.071	1.050	1.020	1.000	.5100
1.04	.5039	.6129	.8222	.2857	.3815	1.001	1.0300	.3510	74.06	.9620	.1.095	1.067	1.026	1.000	.5039
1.05	.4979	.6077	.8193	.3202	.3842	1.002	1.04114	.4874	72.25	.9531	.1.120	1.084	1.033	.9999	.4980
1.06	.4919	.6024	.8165	.3516	.3869	1.003	1.04925	.6367	70.63	.9444	.1.144	1.101	1.039	.9997	.4920
1.07	.4860	.5972	.8137	.3807	.3895	1.004	1.05731	.7973	69.16	.9360	.1.169	1.118	1.046	.9996	.4861
1.08	.4800	.5920	.8108	.4079	.3919	1.005	1.06533	.9680	67.81	.9277	.1.194	1.135	1.052	.9994	.4803
1.09	.4742	.5869	.8080	.4337	.3944	1.006	1.07331	.1.148	66.55	.9196	.1.219	1.152	1.059	.9992	.4746
1.10	.4684	.5817	.8052	.4583	.3967	1.008	1.08124	.1.336	65.38	.9118	.1.245	1.169	1.06		

TABLE II.—SUPERSONIC FLOW—Continued

γ=7/5

$M$ or $M_1$	$\frac{p}{p_i}$	$\frac{p_e}{p_i}$	$\frac{T}{T_i}$	$\beta$	$\frac{q}{p_i}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_i}$	$\frac{p_e^*}{p_i}$	$\frac{T_2}{T_1}$	$\frac{p_2}{p_i}$	$\frac{p_1}{p_{i_2}}$
1.25	.3861	.5067	.7619	.7500	.4223	1.047	1.19523	4.830	53.13	.8126	1.656	1.429	1.159	.9871	.3911
1.26	.3809	.5019	.7590	.7666	.4233	1.050	1.20249	5.093	52.53	.6071	1.686	1.446	1.168	.9857	.3935
1.27	.3759	.4971	.7561	.7829	.4244	1.054	1.20972	5.359	51.94	.8016	1.715	1.463	1.172	.9842	.3919
1.28	.3708	.4923	.7532	.7990	.4253	1.058	1.21690	5.627	51.38	.7938	1.745	1.481	1.178	.9827	.3774
1.29	.3658	.4876	.7503	.8149	.4262	1.062	1.22404	5.898	50.82	.7911	1.775	1.498	1.185	.9811	.3729
1.30	.3609	.4829	.7474	.8207	.4270	1.066	1.23114	6.170	50.28	.7860	1.805	1.516	1.191	.9704	.3685
1.31	.3560	.4782	.7445	.8462	.4277	1.071	1.23819	6.445	49.76	.7809	1.835	1.533	1.187	.9776	.3642
1.32	.3512	.4736	.7416	.8616	.4283	1.075	1.24521	6.721	49.25	.7750	1.866	1.551	1.204	.9758	.3599
1.33	.3464	.4690	.7387	.8769	.4289	1.080	1.25218	7.000	48.75	.7712	1.897	1.568	1.210	.9738	.3557
1.34	.3417	.4644	.7358	.8920	.4294	1.084	1.25912	7.280	48.27	.7664	1.928	1.685	1.216	.9718	.3516
1.35	.3370	.4598	.7329	.9069	.4299	1.089	1.26601	7.561	47.79	.7618	1.960	1.603	1.223	.9607	.3475
1.36	.3323	.4553	.7300	.9217	.4303	1.094	1.27236	7.844	47.33	.7572	1.991	1.620	1.229	.9676	.3435
1.37	.3277	.4508	.7271	.9364	.4306	1.099	1.27908	8.128	46.88	.7527	2.023	1.638	1.235	.9653	.3395
1.38	.3232	.4463	.7242	.9510	.4308	1.104	1.28645	8.413	46.44	.7483	2.055	1.655	1.242	.9630	.3356
1.39	.3187	.4418	.7213	.9665	.4310	1.109	1.29318	8.699	46.01	.7440	2.087	1.672	1.248	.9607	.3317
1.40	.3142	.4374	.7184	.9798	.4311	1.115	1.29987	8.987	45.58	.7397	2.120	1.690	1.255	.9582	.3280
1.41	.3098	.4330	.7155	.9940	.4312	1.120	1.30652	9.276	45.17	.7355	2.153	1.707	1.261	.9557	.3242
1.42	.3055	.4287	.7126	1.008	.4312	1.126	1.31313	9.565	44.77	.7314	2.186	1.724	1.268	.9531	.3205
1.43	.3012	.4244	.7097	1.022	.4311	1.132	1.31970	9.855	44.37	.7274	2.219	1.742	1.274	.9504	.3169
1.44	.2969	.4201	.7069	1.036	.4310	1.138	1.32623	10.146	43.98	.7235	2.253	1.759	1.281	.9476	.3133
1.45	.2927	.4158	.7040	1.050	.4308	1.144	1.33272	10.438	43.60	.7196	2.280	1.776	1.287	.9448	.3095
1.46	.2886	.4116	.7011	1.064	.4306	1.150	1.33917	10.731	43.23	.7157	2.320	1.793	1.294	.9420	.3063
1.47	.2845	.4074	.6982	1.077	.4303	1.156	1.34558	11.023	42.86	.7120	2.354	1.811	1.300	.9390	.3029
1.48	.2804	.4032	.6954	1.091	.4299	1.163	1.35190	11.317	42.51	.7083	2.389	1.828	1.307	.9360	.3006
1.49	.2764	.3991	.6925	1.105	.4295	1.169	1.35828	11.611	42.16	.7047	2.423	1.845	1.314	.9329	.2962
1.50	.2724	.3950	.6897	1.118	.4290	1.176	1.36468	11.905	41.81	.7011	2.458	1.862	1.320	.9298	.2930
1.51	.2685	.3909	.6868	1.131	.4285	1.183	1.37083	12.200	41.47	.6976	2.493	1.879	1.327	.9266	.2898
1.52	.2646	.3860	.6840	1.145	.4279	1.190	1.37705	12.495	41.14	.6941	2.529	1.896	1.334	.9233	.2866
1.53	.2608	.3829	.6811	1.158	.4273	1.197	1.38322	12.790	40.81	.6907	2.564	1.913	1.340	.9200	.2835
1.54	.2570	.3789	.6783	1.171	.4266	1.204	1.38936	13.086	40.49	.6874	2.600	1.930	1.347	.9166	.2804
1.55	.2533	.3750	.6754	1.184	.4250	1.212	1.39546	13.381	40.18	.6841	2.636	1.947	1.351	.9132	.2773
1.56	.2496	.3710	.6726	1.197	.4252	1.219	1.40152	13.677	39.87	.6809	2.673	1.964	1.361	.9097	.2744
1.57	.2459	.3672	.6698	1.210	.4249	1.227	1.40755	13.973	39.56	.6777	2.709	1.981	1.367	.9061	.2714
1.58	.2423	.3633	.6670	1.223	.4245	1.234	1.41353	14.209	39.27	.6746	2.746	1.998	1.374	.9026	.2685
1.59	.2388	.3595	.6642	1.236	.4242	1.242	1.41948	14.564	38.97	.6715	2.783	2.015	1.381	.8989	.2656
1.60	.2353	.3557	.6614	1.240	.4216	1.250	1.42589	14.861	38.68	.6684	2.820	2.032	1.388	.8952	.2628
1.61	.2318	.3520	.6586	1.262	.4206	1.258	1.43127	15.156	38.40	.6655	2.857	2.049	1.395	.8915	.2600
1.62	.2284	.3483	.6558	1.275	.4196	1.267	1.43710	15.452	38.12	.6625	2.895	2.065	1.402	.8877	.2573
1.63	.2250	.3446	.6530	1.287	.4185	1.275	1.44290	15.747	37.84	.6596	2.933	2.082	1.409	.8838	.2546
1.64	.2217	.3409	.6502	1.300	.4174	1.284	1.44866	16.043	37.57	.6568	2.971	2.099	1.416	.8799	.2519
1.65	.2184	.3373	.6475	1.312	.4162	1.292	1.45439	16.338	37.31	.6540	3.010	2.115	1.423	.8760	.2493
1.66	.2151	.3337	.6447	1.325	.4150	1.301	1.46008	16.633	37.04	.6512	3.048	2.132	1.430	.8720	.2467
1.67	.2119	.3302	.6419	1.337	.4138	1.310	1.46573	16.928	36.78	.6485	3.087	2.148	1.437	.8680	.2442
1.68	.2088	.3266	.6392	1.350	.4125	1.319	1.47135	17.222	36.53	.6458	3.126	2.165	1.444	.8640	.2417
1.69	.2057	.3232	.6364	1.362	.4112	1.328	1.47693	17.516	36.28	.6431	3.165	2.181	1.451	.8598	.2392
1.70	.2026	.3197	.6337	1.375	.4098	1.338	1.48247	17.810	36.03	.6405	3.205	2.198	1.458	.8557	.2368
1.71	.1996	.3163	.6310	1.387	.4085	1.347	1.48798	18.103	35.79	.6380	3.245	2.214	1.466	.8516	.2344
1.72	.1966	.3129	.6283	1.399	.4071	1.357	1.49345	18.397	35.55	.6355	3.285	2.230	1.473	.8474	.2320
1.73	.1936	.3095	.6256	1.412	.4056	1.367	1.49889	18.689	35.31	.6330	3.325	2.247	1.480	.8431	.2296
1.74	.1907	.3062	.6229	1.424	.4041	1.376	1.50429	18.981	35.08	.6305	3.366	2.263	1.487	.8389	.2273
1.75	.1878	.3029	.6202	1.438	.4026	1.386	1.50966	19.273	34.85	.6281	3.406	2.279	1.495	.8346	.2251
1.76	.1850	.2996	.6175	1.448	.4011	1.397	1.51499	19.565	34.62	.6257	3.447	2.295	1.502	.8302	.2228
1.77	.1822	.2964	.6148	1.460	.4006	1.407	1.52029	19.855	34.40	.6234	3.488	2.311	1.509	.8259	.2206
1.78	.1794	.2931	.6121	1.473	.3980	1.418	1.52555	20.140	34.18	.6210	3.530	2.327	1.517	.8215	.2184
1.79	.1767	.2900	.6095	1.485	.3964	1.428	1.53078	20.436	33.96	.6188	3.571	2.343	1.524	.8171	.2163
1.80	.1740	.2868	.6068	1.497	.3947	1.439	1.53598	20.725	33.75	.6165	3.613	2.389	1.532	.8127	.2142
1.81	.1714	.2837	.6041	1.509	.3931	1.450	1.54114	21.014	33.54	.6143	3.655	2.375	1.539	.8082	.2121
1.82	.1688	.2806	.6015	1.521	.3914	1.461	1.54626	21.302	33.33	.6121	3.698	2.391	1.547	.8038	.2100
1.83	.1662	.2776	.5989	1.533	.3897	1.472	1.55136	21.580	33.12	.6099	3.740	2.407	1.554	.7993	.2080
1.84	.1637	.2745	.5963	1.545	.3879	1.484	1.55642	21.877	32.92	.6078	4.001	2.500	1.562	.7948	.2060
1.85	.1612	.2715	.5936	1.556	.3862	1.495	1.56145	22.163	32.72	.6056	4.045	2.516	1.569	.7902	.2040
1.86	.1587	.2686	.5910	1.568	.3844	1.507	1.56844	22.449	32.52	.6036	4.089	2.531	1.577	.7857	.2020
1.87	.1563	.2656	.5884	1.580	.3826	1.519	1.57140	22.735	32.33	.6016	4.134	2.546	1.584	.7811	.2001
1.88	.1539	.2627	.5859	1.592	.3808	1.531	1.58638	23.019	32.13	.5996	4.174	2.562	1.592	.7765	.1982
1.89	.1516	.2598	.5833	1.604	.3790	1.543	1.58123	23.303	31.94	.5976	4.224	2.577	1.609	.7720	.1963
1.90	.1492	.2570	.5807	1.616	.3771	1.555	1.58409	23.586							

## EQUATIONS, TABLES, AND CHARTS FOR COMPRESSIBLE FLOW

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma=7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{p}{p_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\gamma$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	$\frac{p_2}{p_1}$	$\frac{p_1}{p_1}$	
2.15	.1011	.1946	.5196	1.903	.3272	1.919	1.69774	30.425	27.72	.5540	5.226	2.882	1.813	.6511	.1553	
2.16	.9956	-1	.1925	.5173	1.915	.3252	1.935	1.70183	30.889	27.58	.5525	5.277	2.896	1.822	.6464	.1540
2.17	.9802	-1	.1903	.5150	1.926	.3231	1.953	1.70589	30.951	27.44	.5511	5.327	2.910	1.831	.6419	.1527
2.18	.9649	-1	.1882	.5127	1.937	.3210	1.970	1.70992	31.212	27.30	.5498	5.378	2.924	1.839	.6373	.1514
2.19	.9500	-1	.1861	.5104	1.948	.3189	1.987	1.71393	31.473	27.17	.5484	5.429	2.938	1.848	.6327	.1502
2.20	.9352	-1	.1841	.5081	1.960	.3169	2.005	1.71791	31.732	27.04	.5471	5.480	2.951	1.857	.6281	.1489
2.21	.9207	-1	.1820	.5059	1.971	.3148	2.023	1.72187	31.991	26.90	.5457	5.531	2.965	1.866	.6236	.1476
2.22	.9064	-1	.1800	.5036	1.982	.3127	2.041	1.72679	32.250	26.77	.5444	5.583	2.978	1.875	.6191	.1464
2.23	.8923	-1	.1780	.5014	1.993	.3106	2.059	1.72970	32.507	26.64	.5431	5.636	2.992	1.883	.6145	.1452
2.24	.8785	-1	.1760	.4991	2.004	.3085	2.078	1.73357	32.763	26.51	.5418	5.687	3.005	1.892	.6100	.1440
2.25	.8648	-1	.1740	.4969	2.016	.3065	2.096	1.73742	33.018	26.39	.5406	5.740	3.019	1.901	.6055	.1428
2.26	.8514	-1	.1721	.4947	2.027	.3044	2.115	1.74125	33.278	26.26	.5393	5.792	3.032	1.910	.6011	.1417
2.27	.8382	-1	.1702	.4925	2.038	.3023	2.134	1.74504	33.527	26.14	.5381	5.845	3.045	1.919	.5966	.1405
2.28	.8251	-1	.1683	.4903	2.049	.3003	2.154	1.74882	33.780	26.01	.5368	5.898	3.058	1.929	.5921	.1394
2.29	.8123	-1	.1664	.4881	2.060	.2982	2.173	1.75257	34.032	25.89	.5356	5.951	3.071	1.938	.5877	.1382
2.30	.7997	-1	.1646	.4859	2.071	.2961	2.193	1.75629	34.283	25.77	.5344	6.005	3.085	1.947	.5833	.1371
2.31	.7873	-1	.1628	.4837	2.082	.2941	2.213	1.75999	34.538	25.65	.5332	6.059	3.098	1.956	.5789	.1360
2.32	.7751	-1	.1609	.4816	2.093	.2920	2.233	1.76366	34.783	25.53	.5321	6.113	3.110	1.965	.5745	.1349
2.33	.7631	-1	.1592	.4794	2.104	.2900	2.254	1.76731	35.031	25.42	.5309	6.167	3.123	1.974	.5702	.1338
2.34	.7512	-1	.1574	.4773	2.116	.2879	2.274	1.77093	35.279	25.30	.5297	6.222	3.136	1.984	.5658	.1328
2.35	.7396	-1	.1556	.4752	2.127	.2859	2.295	1.77453	35.526	25.18	.5286	6.276	3.140	1.993	.5615	.1317
2.36	.7281	-1	.1539	.4731	2.138	.2839	2.316	1.77811	35.771	25.07	.5275	6.331	3.162	2.002	.5572	.1307
2.37	.7168	-1	.1522	.4709	2.149	.2818	2.338	1.78166	36.017	24.96	.5264	6.386	3.174	2.012	.5529	.1297
2.38	.7057	-1	.1505	.4688	2.160	.2798	2.359	1.78519	36.261	24.85	.5253	6.442	3.187	2.021	.5486	.1286
2.39	.6948	-1	.1488	.4668	2.171	.2778	2.381	1.78869	36.504	24.73	.5242	6.497	3.199	2.031	.5444	.1276
2.40	.6840	-1	.1472	.4647	2.182	.2758	2.403	1.79218	36.746	24.62	.5231	6.553	3.212	2.040	.5401	.1266
2.41	.6734	-1	.1456	.4626	2.193	.2738	2.425	1.79563	36.988	24.52	.5221	6.609	3.224	2.050	.5359	.1257
2.42	.6630	-1	.1439	.4606	2.204	.2718	2.448	1.79907	37.229	24.41	.5210	6.666	3.237	2.059	.5317	.1247
2.43	.6527	-1	.1424	.4585	2.215	.2698	2.471	1.80248	37.469	24.30	.5200	6.722	3.249	2.069	.5276	.1237
2.44	.6426	-1	.1408	.4565	2.226	.2678	2.494	1.80587	37.708	24.19	.5189	6.779	3.261	2.079	.5234	.1228
2.45	.6327	-1	.1392	.4544	2.237	.2658	2.517	1.80924	37.946	24.09	.5179	6.836	3.273	2.088	.5193	.1218
2.46	.6229	-1	.1377	.4524	2.248	.2639	2.540	1.81258	38.188	23.99	.5169	6.894	3.285	2.098	.5152	.1209
2.47	.6133	-1	.1362	.4504	2.259	.2619	2.564	1.81591	38.420	23.88	.5159	6.951	3.298	2.108	.5111	.1200
2.48	.6038	-1	.1346	.4484	2.269	.2599	2.588	1.81921	38.655	23.78	.5149	7.009	3.310	2.118	.5071	.1191
2.49	.5945	-1	.1332	.4464	2.280	.2580	2.612	1.82249	38.890	23.68	.5140	7.067	3.321	2.128	.5030	.1182
2.50	.5853	-1	.1317	.4444	2.291	.2561	2.637	1.82574	39.124	23.58	.5130	7.125	3.333	2.138	.4990	.1173
2.51	.5762	-1	.1302	.4425	2.302	.2541	2.661	1.82989	39.357	23.48	.5120	7.183	3.345	2.147	.4950	.1164
2.52	.5674	-1	.1288	.4405	2.313	.2522	2.686	1.83219	39.589	23.38	.5111	7.242	3.357	2.157	.4911	.1155
2.53	.5586	-1	.1274	.4386	2.324	.2503	2.712	1.83538	39.820	23.28	.5102	7.301	3.369	2.167	.4871	.1147
2.54	.5500	-1	.1260	.4366	2.335	.2484	2.737	1.83855	40.050	23.18	.5092	7.360	3.380	2.177	.4832	.1138
2.55	.5415	-1	.1246	.4347	2.346	.2465	2.763	1.84170	40.280	23.09	.5083	7.420	3.392	2.187	.4793	.1130
2.56	.5332	-1	.1232	.4328	2.357	.2446	2.789	1.84488	40.509	22.99	.5074	7.479	3.403	2.198	.4754	.1122
2.57	.5250	-1	.1218	.4309	2.367	.2427	2.815	1.84794	40.736	22.91	.5065	7.539	3.415	2.208	.4715	.1113
2.58	.5169	-1	.1205	.4289	2.378	.2409	2.842	1.85103	40.963	22.81	.5056	7.599	3.426	2.218	.4677	.1105
2.59	.5000	-1	.1192	.4271	2.389	.2390	2.869	1.85410	41.189	22.71	.5047	7.659	3.438	2.228	.4639	.1097
2.60	.4912	-1	.1179	.4252	2.400	.2371	2.896	1.85714	41.415	22.62	.5039	7.720	3.449	2.238	.4601	.1089
2.61	.4935	-1	.1166	.4238	2.411	.2353	2.923	1.86017	41.639	22.53	.5030	7.781	3.460	2.249	.4564	.1081
2.62	.4859	-1	.1153	.4214	2.422	.2335	2.951	1.86318	41.863	22.44	.5022	7.842	3.471	2.259	.4526	.1074
2.63	.4784	-1	.1140	.4196	2.432	.2317	2.979	1.86616	42.086	22.35	.5013	7.903	3.483	2.269	.4489	.1066
2.64	.4711	-1	.1128	.4177	2.443	.2298	3.007	1.86913	42.307	22.26	.5005	7.965	3.494	2.280	.4452	.1058
2.65	.4639	-1	.1115	.4159	2.454	.2280	3.036	1.87206	42.529	22.17	.4996	8.026	3.505	2.290	.4416	.1051
2.66	.4558	-1	.1103	.4141	2.465	.2262	3.065	1.87501	42.749	22.08	.4988	8.088	3.516	2.301	.4379	.1043
2.67	.4498	-1	.1091	.4122	2.476	.2245	3.094	1.87792	42.968	22.00	.4980	8.150	3.527	2.311	.4343	.1036
2.68	.4429	-1	.1079	.4104	2.486	.2227	3.123	1.88081	43.187	21.91	.4972	8.213	3.537	2.322	.4307	.1028
2.69	.4362	-1	.1067	.4086	2.497	.2209	3.153	1.88308	43.405	21.82	.4964	8.275	3.548	2.332	.4271	.1021
2.70	.4295	-1	.1056	.4068	2.508	.2192	3.183	1.88653	43.621	21.74	.4956	8.338	3.559	2.343	.4236	.1014
2.71	.4229	-1	.1044	.4051	2.519	.2174	3.213	1.88936	43.838	21.65	.4941	8.401	3.570	2.354	.4201	.1007
2.72	.4165	-1	.1033	.4033	2.530	.2157	3.244	1.89218	44.053	21.57	.4941	8.465	3.580	2.364	.4166	.9988
2.73	.4102	-1	.1022	.4015	2.540	.2140	3.275	1.89497	44.267	21.49	.4933	8.528	3.591	2.375	.4131	.9929
2.74	.4039	-1	.1010	.3998	2.551	.2123	3.306	1.89775	44.481	21.41	.4926	8.582	3.601	2.386	.4097	.9860
2.75	.3978	-1	.9994	-1	.3980	.2106	3.338	1.90051	44.694	21.32	.4918	8.656	3.612	2.397	.4062	.9792
2.76	.3917	-1	.9885	-1	.3983	.2157	3.370	1.90325	44.906	21.24	.4911	8.721	3.622	2.407	.4028	.9724
2.77	.3858	-1	.9778	-1	.3945	.2072	3.402	1.90598	45.							

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{\rho}{\rho_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{a}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{\rho_{t_2}}{\rho_{t_1}}$			
3.05	.2526	-1	.7226	-1	.3496	2.881	.1645	4.441	1.97547	50.713	19.14	.4723	10.69	3.902	2.738	.3145	.8032	-1
3.06	.2489	-1	.7149	-1	.3481	2.892	.1631	4.483	1.97772	50.902	19.07	.4717	10.76	3.911	2.750	.3118	.7982	-1
3.07	.2452	-1	.7074	-1	.3466	2.903	.1618	4.526	1.97997	51.090	19.01	.4712	10.83	3.920	2.762	.3091	.7932	-1
3.08	.2416	-1	.6999	-1	.3452	2.913	.1604	4.570	1.98219	51.277	18.95	.4706	10.90	3.929	2.774	.3065	.7882	-1
3.09	.2380	-1	.6925	-1	.3437	2.924	.1591	4.613	1.98441	51.464	18.88	.4701	10.97	3.938	2.786	.3038	.7833	-1
3.10	.2345	-1	.6852	-1	.3422	2.934	.1577	4.657	1.98661	51.650	18.82	.4695	11.05	3.947	2.799	.3012	.7785	-1
3.11	.2310	-1	.6770	-1	.3406	2.945	.1564	4.702	1.98879	51.835	18.76	.4690	11.12	3.955	2.811	.2986	.7737	-1
3.12	.2276	-1	.6708	-1	.3383	2.955	.1551	4.747	1.99097	52.020	18.69	.4685	11.19	3.964	2.823	.2960	.7680	-1
3.13	.2243	-1	.6637	-1	.3379	2.966	.1538	4.792	1.99313	52.203	18.63	.4679	11.26	3.973	2.835	.2935	.7642	-1
3.14	.2210	-1	.6568	-1	.3365	2.977	.1525	4.838	1.99527	52.386	18.57	.4674	11.34	3.981	2.848	.2910	.7605	-1
3.15	.2177	-1	.6499	-1	.3351	2.987	.1512	4.884	1.99740	52.569	18.51	.4669	11.41	3.990	2.860	.2885	.7549	-1
3.16	.2146	-1	.6430	-1	.3337	2.998	.1500	4.930	1.99952	52.751	18.45	.4664	11.48	3.998	2.872	.2860	.7503	-1
3.17	.2114	-1	.6363	-1	.3323	3.008	.1487	4.977	2.00162	52.931	18.39	.4659	11.56	4.006	2.885	.2835	.7457	-1
3.18	.2083	-1	.6296	-1	.3309	3.019	.1475	5.025	2.00372	53.112	18.33	.4654	11.63	4.015	2.897	.2811	.7412	-1
3.19	.2053	-1	.6231	-1	.3295	3.029	.1462	5.073	2.00579	53.292	18.27	.4648	11.71	4.023	2.909	.2786	.7367	-1
3.20	.2023	-1	.6165	-1	.3281	3.040	.1450	5.121	2.00786	53.470	18.21	.4643	11.78	4.031	2.922	.2762	.7323	-1
3.21	.1993	-1	.6101	-1	.3267	3.050	.1438	5.170	2.00991	53.648	18.15	.4639	11.85	4.040	2.935	.2738	.7279	-1
3.22	.1964	-1	.6037	-1	.3253	3.061	.1426	5.219	2.01195	53.826	18.09	.4634	11.93	4.048	2.947	.2715	.7235	-1
3.23	.1936	-1	.5975	-1	.3240	3.071	.1414	5.268	2.01398	54.003	18.03	.4629	12.01	4.056	2.960	.2691	.7192	-1
3.24	.1908	-1	.5912	-1	.3226	3.082	.1403	5.319	2.01599	54.179	17.98	.4624	12.08	4.064	2.972	.2668	.7149	-1
3.25	.1880	-1	.5851	-1	.3213	3.092	.1390	5.369	2.01799	54.355	17.92	.4619	12.16	4.072	2.985	.2645	.7107	-1
3.26	.1853	-1	.5790	-1	.3199	3.103	.1378	5.420	2.01998	54.529	17.86	.4614	12.23	4.080	2.998	.2622	.7065	-1
3.27	.1826	-1	.5730	-1	.3186	3.113	.1367	5.472	2.02196	54.703	17.81	.4610	12.31	4.088	3.011	.2600	.7023	-1
3.28	.1799	-1	.5671	-1	.3173	3.124	.1355	5.523	2.02392	54.877	17.75	.4605	12.38	4.096	3.023	.2577	.6982	-1
3.29	.1773	-1	.5612	-1	.3160	3.134	.1344	5.576	2.02587	55.050	17.70	.4600	12.46	4.104	3.036	.2555	.6941	-1
3.30	.1748	-1	.5554	-1	.3147	3.145	.1332	5.629	2.02781	55.222	17.64	.4596	12.54	4.112	3.049	.2533	.6900	-1
3.31	.1722	-1	.5497	-1	.3134	3.155	.1321	5.682	2.02974	55.393	17.58	.4591	12.62	4.120	3.062	.2511	.6860	-1
3.32	.1698	-1	.5440	-1	.3121	3.166	.1310	5.736	2.03165	55.564	17.53	.4587	12.69	4.128	3.075	.2489	.6820	-1
3.33	.1673	-1	.5384	-1	.3108	3.176	.1300	5.790	2.03356	55.734	17.48	.4582	12.77	4.135	3.088	.2468	.6781	-1
3.34	.1649	-1	.5329	-1	.3095	3.187	.1288	5.845	2.03545	55.904	17.42	.4578	12.85	4.143	3.101	.2446	.6741	-1
3.35	.1625	-1	.5274	-1	.3082	3.197	.1277	5.900	2.03733	56.073	17.37	.4573	12.93	4.151	3.114	.2425	.6702	-1
3.36	.1602	-1	.5220	-1	.3069	3.208	.1266	5.956	2.03920	56.241	17.31	.4569	13.00	4.158	3.127	.2404	.6664	-1
3.37	.1579	-1	.5166	-1	.3057	3.218	.1255	6.012	2.04106	56.409	17.26	.4565	13.08	4.166	3.141	.2383	.6626	-1
3.38	.1557	-1	.5113	-1	.3044	3.229	.1245	6.069	2.04290	56.576	17.21	.4560	13.16	4.173	3.154	.2363	.6588	-1
3.39	.1534	-1	.5061	-1	.3032	3.239	.1234	6.126	2.04474	56.742	17.16	.4556	13.24	4.181	3.167	.2342	.6550	-1
3.40	.1512	-1	.5009	-1	.3019	3.250	.1224	6.184	2.04656	56.907	17.10	.4552	13.32	4.188	3.180	.2322	.6513	-1
3.41	.1491	-1	.4958	-1	.3007	3.260	.1214	6.242	2.04837	57.073	17.05	.4548	13.40	4.196	3.194	.2302	.6476	-1
3.42	.1470	-1	.4908	-1	.2995	3.271	.1203	6.301	2.05017	57.237	17.00	.4544	13.48	4.203	3.207	.2282	.6439	-1
3.43	.1449	-1	.4858	-1	.2982	3.281	.1193	6.360	2.05196	57.401	16.95	.4540	13.56	4.211	3.220	.2263	.6403	-1
3.44	.1428	-1	.4803	-1	.2970	3.291	.1183	6.420	2.05374	57.564	16.90	.4535	13.64	4.218	3.234	.2243	.6367	-1
3.45	.1408	-1	.4750	-1	.2958	3.302	.1173	6.480	2.05551	57.726	16.85	.4531	13.72	4.225	3.247	.2224	.6331	-1
3.46	.1388	-1	.4711	-1	.2946	3.312	.1163	6.541	2.05727	57.888	16.80	.4527	13.80	4.232	3.261	.2205	.6296	-1
3.47	.1368	-1	.4663	-1	.2934	3.323	.1153	6.602	2.05901	58.050	16.75	.4523	13.88	4.240	3.274	.2186	.6261	-1
3.48	.1349	-1	.4616	-1	.2922	3.333	.1144	6.664	2.06075	58.210	16.70	.4519	13.96	4.247	3.288	.2167	.6226	-1
3.49	.1330	-1	.4569	-1	.2910	3.344	.1134	6.727	2.06247	58.370	16.65	.4515	14.04	4.254	3.301	.2148	.6191	-1
3.50	.1311	-1	.4523	-1	.2899	3.354	.1124	6.790	2.06419	58.530	16.60	.4512	14.13	4.261	3.315	.2129	.6157	-1
3.51	.1293	-1	.4478	-1	.2877	3.365	.1115	6.853	2.06589	58.689	16.55	.4508	14.21	4.268	3.329	.2111	.6123	-1
3.52	.1274	-1	.4433	-1	.2857	3.375	.1105	6.917	2.06759	58.847	16.51	.4504	14.29	4.275	3.343	.2093	.6089	-1
3.53	.1256	-1	.4388	-1	.2846	3.385	.1096	6.982	2.06927	59.004	16.46	.4500	14.37	4.282	3.356	.2075	.6056	-1
3.54	.1239	-1	.4344	-1	.2825	3.396	.1087	7.047	2.07094	59.162	16.41	.4496	14.45	4.289	3.370	.2057	.6023	-1
3.55	.1221	-1	.4300	-1	.2814	3.406	.1078	7.113	2.07261	59.318	16.36	.4492	14.54	4.296	3.384	.2039	.5990	-1
3.56	.1204	-1	.4257	-1	.2802	3.417	.1069	7.179	2.07426	59.474	16.31	.4489	14.62	4.303	3.398	.2022	.5957	-1
3.57	.1188	-1	.4214	-1	.2781	3.427	.1059	7.246	2.07580	59.629	16.27	.4485	14.70	4.309	3.412	.2004	.5925	-1
3.58	.1171	-1	.4172	-1	.2760	3.437	.1051	7.313	2.07754	59.784	16.22	.4481	14.79	4.316	3.420	.1987	.5902	-1
3.59	.1155	-1	.4131	-1	.2749	3.448	.1042	7.382	2.07916	59.938	16.17	.4478	14.87	4.323	3.440	.1970	.5861	-1
3.60	.1138	-1	.4089	-1	.2734	3.458	.1033	7.450	2.08077	60.091	16.13	.4474	14.95	4.330	3.454	.1953	.5820	-1
3.61	.1123	-1	.4049	-1	.2723	3.469	.1024	7.519	2.08228	60.244	16.08	.4471	15.04	4.336	3.468	.1936	.5798	-1
3.62	.1107	-1	.4008	-1	.2702	3.479	.1016	7.583	2.08387	60.397	16.04	.4467	15.12	4.343	3.482	.1920	.5767	-1
3.63	.1092	-1	.3968	-1	.2681	3.490	.1007	7.659	2.0855									

## EQUATIONS, TABLES, AND CHARTS FOR COMPRESSIBLE FLOW

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{\rho}{\rho_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_1}{p_{t_2}}$				
3.95	.7042	-2	.2902	-1	.2427	3.821	.7691	-1	10.25	2.13163	65.118	14.67	.4363	18.04	4.544	3.969	.1448	.4865	-1
3.96	.6948	-2	.2874	-1	.2418	3.832	.7627	-1	10.34	2.13294	65.263	14.63	.4360	18.13	4.549	3.985	.1435	.4841	-1
3.97	.6855	-2	.2846	-1	.2408	3.842	.7563	-1	10.44	2.13424	65.386	14.59	.4358	18.22	4.555	4.000	.1423	.4817	-1
3.98	.6764	-2	.2819	-1	.2399	3.852	.7500	-1	10.53	2.13553	65.520	14.55	.4355	18.31	4.560	4.016	.1411	.4793	-1
3.99	.6675	-2	.2793	-1	.2390	3.863	.7438	-1	10.62	2.13681	65.652	14.52	.4352	18.41	4.566	4.031	.1399	.4770	-1
4.00	.6586	-2	.2766	-1	.2381	3.873	.7376	-1	10.72	2.13809	65.785	14.48	.4350	18.50	4.571	4.047	.1388	.4747	-1
4.01	.6499	-2	.2740	-1	.2372	3.883	.7315	-1	10.81	2.13936	65.917	14.44	.4347	18.59	4.577	4.062	.1376	.4723	-1
4.02	.6413	-2	.2714	-1	.2363	3.894	.7255	-1	10.91	2.14062	66.048	14.40	.4344	18.69	4.582	4.078	.1364	.4700	-1
4.03	.6328	-2	.2688	-1	.2354	3.904	.7194	-1	11.01	2.14188	66.179	14.37	.4342	18.78	4.588	4.094	.1353	.4678	-1
4.04	.6245	-2	.2663	-1	.2345	3.914	.7135	-1	11.11	2.14312	66.309	14.33	.4339	18.88	4.593	4.110	.1342	.4655	-1
4.05	.6163	-2	.2638	-1	.2336	3.925	.7076	-1	11.21	2.14436	66.439	14.30	.4336	18.97	4.598	4.125	.1380	.4633	-1
4.06	.6082	-2	.2613	-1	.2327	3.935	.7017	-1	11.31	2.14560	66.569	14.26	.4334	19.06	4.604	4.141	.1319	.4610	-1
4.07	.6002	-2	.2589	-1	.2319	3.945	.6959	-1	11.41	2.14682	66.698	14.22	.4331	19.16	4.609	4.157	.1308	.4588	-1
4.08	.5923	-2	.2554	-1	.2310	3.956	.6902	-1	11.51	2.14804	66.826	14.19	.4329	19.25	4.614	4.173	.1297	.4566	-1
4.09	.5845	-2	.2540	-1	.2301	3.966	.6845	-1	11.61	2.14926	66.954	14.15	.4326	19.35	4.619	4.189	.1286	.4544	-1
4.10	.5769	-2	.2516	-1	.2293	3.976	.6788	-1	11.71	2.15046	67.082	14.12	.4324	19.45	4.624	4.205	.1276	.4523	-1
4.11	.5694	-2	.2493	-1	.2284	3.986	.6732	-1	11.82	2.15166	67.209	14.08	.4321	19.54	4.630	4.221	.1265	.4501	-1
4.12	.5619	-2	.2470	-1	.2275	3.997	.6677	-1	11.92	2.15285	67.336	14.05	.4319	19.64	4.635	4.237	.1254	.4480	-1
4.13	.5546	-2	.2447	-1	.2267	4.007	.6622	-1	12.03	2.15404	67.462	14.01	.4316	19.73	4.640	4.253	.1244	.4459	-1
4.14	.5474	-2	.2424	-1	.2258	4.017	.6568	-1	12.14	2.15522	67.588	13.98	.4314	19.83	4.645	4.269	.1234	.4438	-1
4.15	.5403	-2	.2401	-1	.2250	4.028	.6514	-1	12.24	2.15639	67.713	13.94	.4311	19.93	4.650	4.285	.1223	.4417	-1
4.16	.5323	-2	.2379	-1	.2242	4.038	.6460	-1	12.35	2.15756	67.838	13.91	.4309	20.02	4.655	4.301	.1213	.4396	-1
4.17	.5244	-2	.2357	-1	.2233	4.048	.6407	-1	12.46	2.15871	67.963	13.88	.4306	20.12	4.660	4.318	.1203	.4375	-1
4.18	.5195	-2	.2335	-1	.2225	4.059	.6354	-1	12.57	2.15987	68.087	13.84	.4304	20.22	4.665	4.334	.1193	.4355	-1
4.19	.5128	-2	.2313	-1	.2217	4.069	.6302	-1	12.68	2.16101	68.210	13.81	.4302	20.32	4.670	4.350	.1183	.4334	-1
4.20	.5062	-2	.2292	-1	.2208	4.079	.6251	-1	12.79	2.16215	68.333	13.77	.4299	20.41	4.675	4.367	.1173	.4314	-1
4.21	.4997	-2	.2271	-1	.2200	4.090	.6200	-1	12.90	2.16329	68.456	13.74	.4297	20.51	4.680	4.383	.1164	.4291	-1
4.22	.4932	-2	.2250	-1	.2192	4.100	.6149	-1	13.02	2.16442	68.578	13.71	.4285	20.61	4.685	4.399	.1154	.4274	-1
4.23	.4869	-2	.2229	-1	.2184	4.110	.6098	-1	13.13	2.16554	68.700	13.67	.4282	20.71	4.690	4.416	.1144	.4255	-1
4.24	.4806	-2	.2209	-1	.2176	4.120	.6049	-1	13.25	2.16665	68.821	13.64	.4290	20.81	4.694	4.432	.1135	.4235	-1
4.25	.4745	-2	.2189	-1	.2168	4.131	.5999	-1	13.36	2.16776	68.942	13.61	.4288	20.91	4.699	4.449	.1126	.4215	-1
4.26	.4684	-2	.2169	-1	.2160	4.141	.5950	-1	13.48	2.16886	69.063	13.58	.4286	21.01	4.704	4.466	.1116	.4196	-1
4.27	.4624	-2	.2149	-1	.2152	4.151	.5902	-1	13.60	2.16996	69.183	13.54	.4283	21.11	4.709	4.482	.1107	.4177	-1
4.28	.4565	-2	.2129	-1	.2144	4.162	.5854	-1	13.72	2.17105	69.302	13.51	.4281	21.20	4.713	4.499	.1098	.4168	-1
4.29	.4507	-2	.2110	-1	.2136	4.172	.5806	-1	13.83	2.17214	69.422	13.48	.4279	21.30	4.718	4.516	.1089	.4139	-1
4.30	.4449	-2	.2090	-1	.2129	4.182	.5759	-1	13.95	2.17321	69.541	13.45	.4277	21.41	4.723	4.532	.1080	.4120	-1
4.31	.4393	-2	.2071	-1	.2121	4.192	.5712	-1	14.08	2.17429	69.659	13.42	.4275	21.51	4.728	4.549	.1071	.4101	-1
4.32	.4337	-2	.2052	-1	.2113	4.203	.5666	-1	14.20	2.17535	69.777	13.38	.4272	21.61	4.732	4.566	.1062	.4082	-1
4.33	.4282	-2	.2034	-1	.2105	4.213	.5620	-1	14.32	2.17642	69.895	13.35	.4270	21.71	4.737	4.583	.1054	.4064	-1
4.34	.4228	-2	.2015	-1	.2098	4.223	.5574	-1	14.45	2.17747	70.012	13.32	.4268	21.81	4.741	4.600	.1045	.4046	-1
4.35	.4174	-2	.1997	-1	.2090	4.233	.5529	-1	14.57	2.17852	70.128	13.29	.4266	21.91	4.746	4.617	.1036	.4027	-1
4.36	.4121	-2	.1979	-1	.2083	4.244	.5484	-1	14.70	2.17956	70.245	13.26	.4264	22.01	4.751	4.633	.1028	.4009	-1
4.37	.4069	-2	.1961	-1	.2075	4.254	.5440	-1	14.82	2.18060	70.361	13.23	.4262	22.11	4.755	4.651	.1020	.3991	-1
4.38	.4018	-2	.1944	-1	.2067	4.264	.5396	-1	14.95	2.18163	70.476	13.20	.4260	22.22	4.760	4.668	.1011	.3973	-1
4.39	.3968	-2	.1926	-1	.2050	4.275	.5352	-1	15.08	2.18266	70.591	13.17	.4258	22.32	4.764	4.685	.1003	.3956	-1
4.40	.3918	-2	.1909	-1	.2053	4.285	.5309	-1	15.21	2.18363	70.706	13.14	.4256	22.42	4.768	4.702	.9943	.3938	-1
4.41	.3868	-2	.1892	-1	.2045	4.295	.5266	-1	15.34	2.18470	70.820	13.11	.4253	22.52	4.773	4.719	.9887	.3921	-1
4.42	.3820	-2	.1875	-1	.2038	4.305	.5224	-1	15.47	2.18571	70.934	13.08	.4251	22.63	4.777	4.736	.9787	.3903	-1
4.43	.3772	-2	.1858	-1	.2030	4.316	.5182	-1	15.61	2.18671	71.048	13.05	.4249	22.73	4.782	4.753	.9707	.3886	-1
4.44	.3725	-2	.1841	-1	.2023	4.326	.5140	-1	15.74	2.187714	71.161	13.02	.4247	22.83	4.786	4.771	.9628	.3869	-1
4.45	.3678	-2	.1825	-1	.2016	4.336	.5099	-1	15.87	2.188708	71.274	12.99	.4245	22.94	4.790	4.788	.9550	.3852	-1
4.46	.3633	-2	.1808	-1	.2009	4.346	.5058	-1	16.01	2.189697	71.386	12.96	.4243	23.04	4.795	4.805	.9473	.3835	-1
4.47	.3597	-2	.1792	-1	.2002	4.357	.5017	-1	16.15	2.190631	71.498	12.93	.4241	23.14	4.823	4.823	.9396	.3818	-1
4.48	.3543	-2	.1776	-1	.1994	4.367	.4977	-1	16.28	2.191859	71.610	12.90	.4239	23.25	4.803	4.840	.9220	.3801	-1
4.49	.3499	-2	.1761	-1	.1987	4.377	.4937	-1	16.42	2.192632	71.721	12.87	.4237	23.35	4.808	4.858	.9244	.3785	-1
4.50	.3455	-2	.1745	-1	.1980	4.387	.4898	-1	16.56	2.193600	71.832	12.84	.4236	23.46	4.812	4.875	.9170	.3768	-1
4.51	.3412	-2	.1729</td																

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma=7/5$ 

$M$ or $M_1$	$\frac{P}{P_1}$	$\frac{P}{P_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{P_1}$	$\frac{A}{A_1}$	$\frac{V}{a_1}$	$\nu$	$\mu$	$A_F$	$\frac{P_2}{P_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_1}{T_1}$	$\frac{P_1}{P_1}$	$\frac{\rho_1}{\rho_1}$	
4.85	.2255	-3	.1287	-1	.1753	4.746	.3714	-1	.2215	2.224455	.75482	11.00	.4175	.2728	4.948	5.512
4.86	.2209	-3	.1276	-1	.1747	4.756	.3685	-1	.2235	2.225257	.75580	11.87	.4173	.2739	4.952	5.531
4.88	.2177	-3	.1265	-1	.1751	4.768	.3657	-1	.2251	2.226055	.75678	11.85	.4172	.2750	4.955	5.550
4.89	.2151	-3	.1254	-1	.1735	4.776	.3628	-1	.2270	2.226895	.75775	11.83	.4170	.2762	4.959	5.569
4.90	.2126	-3	.1233	-1	.1724	4.797	.3573	-1	.2307	2.228244	.75969	11.78	.4167	.2785	4.968	5.582
4.91	.2101	-3	.1213	-1	.1718	4.807	.3545	-1	.2325	2.229527	.76066	11.76	.4165	.2797	4.970	5.602
4.92	.2076	-3	.1202	-1	.1712	4.817	.3518	-1	.2344	2.229984	.76162	11.73	.4164	.2807	4.973	5.616
4.93	.2052	-3	.1192	-1	.1706	4.828	.3501	-1	.2363	2.230758	.76258	11.70	.4163	.2819	4.975	5.630
4.94	.2028	-3	.1182	-1	.1700	4.838	.3491	-1	.2382	2.231528	.76353	11.68	.4161	.2830	4.980	5.645
4.95	.2004	-3	.1172	-1	.1695	4.848	.3437	-1	.2402	2.232294	.76449	11.66	.4160	.2842	4.983	5.654
4.96	.1981	-3	.1163	-1	.1689	4.858	.3411	-1	.2421	2.233056	.76544	11.63	.4158	.2854	4.987	5.662
4.97	.1959	-3	.1153	-1	.1683	4.865	.3385	-1	.2440	2.234570	.76638	11.61	.4157	.2866	4.990	5.672
4.98	.1935	-3	.1143	-1	.1678	4.879	.3359	-1	.2460	2.235450	.76732	11.58	.4155	.2877	4.993	5.682
4.99	.1912	-3	.1134	-1	.1672	4.889	.3333	-1	.2480	2.236321	.76826	11.56	.4154	.2888	4.997	5.691
5.00	.1880	-3	.1124	-1	.1667	4.899	.3308	-1	.2500	2.238008	.76920	11.54	.4152	.2900	5.000	5.800
5.01	.1856	-3	.1115	-1	.1660	4.909	.3287	-1	.2540	2.237551	.77013	11.50	.4151	.2912	3.002	-
5.02	.1832	-3	.1106	-1	.1650	4.920	.3261	-1	.2580	2.238207	.77106	11.47	.4149	.2923	5.007	5.820
5.03	.1804	-3	.1097	-1	.1645	4.940	.3208	-1	.2681	2.239027	.77291	11.44	.4147	.2947	5.013	5.830
5.04	.1778	-3	.1088	-1	.1639	4.950	.3184	-1	.2802	2.239749	.77385	11.42	.4145	.2959	5.016	5.838
5.05	.1753	-3	.1079	-1	.1634	4.960	.3159	-1	.2842	2.240474	.77477	11.40	.4142	.2970	5.020	5.846
5.06	.1729	-3	.1070	-1	.1628	4.970	.3135	-1	.2883	2.241018	.77568	11.38	.4140	.2982	3.032	-
5.07	.1703	-3	.1061	-1	.1623	4.981	.3122	-1	.2964	2.241914	.77660	11.35	.4139	.2994	5.033	5.850
5.08	.1678	-3	.1053	-1	.1618	4.991	.3088	-1	.2986	2.242638	.77751	11.33	.4138	.3006	5.039	5.859
5.09	.1652	-3	.1044	-1	.1612	5.001	.3065	-1	.3077	2.243439	.77841	11.31	.4137	.3018	5.038	5.868
5.10	.1627	-3	.1035	-1	.1607	5.012	.3042	-1	.3087	2.244262	.77931	11.29	.4136	.3030	3.003	-
5.11	.1602	-3	.1027	-1	.1597	5.021	.3019	-1	.3097	2.244750	.78021	11.28	.4135	.3042	5.023	5.877
5.12	.1574	-3	.1019	-1	.1591	5.032	.2986	-1	.3107	2.245451	.78111	11.24	.4134	.3054	5.042	5.886
5.13	.1545	-3	.1010	-1	.1581	5.042	.2973	-1	.3127	2.246148	.78201	11.22	.4133	.3066	5.055	5.895
5.14	.1518	-3	.1001	-1	.1566	5.052	.2963	-1	.3147	2.246942	.78290	11.20	.4132	.3078	5.067	5.904
5.15	.1493	-3	.984	-1	.1548	5.062	.2951	-1	.3167	2.247632	.78380	11.18	.4130	.3090	5.081	5.913
5.16	.1468	-3	.968	-1	.1530	5.072	.2939	-1	.3187	2.248219	.78468	11.16	.4129	.3102	5.094	5.922
5.17	.1442	-3	.953	-1	.1514	5.082	.2928	-1	.3207	2.248893	.78556	11.13	.4128	.3114	5.088	5.931
5.18	.1417	-3	.938	-1	.1498	5.092	.2918	-1	.3227	2.249585	.78645	11.11	.4127	.3126	5.096	5.940
5.19	.1392	-3	.920	-1	.1481	5.102	.2908	-1	.3247	2.250280	.78733	11.09	.4125	.3138	5.094	5.949
5.20	.1366	-3	.905	-1	.1465	5.112	.2897	-1	.3267	2.250984	.78820	11.07	.4124	.3150	5.102	5.958
5.21	.1341	-3	.890	-1	.1449	5.122	.2886	-1	.3287	2.251604	.78908	11.05	.4123	.3162	5.109	5.967
5.22	.1315	-3	.874	-1	.1433	5.132	.2875	-1	.3307	2.252221	.78995	11.03	.4121	.3174	5.118	5.976
5.23	.1290	-3	.859	-1	.1417	5.142	.2865	-1	.3327	2.252842	.79082	11.01	.4120	.3187	5.127	5.985
5.24	.1264	-3	.843	-1	.1401	5.152	.2855	-1	.3347	2.253464	.79169	11.00	.4119	.3198	5.136	5.994
5.25	.1239	-3	.828	-1	.1385	5.162	.2845	-1	.3367	2.254084	.79254	10.98	.4118	.3211	5.145	5.993
5.26	.1213	-3	.812	-1	.1369	5.172	.2834	-1	.3387	2.254698	.79340	10.96	.4116	.3224	5.154	5.992
5.27	.1187	-3	.807	-1	.1353	5.182	.2823	-1	.3407	2.255298	.79426	10.94	.4115	.3236	5.163	5.991
5.28	.1162	-3	.802	-1	.1347	5.192	.2812	-1	.3427	2.255890	.79512	10.92	.4114	.3248	5.172	5.990
5.29	.1137	-3	.796	-1	.1331	5.202	.2801	-1	.3447	2.256404	.79609	10.90	.4113	.3260	5.181	5.999
5.30	.1112	-3	.781	-1	.1315	5.212	.2790	-1	.3467	2.256913	.79705	10.88	.4112	.3273	5.190	5.998
5.31	.1087	-3	.766	-1	.1299	5.222	.2779	-1	.3487	2.257513	.79792	10.86	.4111	.3284	5.200	5.997
5.32	.1062	-3	.751	-1	.1283	5.232	.2768	-1	.3507	2.258113	.79889	10.84	.4110	.3295	5.210	5.996
5.33	.1037	-3	.736	-1	.1267	5.242	.2757	-1	.3527	2.258713	.79975	10.82	.4109	.3306	5.219	5.995
5.34	.1012	-3	.721	-1	.1251	5.252	.2746	-1	.3547	2.259313	.80061	10.80	.4108	.3317	5.228	5.994
5.35	.987	-3	.706	-1	.1235	5.262	.2735	-1	.3567	2.260313	.80147	10.78	.4107	.3328	5.237	5.993
5.36	.962	-3	.691	-1	.1219	5.272	.2724	-1	.3587	2.261213	.80233	10.76	.4106	.3339	5.246	5.992
5.37	.937	-3	.676	-1	.1193	5.282	.2713	-1	.3607	2.262013	.80319	10.74	.4105	.3350	5.255	5.991
5.38	.912	-3	.661	-1	.1177	5.292	.2702	-1	.3627	2.262813	.80405	10.72	.4104	.3361	5.264	5.990
5.39	.887	-3	.646	-1	.1161	5.302	.2691	-1	.3647	2.263613	.80491	10.70	.4103	.3372	5.273	5.989
5.40	.862	-3	.631	-1	.1145	5.312	.2680	-1	.3667	2.264413	.80577	10.68	.4102	.3383	5.282	5.988
5.41	.837	-3	.616	-1	.1129	5.322	.2669	-1	.3687	2.265213	.80663	10.66	.4101	.3394	5.291	5.987
5.42	.812	-3	.601	-1	.1113	5.332	.2658	-1	.3707	2.266013	.80749	10.64	.4100	.3405	5.300	5.986
5.43	.787	-3	.586	-1	.1097	5.342	.2647	-1	.3727	2.266813	.80835	10.62	.4099	.3416	5.309	5.985
5.44	.762	-3	.571	-1	.1081	5.352	.2636	-1	.3747	2.267613	.80921	10.60	.4098	.3427	5.318	5.984
5.45	.737	-3	.556	-1	.1065	5.362	.2625	-1	.3767	2.268413	.80997	10.58	.4097	.3438	5.327	5.983
5.46	.712	-3	.541	-1	.1049	5.372	.2614	-1	.3787	2.269213	.81073	10.56	.4096	.3449	5.336	5.982
5.47	.687	-3	.526	-1	.1033	5.382	.2603	-1	.3807	2.270013	.81159	10.54	.4095	.3460	5.345	5.981
5.48	.662	-3	.511	-1	.1017	5.392	.2592	-1	.3827	2.270813	.81245	10.52	.4094	.3471	5.354	5.980
5.49	.637	-3	.496	-1	.1001	5.402	.2581	-1	.3847	2.271613	.81331	10.50	.4093	.3482	5.363	5.979
5.50	.612	-3	.481	-1	.985	5.412	.2570	-1	.3867	2.272413	.81417	10.48	.4092	.3493	5.372	5.978
5.51	.587	-3	.466	-1	.969	5.422	.2559	-1	.3887	2.273213	.81503	10.46	.4091	.3504	5.381	5.977
5.52	.562	-3	.451	-1	.953	5.432	.2548	-1	.39							

TABLE II.—SUPersonic FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{\rho}{\rho_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_t}{p_{t_2}}$
5.75	.8216 -3	.6254 -2	.1314	5.682	.1902 -1	44.40	2.282942	83.169	10.02	.4064	38.41	5.212	7.369	.3536 -1	.2324 -1
5.76	.8130 -3	.6207 -2	.1310	5.673	.1888 -1	44.72	2.283462	83.243	9.998	.4063	38.54	5.214	7.392	.3510 -1	.2316 -1
5.77	.8044 -3	.6161 -2	.1306	5.683	.1875 -1	45.05	2.283890	83.317	9.980	.4062	38.68	5.217	7.414	.3486 -1	.2308 -1
5.78	.7960 -3	.6114 -2	.1302	5.693	.1862 -1	45.38	2.284496	83.391	9.963	.4061	38.81	5.219	7.436	.3461 -1	.2300 -1
5.79	.7876 -3	.6069 -2	.1298	5.703	.1848 -1	45.72	2.285009	83.463	9.946	.4060	38.94	5.221	7.459	.3436 -1	.2292 -1
5.80	.7704 -3	.6023 -2	.1294	5.713	.1835 -1	46.05	2.285520	83.537	9.928	.4059	39.08	5.224	7.481	.3412 -1	.2284 -1
5.81	.7713 -3	.5978 -2	.1290	5.723	.1823 -1	46.39	2.286029	83.609	9.911	.4059	39.22	5.226	7.504	.3388 -1	.2277 -1
5.82	.7632 -3	.5934 -2	.1286	5.733	.1810 -1	46.72	2.286535	83.683	9.894	.4058	39.35	5.228	7.527	.3364 -1	.2269 -1
5.83	.7553 -3	.5889 -2	.1282	5.744	.1797 -1	47.07	2.287040	83.755	9.877	.4057	39.49	5.231	7.549	.3340 -1	.2261 -1
5.84	.7474 -3	.5846 -2	.1279	5.754	.1784 -1	47.41	2.287542	83.827	9.860	.4056	39.62	5.233	7.572	.3317 -1	.2254 -1
5.85	.7396 -3	.5802 -2	.1275	5.764	.1772 -1	47.75	2.288041	83.899	9.842	.4055	39.76	5.235	7.595	.3293 -1	.2246 -1
5.86	.7320 -3	.5769 -2	.1271	5.774	.1760 -1	48.10	2.288539	83.971	9.826	.4054	39.90	5.237	7.618	.3270 -1	.2238 -1
5.87	.7244 -3	.5716 -2	.1267	5.784	.1747 -1	48.45	2.289034	84.042	9.809	.4053	40.03	5.240	7.640	.3247 -1	.2231 -1
5.88	.7169 -3	.5674 -2	.1263	5.794	.1735 -1	48.80	2.289527	84.114	9.792	.4052	40.17	5.242	7.663	.3225 -1	.2223 -1
5.89	.7095 -3	.5632 -2	.1260	5.804	.1723 -1	49.15	2.290018	84.185	9.775	.4051	40.31	5.244	7.686	.3202 -1	.2216 -1
5.90	.7021 -3	.5590 -2	.1256	5.815	.1711 -1	49.51	2.290507	84.257	9.758	.4050	40.45	5.246	7.709	.3180 -1	.2208 -1
5.91	.6949 -3	.5549 -2	.1252	5.825	.1699 -1	49.86	2.290998	84.327	9.742	.4049	40.58	5.249	7.732	.3157 -1	.2201 -1
5.92	.6877 -3	.5508 -2	.1249	5.835	.1687 -1	50.22	2.291477	84.398	9.725	.4049	40.72	5.251	7.755	.3135 -1	.2194 -1
5.93	.6807 -3	.5468 -2	.1245	5.845	.1676 -1	50.59	2.291960	84.468	9.708	.4048	40.86	5.253	7.778	.3113 -1	.2186 -1
5.94	.6737 -3	.5428 -2	.1241	5.855	.1664 -1	50.95	2.292440	84.539	9.692	.4047	41.00	5.255	7.801	.3092 -1	.2179 -1
5.95	.6668 -3	.5388 -2	.1238	5.865	.1652 -1	51.32	2.292918	84.609	9.675	.4046	41.14	5.257	7.824	.3070 -1	.2172 -1
5.96	.6599 -3	.5348 -2	.1234	5.876	.1641 -1	51.68	2.293394	84.679	9.659	.4045	41.28	5.260	7.847	.3049 -1	.2165 -1
5.97	.6532 -3	.5309 -2	.1230	5.886	.1630 -1	52.05	2.293867	84.748	9.643	.4044	41.41	5.262	7.871	.3028 -1	.2157 -1
5.98	.6465 -3	.5270 -2	.1227	5.896	.1618 -1	52.43	2.294339	84.817	9.626	.4043	41.55	5.264	7.894	.3007 -1	.2150 -1
5.99	.6399 -3	.5232 -2	.1223	5.906	.1607 -1	52.80	2.294809	84.887	9.610	.4042	41.69	5.266	7.917	.2980 -1	.2143 -1
6.00	.6334 -3	.5194 -2	.1220	5.916	.1596 -1	53.18	2.295276	84.955	9.594	.4042	41.83	5.268	7.941	.2965 -1	.2136 -1
6.01	.6269 -3	.5156 -2	.1216	5.926	.1585 -1	53.56	2.295742	85.025	9.578	.4041	41.97	5.270	7.964	.2945 -1	.2129 -1
6.02	.6205 -3	.5118 -2	.1212	5.936	.1574 -1	53.94	2.296205	85.093	9.562	.4040	42.11	5.273	7.987	.2924 -1	.2122 -1
6.03	.6142 -3	.5081 -2	.1209	5.947	.1563 -1	54.32	2.296667	85.162	9.546	.4039	42.25	5.275	8.011	.2904 -1	.2115 -1
6.04	.6080 -3	.5044 -2	.1205	5.957	.1553 -1	54.71	2.297126	85.230	9.530	.4038	42.40	5.277	8.034	.2884 -1	.2108 -1
6.05	.6018 -3	.5008 -2	.1202	5.967	.1542 -1	55.10	2.297583	85.297	9.514	.4037	42.54	5.279	8.058	.2864 -1	.2101 -1
6.06	.5957 -3	.4971 -2	.1198	5.977	.1531 -1	55.49	2.298039	85.366	9.498	.4037	42.68	5.281	8.081	.2844 -1	.2094 -1
6.07	.5897 -3	.4935 -2	.1195	5.987	.1521 -1	55.88	2.298492	85.433	9.482	.4036	42.82	5.283	8.105	.2825 -1	.2088 -1
6.08	.5838 -3	.4900 -2	.1191	5.997	.1511 -1	56.28	2.298944	85.500	9.467	.4035	42.96	5.285	8.129	.2808 -1	.2081 -1
6.09	.5779 -3	.4864 -2	.1188	6.007	.1500 -1	56.68	2.299393	85.568	9.451	.4034	43.10	5.287	8.152	.2786 -1	.2074 -1
6.10	.5721 -3	.4829 -2	.1185	6.017	.1490 -1	57.08	2.299841	85.635	9.435	.4033	43.25	5.289	8.176	.2767 -1	.2067 -1
6.11	.5663 -3	.4795 -2	.1181	6.028	.1480 -1	57.48	2.300286	85.702	9.420	.4033	43.39	5.291	8.200	.2748 -1	.2061 -1
6.12	.5606 -3	.4760 -2	.1178	6.038	.1470 -1	57.88	2.300730	85.768	9.404	.4032	43.53	5.293	8.223	.2730 -1	.2054 -1
6.13	.5550 -3	.4726 -2	.1174	6.048	.1460 -1	58.28	2.301172	85.834	9.389	.4031	43.67	5.295	8.247	.2711 -1	.2047 -1
6.14	.5494 -3	.4692 -2	.1171	6.058	.1450 -1	58.70	2.301612	85.901	9.373	.4030	43.82	5.297	8.271	.2692 -1	.2041 -1
6.15	.5439 -3	.4658 -2	.1168	6.068	.1440 -1	59.11	2.302050	85.967	9.358	.4029	43.96	5.299	8.295	.2674 -1	.2034 -1
6.16	.5385 -3	.4625 -2	.1164	6.078	.1430 -1	59.53	2.302436	86.033	9.343	.4029	44.10	5.301	8.319	.2656 -1	.2028 -1
6.17	.5331 -3	.4592 -2	.1161	6.088	.1421 -1	59.94	2.302920	86.099	9.327	.4028	44.25	5.303	8.343	.2638 -1	.2021 -1
6.18	.5278 -3	.4559 -2	.1158	6.099	.1411 -1	60.36	2.303383	86.164	9.312	.4027	44.39	5.305	8.367	.2620 -1	.2015 -1
6.19	.5225 -3	.4527 -2	.1154	6.109	.1402 -1	60.79	2.303783	86.229	9.297	.4026	44.54	5.307	8.391	.2602 -1	.2008 -1
6.20	.5173 -3	.4495 -2	.1151	6.119	.1392 -1	61.21	2.304212	86.295	9.282	.4025	44.68	5.309	8.415	.2584 -1	.2002 -1
6.21	.5122 -3	.4463 -2	.1148	6.129	.1383 -1	61.64	2.304639	86.360	9.267	.4024	44.82	5.311	8.430	.2567 -1	.1995 -1
6.22	.5071 -3	.4431 -2	.1144	6.139	.1373 -1	62.07	2.305064	86.424	9.252	.4024	44.97	5.313	8.444	.2550 -1	.1989 -1
6.23	.5021 -3	.4400 -2	.1141	6.149	.1364 -1	62.50	2.305487	86.490	9.237	.4023	45.12	5.315	8.468	.2532 -1	.1983 -1
6.24	.4971 -3	.4369 -2	.1138	6.159	.1355 -1	62.93	2.305908	86.554	9.222	.4022	45.26	5.317	8.512	.2515 -1	.1977 -1
6.25	.4922 -3	.4338 -2	.1135	6.169	.1346 -1	63.37	2.306328	86.618	9.207	.4022	45.41	5.319	8.536	.2498 -1	.1970 -1
6.26	.4874 -3	.4307 -2	.1132	6.180	.1337 -1	63.81	2.306746	86.683	9.192	.4021	45.55	5.321	8.561	.2482 -1	.1964 -1
6.27	.4825 -3	.4277 -2	.1128	6.190	.1328 -1	64.25	2.307162	86.746	9.177	.4020	45.70	5.323	8.585	.2465 -1	.1953 -1
6.28	.4778 -3	.4246 -2	.1125	6.200	.1319 -1	64.69	2.307576	86.810	9.163	.4019	45.84	5.325	8.610	.2448 -1	.1952 -1
6.29	.4731 -3	.4217 -2	.1122	6.210	.1310 -1	65.14	2.307989	86.874	9.148	.4019	45.99	5.327	8.634	.2432 -1	.1945 -1
6.30	.4684 -3	.4187 -2	.1119	6.220	.1302 -1	65.59	2.308400	86.937	9.133	.4018	46.14	5.329	8.658	.2416 -1	.1939 -1
6.31	.4638 -3	.4158 -2	.1116	6.230	.1293 -1	66.04	2.308809	87.000	9.119	.4017	46.29	5.331	8.683	.2399 -1	.1933 -1
6.32	.4593 -3	.4128 -2	.1113	6.240	.1284 -1	66.50	2.309216	87.063	9.104	.4016	46.43	5.332	8.708	.2383 -1	.1927 -1
6.33	.4548 -3	.4100 -2	.1109	6.251	.1276 -1	66.95	2.309622	87.126	9.090	.4016	46.58	5.334	8.732	.2367 -1	.1921 -1
6.34	.4504 -3	.4071 -2	.1106	6.261	.1267 -1	67.41	2.310206	87.189	9.075	.4015	46.73	5.336	8.757	.2352 -1	.1915 -1
6.35	.4460 -3	.4042 -2	.1103	6.271	.1259 -1	67.88	2.310428	87.251	9.061	.4014	46.88	5.338	8.781	.2336 -1	.190

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{p}{p_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_t}{p_2}$					
6.65	.3841	-3	.3289	-2	.1016	6.574	.1084	-1	83.03	2.321750	89.049	8.649	.3904	51.43	5.391	9.540	.1918	-1	.1742	-1
6.66	.3809	-3	.3267	-2	.1013	6.584	.1028	-1	83.58	2.322104	89.106	8.636	.3903	51.58	5.392	9.566	.1905	-1	.1737	-1
6.67	.3278	-3	.3245	-2	.1010	6.595	.1021	-1	84.13	2.322456	89.164	8.623	.3903	51.74	5.394	9.592	.1893	-1	.1732	-1
6.68	.3247	-3	.3223	-2	.1008	6.605	.1014	-1	84.68	2.322807	89.221	8.610	.3902	51.89	5.395	9.618	.1881	-1	.1727	-1
6.69	.3217	-3	.3201	-1	.1005	6.615	.1008	-1	85.24	2.323157	89.278	8.597	.3902	52.05	5.397	9.644	.1869	-1	.1721	-1
6.70	.3187	-3	.3180	-1	.1002	6.625	.1001	-1	85.80	2.323505	89.335	8.584	.3901	52.21	5.399	9.670	.1857	-1	.1716	-1
6.71	.3157	-3	.3158	-1	.9995	6.635	.9050	-2	86.37	2.323852	89.391	8.571	.3900	52.36	5.400	9.696	.1845	-1	.1711	-1
6.72	.3127	-3	.3137	-1	.9968	6.645	.9886	-2	86.94	2.324198	89.448	8.558	.3900	52.52	5.402	9.722	.1833	-1	.1706	-1
6.73	.3098	-3	.3116	-1	.9942	6.655	.9823	-2	87.51	2.324542	89.504	8.545	.3900	52.68	5.403	9.748	.1821	-1	.1701	-1
6.74	.3069	-3	.3096	-2	.9915	6.665	.9761	-2	88.08	2.324884	89.561	8.532	.3900	52.83	5.405	9.775	.1810	-1	.1696	-1
6.75	.3041	-3	.3075	-2	.9889	6.676	.9699	-2	88.66	2.325226	89.617	8.520	.3900	52.99	5.407	9.801	.1798	-1	.1691	-1
6.76	.3013	-3	.3055	-2	.9862	6.686	.9637	-2	89.24	2.325566	89.673	8.507	.3907	53.15	5.408	9.827	.1786	-1	.1686	-1
6.77	.2985	-3	.3034	-2	.9836	6.696	.9576	-2	89.82	2.325904	89.729	8.494	.3987	53.31	5.410	9.853	.1775	-1	.1681	-1
6.78	.2957	-3	.3014	-2	.9810	6.706	.9515	-2	90.41	2.326242	89.784	8.482	.3986	53.46	5.411	9.880	.1764	-1	.1677	-1
6.79	.2930	-3	.2994	-2	.9784	6.716	.9454	-2	91.00	2.326578	89.840	8.469	.3986	53.62	5.413	9.906	.1753	-1	.1671	-1
6.80	.2902	-3	.2874	-2	.9758	6.726	.9395	-2	91.59	2.326912	89.895	8.457	.3985	53.78	5.415	9.933	.1741	-1	.1667	-1
6.81	.2876	-3	.2855	-2	.9732	6.736	.9335	-2	92.19	2.327245	89.950	8.444	.3984	53.94	5.416	9.959	.1730	-1	.1662	-1
6.82	.2849	-3	.2835	-2	.9706	6.746	.9276	-2	92.79	2.327577	90.005	8.432	.3984	54.10	5.418	9.986	.1719	-1	.1657	-1
6.83	.2823	-3	.2816	-2	.9681	6.756	.9218	-2	93.39	2.327908	90.060	8.419	.3983	54.26	5.419	10.01	.1709	-1	.1652	-1
6.84	.2797	-3	.2807	-2	.9655	6.767	.9160	-2	94.00	2.328237	90.116	8.407	.3983	54.42	5.421	10.04	.1698	-1	.1647	-1
6.85	.2771	-3	.2878	-1	.9630	6.777	.9102	-2	94.61	2.328565	90.170	8.394	.3982	54.58	5.422	10.07	.1687	-1	.1643	-1
6.86	.2746	-3	.2859	-1	.9604	6.787	.9045	-2	95.22	2.328892	90.225	8.382	.3981	54.74	5.424	10.09	.1676	-1	.1638	-1
6.87	.2720	-3	.2840	-1	.9579	6.797	.9088	-2	95.83	2.329217	90.279	8.370	.3981	54.90	5.425	10.12	.1666	-1	.1633	-1
6.88	.2698	-3	.2821	-1	.9554	6.807	.9031	-2	96.45	2.329541	90.333	8.357	.3980	55.06	5.427	10.15	.1655	-1	.1628	-1
6.89	.2671	-3	.2803	-2	.9529	6.817	.9075	-2	97.08	2.329864	90.387	8.345	.3980	55.22	5.428	10.17	.1645	-1	.1624	-1
6.90	.2646	-3	.2785	-2	.9504	6.827	.8820	-2	97.70	2.330186	90.441	8.333	.3979	55.38	5.430	10.20	.1634	-1	.1619	-1
6.91	.2622	-3	.2766	-2	.9470	6.837	.8764	-2	98.33	2.330506	90.495	8.321	.3979	55.54	5.431	10.23	.1624	-1	.1614	-1
6.92	.2598	-3	.2748	-2	.9454	6.847	.8710	-2	98.96	2.330825	90.549	8.309	.3978	55.70	5.433	10.25	.1614	-1	.1610	-1
6.93	.2575	-3	.2730	-2	.9430	6.857	.8665	-2	99.60	2.331143	90.602	8.297	.3977	55.86	5.434	10.28	.1604	-1	.1605	-1
6.94	.2551	-3	.2713	-2	.9405	6.868	.8601	-2	100.2	2.331460	90.655	8.285	.3977	56.02	5.436	10.31	.1594	-1	.1601	-1
6.95	.2528	-3	.2695	-2	.9380	6.878	.8548	-2	100.9	2.331775	90.709	8.273	.3976	56.19	5.427	10.33	.1584	-1	.1590	-1
6.96	.2506	-3	.2677	-2	.9356	6.888	.8495	-2	101.5	2.332089	90.762	8.261	.3976	56.35	5.439	10.36	.1574	-1	.1582	-1
6.97	.2482	-3	.2660	-2	.9332	6.898	.8442	-2	102.2	2.332402	90.815	8.249	.3975	56.51	5.440	10.39	.1564	-1	.1587	-1
6.98	.2460	-3	.2643	-2	.9307	6.908	.8389	-2	102.8	2.332714	90.867	8.237	.3975	56.67	5.442	10.42	.1554	-1	.1582	-1
6.99	.2438	-3	.2626	-2	.9283	6.918	.8337	-2	103.5	2.333024	90.920	8.225	.3974	56.84	5.443	10.44	.1545	-1	.1578	-1
7.00	.2416	-3	.2609	-2	.9259	6.928	.8286	-2	104.1	2.333333	90.973	8.213	.3974	57.00	5.444	10.47	.1535	-1	.1574	-1
7.01	.2394	-3	.2592	-2	.9235	6.938	.8234	-2	104.8	2.333641	91.026	8.201	.3973	57.16	5.446	10.50	.1526	-1	.1569	-1
7.02	.2372	-3	.2575	-2	.9211	6.948	.8183	-2	105.5	2.333948	91.078	8.190	.3973	57.33	5.447	10.52	.1516	-1	.1565	-1
7.03	.2351	-3	.2559	-2	.9186	6.959	.8133	-2	106.1	2.334254	91.130	8.178	.3972	57.49	5.449	10.55	.1507	-1	.1560	-1
7.04	.2330	-3	.2542	-2	.9164	6.969	.8082	-2	106.8	2.334558	91.182	8.166	.3971	57.66	5.450	10.58	.1497	-1	.1556	-1
7.05	.2309	-3	.2526	-2	.9140	6.979	.8032	-2	107.5	2.334862	91.234	8.155	.3971	57.82	5.452	10.61	.1488	-1	.1551	-1
7.06	.2288	-3	.2510	-2	.9117	6.989	.7983	-2	108.2	2.335164	91.286	8.143	.3970	57.98	5.453	10.63	.1479	-1	.1547	-1
7.07	.2267	-3	.2494	-2	.9093	6.999	.7934	-2	108.9	2.335465	91.337	8.131	.3970	58.15	5.454	10.66	.1470	-1	.1543	-1
7.08	.2247	-3	.2474	-2	.9070	7.009	.7885	-2	109.5	2.335765	91.389	8.120	.3969	58.31	5.456	10.69	.1461	-1	.1538	-1
7.09	.2227	-3	.2462	-2	.9047	7.019	.7837	-2	110.2	2.336083	91.440	8.108	.3969	58.48	5.457	10.72	.1452	-1	.1534	-1
7.10	.2207	-3	.2446	-2	.9024	7.029	.7789	-2	110.9	2.336361	91.492	8.097	.3968	58.65	5.459	10.74	.1443	-1	.1530	-1
7.11	.2187	-3	.2424	-2	.9001	7.039	.7741	-2	111.6	2.336657	91.543	8.085	.3968	58.81	5.460	10.77	.1434	-1	.1525	-1
7.12	.2168	-3	.2415	-2	.8978	7.049	.7693	-2	112.3	2.336952	91.594	8.074	.3967	58.98	5.461	10.80	.1425	-1	.1521	-1
7.13	.2149	-3	.2400	-2	.8955	7.060	.7645	-2	113.0	2.337246	91.645	8.062	.3967	59.14	5.463	10.83	.1416	-1	.1517	-1
7.14	.2130	-3	.2384	-2	.8932	7.070	.7600	-2	113.7	2.337539	91.695	8.051	.3966	59.31	5.464	10.85	.1408	-1	.1513	-1
7.15	.2111	-3	.2369	-2	.8909	7.080	.7553	-2	114.5	2.337831	91.746	8.040	.3966	59.48	5.465	10.88	.1399	-1	.1509	-1
7.16	.2092	-3	.2354	-2	.8886	7.090	.7507	-2	115.2	2.338122	91.796	8.028	.3965	59.64	5.467	10.91	.1390	-1	.1504	-1
7.17	.2073	-3	.2339	-2	.8864	7.100	.7461	-2	115.9	2.338412	91.847	8.017	.3965	59.81	5.468	10.94	.1382	-1	.1500	-1
7.18	.2055	-3	.2324	-2	.8841	7.110	.7416	-2	116.6	2.338700	91.896	8.006	.3964	59.98	5.470	10.97	.1374	-1	.1496	-1
7.19	.2037	-3	.2310	-2	.8819	7.120	.7371	-2	117.3	2.338988	91.947									

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{\rho}{\rho_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_1}{p_{t_2}}$						
7.55	.1489	-3	.1847	-2	.8064	-1	7.483	.5042	-2	146.2	2.348648	93.070	7.611	.3947	66.34	5.516	12.03	.1100	-1	.1354	-1
7.56	.1477	-3	.1836	-2	.8045	-1	7.494	.5093	-2	147.0	2.348899	93.716	7.601	.3946	66.51	5.517	12.06	.1093	-1	.1351	-1
7.57	.1464	-3	.1824	-2	.8025	-1	7.504	.5073	-2	147.9	2.349148	93.762	7.591	.3946	66.69	5.518	12.09	.1087	-1	.1347	-1
7.58	.1452	-3	.1813	-2	.8006	-1	7.514	.5039	-2	148.8	2.349397	93.807	7.581	.3946	66.87	5.520	12.11	.1081	-1	.1343	-1
7.59	.1439	-3	.1802	-2	.7986	-1	7.524	.5005	-2	149.7	2.349644	93.853	7.571	.3945	67.04	5.521	12.14	.1074	-1	.1340	-1
7.60	.1427	-3	.1792	-2	.7967	-1	7.534	.5071	-2	150.6	2.349891	93.898	7.561	.3945	67.22	5.522	12.17	.1068	-1	.1336	-1
7.61	.1415	-3	.1781	-2	.7948	-1	7.544	.5073	-2	151.5	2.350137	93.943	7.551	.3944	67.40	5.523	12.20	.1062	-1	.1333	-1
7.62	.1403	-3	.1770	-2	.7928	-1	7.554	.5074	-2	152.4	2.350382	93.988	7.541	.3944	67.58	5.524	12.23	.1056	-1	.1329	-1
7.63	.1391	-3	.1759	-2	.7909	-1	7.564	.5071	-2	153.3	2.350626	94.033	7.531	.3943	67.75	5.525	12.26	.1049	-1	.1326	-1
7.64	.1380	-3	.1749	-2	.7890	-1	7.574	.5068	-2	154.2	2.350869	94.078	7.521	.3943	67.93	5.527	12.29	.1043	-1	.1322	-1
7.65	.1368	-3	.1738	-2	.7871	-1	7.584	.5065	-2	155.1	2.351112	94.123	7.511	.3943	68.11	5.528	12.32	.1037	-1	.1319	-1
7.66	.1357	-3	.1728	-2	.7852	-1	7.594	.5072	-2	156.0	2.351353	94.168	7.501	.3942	68.29	5.529	12.35	.1031	-1	.1316	-1
7.67	.1345	-3	.1717	-2	.7833	-1	7.605	.5060	-2	157.0	2.351594	94.212	7.491	.3942	68.47	5.530	12.38	.1025	-1	.1312	-1
7.68	.1334	-3	.1707	-2	.7815	-1	7.615	.5058	-2	157.9	2.351834	94.257	7.482	.3941	68.65	5.531	12.41	.1019	-1	.1309	-1
7.69	.1323	-3	.1697	-2	.7796	-1	7.625	.5047	-2	158.8	2.352072	94.301	7.472	.3941	68.83	5.532	12.44	.1013	-1	.1305	-1
7.70	.1312	-3	.1687	-2	.7777	-1	7.635	.5045	-2	159.8	2.352310	94.345	7.462	.3941	69.01	5.533	12.47	.1008	-1	.1302	-1
7.71	.1301	-3	.1677	-2	.7759	-1	7.645	.5043	-2	160.7	2.352548	94.389	7.452	.3940	69.18	5.534	12.50	.1002	-1	.1299	-1
7.72	.1290	-3	.1667	-2	.7740	-1	7.655	.5038	-2	161.7	2.352784	94.433	7.443	.3940	69.36	5.535	12.53	.9950	-2	.1295	-1
7.73	.1279	-3	.1657	-2	.7722	-1	7.665	.5035	-2	162.6	2.353019	94.477	7.433	.3939	69.55	5.537	12.56	.9902	-2	.1292	-1
7.74	.1269	-3	.1647	-2	.7703	-1	7.675	.5030	-2	163.6	2.353254	94.521	7.423	.3939	69.73	5.538	12.59	.9845	-2	.1289	-1
7.75	.1258	-3	.1637	-2	.7685	-1	7.685	.5029	-2	164.5	2.353498	94.565	7.414	.3939	69.91	5.539	12.62	.9786	-2	.1285	-1
7.76	.1248	-3	.1627	-2	.7667	-1	7.695	.5029	-2	165.5	2.353721	94.608	7.404	.3938	70.09	5.540	12.65	.9732	-2	.1282	-1
7.77	.1237	-3	.1618	-2	.7648	-1	7.705	.5029	-2	166.5	2.353953	94.652	7.395	.3938	70.27	5.541	12.68	.9706	-2	.1279	-1
7.78	.1227	-3	.1608	-2	.7630	-1	7.715	.5019	-2	167.4	2.354184	94.695	7.385	.3937	70.45	5.542	12.71	.9620	-2	.1276	-1
7.79	.1217	-3	.1599	-2	.7612	-1	7.726	.5017	-2	168.4	2.354415	94.739	7.375	.3937	70.63	5.543	12.74	.9565	-2	.1272	-1
7.80	.1207	-3	.1589	-2	.7594	-1	7.736	.5010	-2	169.4	2.354644	94.782	7.366	.3937	70.81	5.544	12.77	.9510	-2	.1269	-1
7.81	.1197	-3	.1580	-2	.7576	-1	7.746	.5011	-2	170.4	2.354873	94.825	7.356	.3936	71.00	5.545	12.80	.9456	-2	.1266	-1
7.82	.1187	-3	.1571	-2	.7558	-1	7.756	.5008	-2	171.4	2.355101	94.868	7.347	.3936	71.18	5.547	12.83	.9402	-2	.1263	-1
7.83	.1177	-3	.1561	-2	.7540	-1	7.766	.5003	-2	172.4	2.355328	94.911	7.338	.3935	71.36	5.548	12.86	.9318	-2	.1259	-1
7.84	.1168	-3	.1552	-2	.7523	-1	7.776	.5004	-2	173.4	2.355555	94.954	7.328	.3935	71.54	5.549	12.89	.9205	-2	.1256	-1
7.85	.1158	-3	.1543	-2	.7505	-1	7.786	.4995	-2	174.4	2.355780	94.996	7.319	.3935	71.73	5.550	12.92	.9242	-2	.1253	-1
7.86	.1149	-3	.1534	-2	.7487	-1	7.796	.4987	-2	175.4	2.356005	95.039	7.309	.3934	71.91	5.551	12.96	.9180	-2	.1250	-1
7.87	.1139	-3	.1525	-2	.7470	-1	7.806	.4989	-2	176.4	2.356229	95.082	7.300	.3934	72.09	5.552	12.99	.9137	-2	.1247	-1
7.88	.1130	-3	.1516	-2	.7452	-1	7.816	.4981	-2	177.5	2.356453	95.124	7.291	.3933	72.28	5.553	13.02	.9085	-2	.1244	-1
7.89	.1121	-3	.1507	-2	.7435	-1	7.826	.4983	-2	178.5	2.356675	95.166	7.281	.3933	72.46	5.554	13.05	.9033	-2	.1241	-1
7.90	.1111	-3	.1498	-2	.7417	-1	7.836	.4985	-2	179.5	2.356897	95.208	7.272	.3933	72.65	5.555	13.08	.8982	-2	.1237	-1
7.91	.1102	-3	.1490	-2	.7400	-1	7.847	.4982	-2	180.5	2.357118	95.251	7.263	.3932	72.83	5.556	13.11	.8931	-2	.1234	-1
7.92	.1093	-3	.1481	-2	.7388	-1	7.857	.4980	-2	181.6	2.357338	95.293	7.254	.3932	73.01	5.557	13.14	.8880	-2	.1231	-1
7.93	.1084	-3	.1472	-2	.7365	-1	7.867	.4974	-2	182.6	2.357557	95.334	7.245	.3932	73.20	5.558	13.17	.8830	-2	.1228	-1
7.94	.1076	-3	.1464	-2	.7348	-1	7.877	.4974	-2	183.7	2.357776	95.376	7.235	.3931	73.38	5.559	13.20	.8780	-2	.1225	-1
7.95	.1067	-3	.1455	-2	.7331	-1	7.887	.4970	-2	184.7	2.357994	95.418	7.226	.3931	73.57	5.560	13.23	.8731	-2	.1222	-1
7.96	.1058	-3	.1447	-2	.7314	-1	7.897	.4963	-2	185.8	2.358211	95.460	7.217	.3930	73.76	5.561	13.26	.8682	-2	.1219	-1
7.97	.1050	-3	.1438	-2	.7307	-1	7.907	.4967	-2	186.9	2.358427	95.501	7.208	.3930	73.94	5.562	13.29	.8683	-2	.1216	-1
7.98	.1041	-3	.1430	-2	.7300	-1	7.917	.4961	-2	188.0	2.358642	95.542	7.199	.3930	74.13	5.563	13.33	.8584	-2	.1213	-1
7.99	.1033	-3	.1422	-2	.7283	-1	7.927	.4955	-2	189.0	2.358857	95.584	7.190	.3929	74.31	5.564	13.36	.8536	-2	.1210	-1
8.00	.1024	-3	.1414	-2	.7260	-1	7.937	.4958	-2	190.1	2.359071	95.625	7.181	.3929	74.50	5.565	13.39	.8488	-2	.1207	-1
8.01	.1016	-3	.1405	-2	.7230	-1	7.947	.4953	-2	191.2	2.359285	95.666	7.172	.3929	74.69	5.566	13.42	.8440	-2	.1204	-1
8.02	.1008	-3	.1397	-2	.7213	-1	7.957	.4958	-2	192.3	2.359497	95.707	7.163	.3928	74.87	5.567	13.45	.8393	-2	.1201	-1
8.03	.0997	-4	.1389	-2	.7196	-1	7.967	.4952	-2	193.4	2.359709	95.748	7.154	.3928	75.06	5.568	13.48	.8346	-2	.1198	-1
8.04	.09916	-4	.1381	-2	.7180	-1	7.978	.4948	-2	194.5	2.359920	95.789	7.145	.3927	75.25	5.569	13.51	.8209	-2	.1195	-1
8.05	.09837	-4	.1373	-2	.7163	-1	7.988	.4942	-2	195.6	2.360130	95.830	7.136	.3927	75.44	5.570	13.54	.8253	-2	.1192	-1
8.06	.09758	-4	.1365	-2	.7147	-1	7.998	.4937	-2	196.7	2.360340	95.871	7.127	.3927	75.62	5.571	13.57	.8207	-2	.1189	-1
8.07	.09679	-4	.1358	-2	.7130	-1	8.008	.4943	-2	197.8	2.360549	95.911	7.118	.3926	75.81	5.572	13.61				

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{p_1}{p_0}$	$\frac{T}{T_1}$	$\beta$	$\frac{g}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_1$	$\frac{p_2}{p_1}$	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	$\frac{p_4}{p_1}$	$\frac{p_1}{p_1}$						
8.45	.7170	-1	.1096	-1	.6544	-1	8.391	.3584	-2	244.4	2.367983	97.388	6.797	.3914	83.14	5.607	14.83	.6025	-1	.1082	-1
8.46	.7115	-1	.1090	-1	.6590	-1	8.401	.3595	-2	245.7	2.368166	97.424	6.788	.3913	83.33	5.608	14.86	.6030	-1	.1080	-1
8.47	.7060	-1	.1084	-1	.6615	-1	8.411	.3545	-2	247.0	2.368348	97.462	6.780	.3913	83.53	5.609	14.89	.6034	-1	.1077	-1
8.48	.7006	-1	.1078	-1	.6601	-1	8.421	.3526	-2	248.4	2.368530	97.499	6.772	.3913	83.73	5.610	14.93	.6010	-1	.1075	-1
8.49	.6952	-1	.1072	-1	.6487	-1	8.431	.3508	-2	249.7	2.368712	97.536	6.764	.3912	83.93	5.611	14.96	.6034	-1	.1072	-1
8.50	.6898	-1	.1066	-1	.6472	-1	8.441	.3489	-2	251.1	2.368892	97.573	6.756	.3912	84.13	5.612	14.99	.6419	-1	.1070	-1
8.51	.6846	-1	.1060	-1	.6458	-1	8.451	.3470	-2	252.5	2.368972	97.609	6.748	.3912	84.32	5.613	15.02	.6115	-1	.1067	-1
8.52	.6798	-1	.1054	-1	.6444	-1	8.461	.3452	-2	253.8	2.369252	97.646	6.740	.3911	84.52	5.613	15.06	.6380	-1	.1065	-1
8.53	.6741	-1	.1048	-1	.6430	-1	8.471	.3433	-2	255.2	2.369431	97.683	6.732	.3911	84.72	5.614	15.09	.6316	-1	.1062	-1
8.54	.6690	-1	.1043	-1	.6416	-1	8.481	.3415	-2	256.6	2.369609	97.719	6.725	.3911	84.92	5.615	15.12	.6313	-1	.1000	-1
8.55	.6638	-1	.1037	-1	.6402	-1	8.491	.3397	-2	258.0	2.369787	97.756	6.717	.3911	85.12	5.616	15.16	.6279	-1	.1057	-1
8.56	.6588	-1	.1031	-1	.6388	-1	8.501	.3379	-2	259.4	2.369964	97.792	6.709	.3910	85.32	5.617	15.19	.6246	-1	.1055	-1
8.57	.6538	-1	.1026	-1	.6374	-1	8.511	.3361	-2	260.8	2.370140	97.828	6.701	.3910	85.52	5.618	15.22	.6212	-1	.1052	-1
8.58	.6488	-1	.1020	-1	.6360	-1	8.522	.3343	-2	262.2	2.370216	97.865	6.693	.3910	85.72	5.618	15.26	.6179	-1	.1050	-1
8.59	.6438	-1	.1015	-1	.6346	-1	8.532	.3326	-2	263.6	2.370492	97.901	6.685	.3909	85.92	5.619	15.29	.6147	-1	.1018	-1
8.60	.6390	-1	.1009	-2	.6332	-1	8.542	.3308	-2	265.0	2.370667	97.937	6.677	.3908	86.12	5.620	15.32	.6114	-2	.1045	-1
8.61	.6341	-1	.1004	-2	.6319	-1	8.552	.3291	-2	266.4	2.370841	97.973	6.670	.3908	86.32	5.621	15.36	.6082	-1	.1043	-1
8.62	.6293	-1	.9981	-2	.6305	-1	8.562	.3273	-2	267.9	2.371015	98.009	6.662	.3909	86.52	5.622	15.39	.6050	-1	.1040	-1
8.63	.6245	-1	.9927	-2	.6291	-1	8.572	.3256	-2	269.3	2.371188	98.045	6.654	.3908	86.72	5.623	15.42	.6014	-2	.1038	-1
8.64	.6198	-1	.9873	-2	.6277	-1	8.582	.3239	-2	270.8	2.371360	98.081	6.646	.3908	86.92	5.623	15.46	.5936	-2	.1035	-1
8.65	.6151	-1	.9820	-3	.6264	-1	8.592	.3222	-3	272.2	2.371532	98.116	6.639	.3908	87.13	5.624	15.49	.5954	-2	.1033	-1
8.66	.6105	-1	.9767	-3	.6250	-1	8.602	.3205	-3	273.7	2.371704	98.152	6.631	.3907	87.33	5.625	15.53	.5923	-1	.1027	-1
8.67	.6059	-1	.9714	-3	.6287	-1	8.612	.3188	-3	275.1	2.371875	98.187	6.623	.3907	87.53	5.626	15.56	.5892	-1	.1028	-1
8.68	.6013	-1	.9662	-3	.6223	-1	8.622	.3171	-3	276.6	2.372045	98.223	6.616	.3907	87.73	5.627	15.59	.5861	-1	.1026	-1
8.69	.5968	-1	.9610	-3	.6210	-1	8.632	.3155	-3	278.1	2.372215	98.258	6.608	.3906	87.94	5.627	15.63	.5830	-1	.1024	-1
8.70	.5923	-1	.9558	-3	.6197	-1	8.642	.3138	-3	279.6	2.372384	98.293	6.600	.3906	88.14	5.628	15.66	.5799	-2	.1021	-1
8.71	.5878	-1	.9507	-3	.6183	-1	8.652	.3122	-3	281.1	2.372553	98.329	6.593	.3906	88.34	5.629	15.69	.5769	-2	.1019	-1
8.72	.5834	-1	.9456	-3	.6170	-1	8.662	.3105	-3	282.6	2.372721	98.364	6.585	.3906	88.56	5.630	15.73	.5739	-1	.1017	-1
8.73	.5790	-1	.9405	-3	.6157	-1	8.673	.3089	-3	284.1	2.372893	98.399	6.578	.3905	88.75	5.631	15.76	.5709	-2	.1014	-1
8.74	.5747	-1	.9355	-3	.6143	-1	8.683	.3073	-3	285.6	2.373056	98.434	6.570	.3905	88.95	5.631	15.80	.5679	-2	.1012	-1
8.75	.5704	-1	.9305	-3	.6130	-1	8.693	.3057	-3	287.1	2.373222	98.469	6.562	.3905	89.16	5.632	15.83	.5649	-2	.1010	-1
8.76	.5661	-1	.9255	-3	.6117	-1	8.703	.3041	-3	288.6	2.373398	98.504	6.555	.3904	89.36	5.633	15.86	.5620	-2	.1007	-1
8.77	.5619	-1	.9205	-3	.6104	-1	8.713	.3025	-3	290.1	2.373554	98.539	6.547	.3904	89.57	5.634	15.90	.5590	-2	.1005	-1
8.78	.5577	-1	.9156	-3	.6091	-1	8.723	.3010	-3	291.7	2.373719	98.573	6.540	.3904	89.77	5.635	15.93	.5561	-2	.1003	-1
8.79	.5536	-1	.9108	-3	.6078	-1	8.733	.2994	-3	293.2	2.373883	98.608	6.532	.3904	90.07	5.635	15.97	.5532	-2	.1001	-1
8.80	.5494	-1	.9059	-3	.6065	-1	8.743	.2978	-3	294.8	2.374047	98.642	6.525	.3903	90.18	5.636	16.00	.5501	-2	.9933	-1
8.81	.5453	-1	.9011	-3	.6052	-1	8.753	.2963	-3	296.3	2.374210	98.677	6.518	.3903	90.39	5.637	16.04	.5175	-2	.9900	-1
8.82	.5413	-1	.8968	-3	.6039	-1	8.763	.2948	-3	297.9	2.374378	98.711	6.510	.3903	90.59	5.638	16.07	.5147	-2	.9938	-1
8.83	.5373	-1	.8915	-3	.6026	-1	8.773	.2932	-3	299.5	2.374535	98.745	6.503	.3903	90.80	5.638	16.10	.5113	-2	.9916	-1
8.84	.5333	-1	.8808	-3	.6014	-1	8.783	.2917	-3	301.0	2.374697	98.780	6.495	.3902	91.00	5.639	16.14	.5100	-2	.9893	-1
8.85	.5293	-1	.8821	-3	.6001	-1	8.793	.2902	-3	302.6	2.374859	98.814	6.488	.3902	91.21	5.640	16.17	.5362	-2	.9871	-1
8.86	.5254	-1	.8774	-3	.5988	-1	8.803	.2887	-3	304.2	2.375019	98.848	6.481	.3902	91.42	5.641	16.21	.5335	-2	.9849	-1
8.87	.5215	-1	.8728	-3	.5975	-1	8.813	.2872	-3	305.8	2.375180	98.882	6.473	.3901	91.62	5.641	16.24	.5307	-2	.9827	-1
8.88	.5177	-1	.8682	-3	.5963	-1	8.824	.2857	-3	307.4	2.375339	98.916	6.466	.3901	91.83	5.642	16.28	.5290	-2	.9805	-1
8.89	.5139	-1	.8636	-3	.5950	-1	8.834	.2843	-3	309.0	2.375499	98.950	6.459	.3901	92.04	5.643	16.31	.5253	-2	.9783	-1
8.90	.5101	-1	.8590	-3	.5928	-1	8.844	.2828	-3	310.6	2.375657	98.984	6.451	.3901	92.25	5.644	16.35	.5226	-2	.9761	-1
8.91	.5063	-1	.8545	-3	.5902	-1	8.854	.2814	-3	312.3	2.375816	99.018	6.444	.3900	92.45	5.645	16.39	.5199	-2	.9739	-1
8.92	.5026	-1	.8500	-3	.5893	-1	8.864	.2799	-3	313.9	2.375973	99.051	6.437	.3900	92.66	5.645	16.41	.5172	-2	.9718	-1
8.93	.4989	-1	.8466	-3	.5890	-1	8.874	.2785	-3	315.5	2.376131	99.085	6.430	.3900	92.87	5.646	16.45	.5145	-2	.9696	-1
8.94	.4952	-1	.8411	-3	.5888	-1	8.884	.2771	-3	317.2	2.376287	99.119	6.422	.3900	93.08	5.647	16.48	.5119	-2	.9675	-1
8.95	.4916	-1	.8367	-3	.5875	-1	8.894	.2756	-3	318.8	2.376444	99.152	6.415	.3899	93.29	5.647	16.52	.5083	-2	.9653	-1
8.96	.4880	-1	.8323	-3	.5863	-1	8.904	.2742	-3	320.5	2.376599	99.186	6.408	.3899	93.50	5.648	16.55	.5067	-1	.9631	-1
8.97	.4844	-1	.8280	-3	.5851	-1	8.914	.2728	-3	322.1	2.376755	99.219	6.401	.3899	93.70	5.649	16.59	.4970	-1	.9	

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma=7/5$ 

$M$ or $M_1$	$\frac{p}{p_i}$	$\frac{\rho}{\rho_i}$	$\frac{T}{T_i}$	$\beta$	$\frac{g}{p_i}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_1}{p_{t_2}}$						
9.35	.3683	-4	.6807	-3	.5410	-1	9.296	.2254	-2	390.9	2.382311	100.436	6.140	.3889	101.8	5.675	17.94	.4162	-2	.8849	-2
9.36	.3657	-4	.6773	-3	.5399	-1	9.306	.2248	-2	392.9	2.382448	100.467	6.133	.3889	102.0	5.676	17.98	.4142	-2	.8828	-2
9.37	.3631	-4	.6739	-3	.5388	-1	9.316	.2232	-2	394.8	2.382585	100.498	6.127	.3889	102.3	5.677	18.01	.4121	-2	.8809	-2
9.38	.3605	-4	.6705	-3	.5377	-1	9.327	.2221	-2	396.8	2.382722	100.529	6.120	.3889	102.5	5.677	18.05	.4101	-2	.8791	-2
9.39	.3580	-4	.6671	-3	.5360	-1	9.337	.2210	-2	398.8	2.382859	100.559	6.113	.3888	102.7	5.678	18.09	.4081	-2	.8773	-2
9.40	.3555	-4	.6638	-3	.5356	-1	9.347	.2199	-2	400.8	2.382995	100.590	6.107	.3888	102.9	5.679	18.12	.4061	-2	.8754	-2
9.41	.3530	-4	.6604	-3	.5345	-1	9.357	.2188	-2	402.8	2.383130	100.620	6.100	.3888	103.1	5.679	18.16	.4041	-2	.8736	-2
9.42	.3505	-4	.6571	-3	.5334	-1	9.367	.2177	-2	404.8	2.383265	100.651	6.094	.3888	103.4	5.680	18.20	.4021	-2	.8718	-2
9.43	.3481	-4	.6538	-3	.5323	-1	9.377	.2167	-2	406.8	2.383400	100.681	6.087	.3888	103.6	5.681	18.23	.4001	-2	.8699	-2
9.44	.3456	-4	.6506	-3	.5313	-1	9.387	.2156	-2	408.8	2.383534	100.711	6.081	.3887	103.8	5.681	18.27	.3982	-2	.8681	-2
9.45	.3432	-4	.6473	-3	.5302	-1	9.397	.2146	-2	410.9	2.383668	100.742	6.074	.3887	104.0	5.682	18.31	.3962	-2	.8662	-1
9.46	.3408	-4	.6441	-3	.5291	-1	9.407	.2135	-2	412.9	2.383802	100.772	6.068	.3887	104.2	5.683	18.34	.3943	-2	.8644	-2
9.47	.3384	-4	.6409	-3	.5281	-1	9.417	.2125	-2	414.9	2.383935	100.802	6.062	.3887	104.5	5.685	18.38	.3924	-2	.8626	-2
9.48	.3361	-4	.6377	-3	.5270	-1	9.427	.2114	-2	417.0	2.384068	100.832	6.055	.3886	104.7	5.684	18.42	.3904	-2	.8607	-2
9.49	.3337	-4	.6345	-3	.5260	-1	9.437	.2104	-2	419.1	2.384200	100.862	6.049	.3886	104.9	5.684	18.45	.3885	-2	.8589	-2
9.50	.3314	-4	.6313	-3	.5249	-1	9.447	.2094	-2	421.1	2.384332	100.892	6.042	.3886	105.1	5.685	18.49	.3866	-2	.8572	-2
9.51	.3291	-4	.6282	-3	.5239	-1	9.457	.2084	-2	423.2	2.384464	100.922	6.036	.3886	105.3	5.686	18.53	.3848	-2	.8554	-2
9.52	.3268	-4	.6251	-3	.5228	-1	9.467	.2073	-2	425.3	2.384595	100.952	6.030	.3886	105.6	5.686	18.57	.3829	-2	.8536	-2
9.53	.3246	-4	.6220	-3	.5218	-1	9.477	.2063	-2	427.4	2.384726	100.981	6.023	.3885	105.8	5.687	18.60	.3810	-2	.8518	-2
9.54	.3223	-4	.6189	-3	.5208	-1	9.487	.2053	-2	429.5	2.384856	101.011	6.017	.3885	106.0	5.688	18.64	.3792	-2	.8500	-2
9.55	.3201	-4	.6158	-3	.5197	-1	9.498	.2043	-2	431.6	2.384986	101.041	6.011	.3885	106.2	5.688	18.68	.3773	-2	.8483	-2
9.56	.3179	-4	.6128	-3	.5187	-1	9.508	.2034	-2	433.7	2.385116	101.070	6.004	.3885	106.5	5.689	18.71	.3755	-2	.8465	-2
9.57	.3157	-4	.6098	-3	.5177	-1	9.518	.2024	-2	435.9	2.385245	101.100	5.998	.3884	106.7	5.689	18.75	.3737	-2	.8447	-2
9.58	.3135	-4	.6067	-3	.5167	-1	9.528	.2014	-2	438.0	2.385374	101.129	5.992	.3884	106.9	5.690	18.79	.3719	-2	.8431	-2
9.59	.3113	-4	.6037	-3	.5156	-1	9.538	.2004	-2	440.2	2.385502	101.159	5.985	.3884	107.1	5.691	18.83	.3701	-2	.8412	-2
9.60	.3092	-4	.6008	-3	.5140	-1	9.548	.1995	-2	442.3	2.385630	101.188	5.979	.3884	107.4	5.691	18.86	.3683	-2	.8394	-2
9.61	.3070	-4	.5978	-3	.5136	-1	9.558	.1985	-2	444.5	2.385758	101.217	5.973	.3884	107.6	5.692	18.90	.3665	-2	.8378	-2
9.62	.3049	-4	.5949	-3	.5126	-1	9.568	.1975	-2	446.7	2.385885	101.247	5.967	.3883	107.8	5.692	18.94	.3647	-2	.8360	-2
9.63	.3028	-4	.5919	-3	.5116	-1	9.578	.1966	-2	448.8	2.386012	101.276	5.960	.3883	108.0	5.693	18.98	.3630	-2	.8343	-2
9.64	.3007	-4	.5890	-3	.5106	-1	9.588	.1956	-2	450.1	2.386139	101.305	5.954	.3883	108.3	5.694	19.01	.3612	-2	.8325	-2
9.65	.2987	-4	.5861	-3	.5096	-1	9.598	.1947	-2	453.2	2.386265	101.334	5.948	.3883	108.5	5.694	19.05	.3595	-2	.8308	-2
9.66	.2968	-4	.5833	-3	.5086	-1	9.608	.1938	-2	455.4	2.386391	101.363	5.942	.3883	108.7	5.695	19.09	.3578	-2	.8291	-2
9.67	.2946	-4	.5804	-3	.5076	-1	9.618	.1928	-2	457.7	2.386516	101.392	5.936	.3882	108.9	5.695	19.13	.3560	-2	.8275	-2
9.68	.2923	-4	.5776	-3	.5066	-1	9.628	.1919	-2	459.9	2.386641	101.421	5.930	.3882	109.2	5.696	19.16	.3543	-2	.8257	-2
9.69	.2900	-4	.5747	-3	.5056	-1	9.638	.1910	-2	462.1	2.386768	101.450	5.923	.3882	109.4	5.697	19.20	.3526	-2	.8240	-2
9.70	.2886	-4	.5719	-3	.5046	-1	9.648	.1901	-2	464.4	2.386890	101.479	5.917	.3882	109.6	5.697	19.24	.3510	-2	.8224	-2
9.71	.2866	-4	.5691	-3	.5036	-1	9.658	.1892	-2	466.6	2.387014	101.507	5.911	.3882	109.8	5.698	19.28	.3493	-2	.8206	-2
9.72	.2847	-4	.5664	-3	.5026	-1	9.668	.1883	-2	468.9	2.387138	101.536	5.905	.3881	110.1	5.698	19.31	.3476	-2	.8190	-2
9.73	.2827	-4	.5636	-3	.5016	-1	9.678	.1874	-2	471.2	2.387261	101.564	5.899	.3881	110.3	5.699	19.35	.3459	-2	.8174	-2
9.74	.2808	-4	.5609	-3	.5007	-1	9.689	.1865	-2	473.4	2.387384	101.593	5.893	.3881	110.5	5.700	19.39	.3443	-2	.8155	-2
9.75	.2789	-4	.5581	-3	.4997	-1	9.699	.1856	-2	475.7	2.387507	101.621	5.887	.3881	110.7	5.700	19.43	.3427	-2	.8139	-2
9.76	.2770	-4	.5554	-3	.4987	-1	9.709	.1847	-2	478.0	2.387629	101.650	5.881	.3880	111.0	5.701	19.47	.3410	-2	.8123	-2
9.77	.2751	-4	.5527	-3	.4977	-1	9.719	.1838	-2	480.3	2.387751	101.678	5.875	.3880	111.2	5.701	19.50	.3394	-2	.8107	-2
9.78	.2733	-4	.5501	-3	.4968	-1	9.729	.1830	-2	482.6	2.387872	101.707	5.869	.3880	111.4	5.702	19.54	.3378	-2	.8090	-2
9.79	.2714	-4	.5474	-3	.4958	-1	9.739	.1821	-2	485.0	2.387903	101.735	5.863	.3880	111.7	5.703	19.58	.3362	-2	.8073	-2
9.80	.2696	-4	.5447	-3	.4949	-1	9.749	.1812	-2	487.3	2.388114	101.763	5.857	.3880	111.9	5.703	19.62	.3346	-2	.8057	-2
9.81	.2677	-4	.5421	-3	.4939	-1	9.759	.1804	-2	489.6	2.388234	101.791	5.851	.3879	112.1	5.704	19.66	.3330	-2	.8040	-2
9.82	.2659	-4	.5395	-3	.4929	-1	9.769	.1795	-2	492.0	2.388354	101.820	5.845	.3879	112.3	5.704	19.69	.3314	-2	.8026	-2
9.83	.2641	-4	.5369	-3	.4920	-1	9.779	.1787	-2	494.4	2.388474	101.848	5.839	.3879	112.6	5.705	19.73	.3308	-2	.8008	-2
9.84	.2624	-4	.5343	-3	.4910	-1	9.789	.1778	-2	496.7	2.388593	101.876	5.833	.3879	112.8	5.705	19.77	.3283	-2	.7992	-2
9.85	.2606	-4	.5317	-3	.4901	-1	9.799	.1770	-2	499.1	2.388712	101.904	5.827	.3879	113.0	5.706	19.81	.3267	-2	.7977	-2
9.86	.2588	-4	.5292	-3	.4891	-1	9.809	.1762	-2	501.5	2.388831	101.932	5.821	.3878	113.3	5.707	19.85	.3252	-2	.7960	-2
9.87	.2571	-4	.5266	-3	.4882</																

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{p}{p_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_1$	$\frac{p_2}{p_1}$	$\frac{p_2}{p_1}$	$\frac{T_1}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_t}{p_{t_2}}$						
10.50	.1701	-1	.3920	-2	.4338	-1	10.45	.1313	-2	675.0	2.395766	103.61	5.465	.3867	128.5	5.740	22.38	.2422	-3	.7022	-1
10.52	.1679	-1	.3885	-3	.4323	-1	10.47	.1301	-2	681.1	2.395964	103.66	5.455	.3867	129.0	5.741	22.46	.2400	-3	.6996	-1
10.54	.1658	-1	.3850	-3	.4207	-1	10.49	.1289	-2	687.3	2.396160	103.71	5.444	.3866	129.4	5.742	22.54	.2379	-2	.6968	-1
10.56	.1637	-1	.3815	-3	.4291	-1	10.51	.1278	-2	693.5	2.396355	103.76	5.434	.3866	129.9	5.743	22.63	.2358	-2	.6942	-1
10.58	.1616	-1	.3780	-4	.4276	-1	10.53	.1267	-1	699.7	2.396550	103.81	5.424	.3866	130.4	5.744	22.71	.2337	-2	.6917	-1
10.60	.1596	-1	.3747	-3	.4260	-1	10.55	.1255	-2	706.0	2.396743	103.86	5.413	.3865	130.9	5.744	22.79	.2317	-3	.6901	-1
10.62	.1576	-1	.3713	-3	.4245	-1	10.57	.1244	-2	712.3	2.396935	103.90	5.403	.3865	131.4	5.745	22.87	.2296	-2	.6866	-1
10.64	.1556	-1	.3680	-3	.4230	-1	10.59	.1233	-2	718.7	2.397126	103.96	5.393	.3865	131.9	5.746	22.96	.2276	-2	.6839	-1
10.66	.1537	-1	.3647	-3	.4215	-1	10.61	.1223	-2	725.2	2.397316	104.01	5.383	.3864	132.4	5.747	23.04	.2256	-1	.6814	-1
10.68	.1518	-1	.3614	-3	.4200	-1	10.63	.1212	-1	731.6	2.397505	104.05	5.373	.3864	132.9	5.748	23.12	.2236	-1	.6789	-1
10.70	.1499	-1	.3582	-3	.4185	-1	10.65	.1201	-2	738.2	2.397693	104.10	5.363	.3864	133.4	5.749	23.21	.2216	-1	.6763	-1
10.72	.1480	-1	.3550	-3	.4170	-1	10.67	.1191	-2	744.8	2.397880	104.14	5.353	.3863	133.9	5.750	23.29	.2197	-1	.6737	-1
10.74	.1462	-1	.3518	-3	.4155	-1	10.69	.1180	-2	751.4	2.398066	104.19	5.343	.3863	134.4	5.751	23.37	.2178	-1	.6712	-1
10.76	.1444	-1	.3487	-3	.4140	-1	10.71	.1170	-2	758.1	2.398251	104.24	5.333	.3863	134.9	5.752	23.46	.2159	-1	.6688	-1
10.78	.1426	-1	.3456	-3	.4125	-1	10.73	.1160	-2	764.8	2.398435	104.29	5.323	.3862	135.4	5.753	23.54	.2140	-1	.6663	-1
10.80	.1408	-1	.3426	-3	.4111	-1	10.75	.1150	-2	771.5	2.398618	104.33	5.313	.3862	135.9	5.753	23.62	.2121	-1	.6638	-1
10.82	.1391	-1	.3395	-3	.4096	-1	10.77	.1140	-2	778.4	2.398801	104.38	5.303	.3862	136.4	5.754	23.71	.2103	-1	.6614	-1
10.84	.1374	-1	.3365	-3	.4081	-1	10.79	.1130	-2	785.2	2.398982	104.43	5.293	.3862	136.9	5.755	23.79	.2085	-1	.6595	-1
10.86	.1357	-1	.3336	-3	.4067	-1	10.81	.1120	-2	792.1	2.399162	104.48	5.283	.3861	137.4	5.756	23.88	.2067	-1	.6565	-1
10.88	.1340	-1	.3306	-3	.4053	-1	10.83	.1110	-2	799.1	2.399341	104.52	5.274	.3861	137.9	5.757	23.96	.2048	-1	.6542	-1
10.90	.1324	-1	.3277	-3	.4038	-1	10.85	.1101	-2	806.1	2.399519	104.57	5.264	.3861	138.5	5.758	24.05	.2031	-1	.6518	-1
10.92	.1307	-1	.3249	-3	.4024	-1	10.87	.1091	-2	813.1	2.399697	104.61	5.254	.3860	139.0	5.759	24.13	.2013	-1	.6494	-1
10.94	.1291	-1	.3220	-3	.4010	-1	10.89	.1082	-2	820.3	2.399873	104.66	5.245	.3860	139.5	5.760	24.21	.1996	-1	.6469	-1
10.96	.1276	-1	.3192	-3	.3996	-1	10.91	.1073	-2	827.4	2.400049	104.71	5.235	.3860	140.0	5.761	24.30	.1979	-1	.6447	-1
10.98	.1260	-1	.3165	-3	.3982	-1	10.93	.1064	-2	834.6	2.400223	104.75	5.225	.3860	140.5	5.761	24.39	.1962	-1	.6424	-1
11.00	.1245	-1	.3137	-3	.3968	-1	10.95	.1054	-2	841.9	2.400397	104.80	5.216	.3859	141.0	5.762	24.47	.1945	-1	.6400	-1
11.02	.1230	-1	.3109	-3	.3954	-1	10.97	.1045	-2	849.2	2.400570	104.85	5.206	.3859	141.5	5.763	24.56	.1920	-1	.6376	-1
11.04	.1215	-1	.3088	-3	.3941	-1	11.00	.1036	-2	856.6	2.400741	104.89	5.197	.3859	142.0	5.764	24.64	.1912	-1	.6354	-1
11.06	.1200	-1	.3066	-3	.3927	-1	11.02	.1028	-2	864.0	2.400912	104.93	5.188	.3858	142.5	5.764	24.73	.1896	-1	.6330	-1
11.08	.1186	-1	.3030	-3	.3913	-1	11.04	.1019	-2	871.5	2.401082	104.98	5.178	.3858	143.1	5.765	24.81	.1880	-1	.6303	-1
11.10	.1171	-1	.3003	-3	.3900	-1	11.06	.1010	-2	879.0	2.401252	105.02	5.169	.3858	143.6	5.766	24.90	.1864	-1	.6286	-1
11.12	.1157	-1	.2978	-3	.3888	-1	11.08	.1002	-2	886.6	2.401420	105.06	5.159	.3858	144.1	5.767	24.99	.1848	-1	.6263	-1
11.14	.1143	-1	.2952	-3	.3873	-1	11.10	.9932	-3	894.2	2.401587	105.11	5.150	.3857	144.6	5.768	25.08	.1832	-1	.6241	-1
11.16	.1130	-1	.2927	-3	.3860	-1	11.12	.9847	-3	901.9	2.401754	105.16	5.141	.3857	145.1	5.768	25.16	.1817	-1	.6218	-1
11.18	.1116	-1	.2902	-3	.3846	-1	11.14	.9765	-3	909.6	2.401919	105.20	5.132	.3857	145.7	5.769	25.25	.1801	-1	.6197	-1
11.20	.1103	-1	.2877	-3	.3833	-1	11.16	.9683	-3	917.4	2.402084	105.24	5.123	.3856	146.2	5.770	25.33	.1786	-2	.6174	-1
11.22	.1090	-1	.2852	-3	.3820	-1	11.18	.9602	-3	925.2	2.402248	105.28	5.113	.3856	146.7	5.771	25.42	.1771	-2	.6152	-1
11.24	.1077	-1	.2828	-3	.3807	-1	11.20	.9521	-3	933.1	2.402412	105.33	5.104	.3856	147.2	5.772	25.51	.1756	-2	.6131	-1
11.26	.1064	-1	.2804	-3	.3794	-1	11.22	.9440	-3	941.1	2.402574	105.37	5.095	.3856	147.8	5.772	25.60	.1742	-2	.6109	-1
11.28	.1051	-1	.2780	-3	.3781	-1	11.24	.9362	-3	949.1	2.402735	105.42	5.086	.3855	148.3	5.773	25.69	.1727	-2	.6087	-1
11.30	.1039	-1	.2756	-3	.3768	-1	11.26	.9283	-3	957.1	2.402896	105.46	5.077	.3855	148.8	5.774	25.77	.1712	-2	.6066	-1
11.32	.1026	-1	.2733	-3	.3755	-1	11.28	.9206	-3	965.3	2.403056	105.50	5.068	.3855	149.3	5.775	25.86	.1698	-1	.6044	-1
11.34	.1014	-1	.2710	-3	.3743	-1	11.30	.9130	-3	973.5	2.403215	105.55	5.059	.3855	149.9	5.775	25.95	.1681	-1	.6023	-1
11.36	.1002	-1	.2687	-3	.3730	-1	11.32	.9054	-3	981.6	2.403373	105.59	5.050	.3854	150.4	5.776	26.04	.1670	-1	.6002	-1
11.38	.9905	-3	.2664	-3	.3717	-1	11.34	.8979	-3	989.9	2.403531	105.63	5.041	.3854	150.9	5.777	26.12	.1656	-1	.5981	-1
11.40	.9788	-3	.2642	-3	.3708	-1	11.36	.8904	-3	998.3	2.403657	105.67	5.032	.3854	151.5	5.778	26.21	.1642	-2	.5959	-1
11.42	.9673	-3	.2620	-3	.3692	-1	11.38	.8830	-3	1007	2.403843	105.71	5.024	.3854	152.0	5.779	26.30	.1629	-2	.5939	-1
11.44	.9559	-3	.2598	-3	.3680	-1	11.40	.8757	-3	1015	2.403998	105.75	5.015	.3853	152.5	5.779	26.39	.1615	-2	.5918	-1
11.46	.9447	-3	.2576	-3	.3663	-1	11.42	.8685	-3	1024	2.404152	105.80	5.006	.3853	153.1	5.780	26.48	.1602	-2	.5897	-1
11.48	.9337	-3	.2554	-3	.3643	-1	11.44	.8613	-3	1032	2.404306	105.84	4.997	.3853	153.6	5.781	26.57	.1589	-2	.5877	-1
11.50	.9228	-5	.2533	-3	.3643	-1	11.46	.8543	-3	1041	2.404459	105.88	4.989	.3853	154.1	5.781	26.66	.1575	-2	.5858	-1
11.52	.9120	-5	.2512	-3	.3632	-1	11.48	.8472	-3	1050	2.404610	105.92	4.980	.3852	154.7	5.782	26.75	.1563	-2	.5836	-1
11.54	.9014	-5	.2491	-3	.3619</td																

## EQUATIONS, TABLES, AND CHARTS FOR COMPRESSIBLE FLOW

TABLE II.—SUPERSONIC FLOW—Continued

γ=7/5

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{\rho}{\rho_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{g}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_1}{p_{t_2}}$
12.30	.5857 -5	.1831 -3	.3199 -1	12.26	.6202 -3	1437	2.409989	107.44	4.063	.3843	176.3	5.808	30.36	.1144 -2	.5122 -2
12.32	.5792 -5	.1816 -3	.3189 -1	12.28	.6154 -3	1448	2.410115	107.48	4.056	.3843	176.9	5.809	30.46	.1135 -2	.5105 -2
12.34	.5729 -5	.1802 -3	.3179 -1	12.30	.6107 -3	1460	2.410239	107.51	4.048	.3843	177.5	5.809	30.55	.1126 -2	.5088 -2
12.36	.5667 -5	.1788 -3	.3169 -1	12.32	.6060 -3	1471	2.410363	107.55	4.041	.3843	178.1	5.810	30.65	.1117 -2	.5072 -2
12.38	.5605 -5	.1774 -3	.3159 -1	12.34	.6013 -3	1482	2.410486	107.59	4.033	.3843	178.6	5.810	30.75	.1109 -2	.5056 -2
12.40	.5544 -5	.1760 -3	.3149 -1	12.36	.5967 -3	1494	2.410609	107.62	4.026	.3842	179.2	5.811	30.84	.1100 -2	.5039 -2
12.42	.5484 -5	.1747 -3	.3140 -1	12.38	.5921 -3	1506	2.410731	107.66	4.018	.3842	179.8	5.812	30.94	.1092 -2	.5023 -2
12.44	.5424 -5	.1733 -3	.3130 -1	12.40	.5876 -3	1517	2.410853	107.69	4.011	.3842	180.4	5.812	31.04	.1083 -2	.5007 -2
12.46	.5365 -5	.1720 -3	.3120 -1	12.42	.5831 -3	1529	2.410974	107.73	4.003	.3842	181.0	5.813	31.13	.1075 -2	.4991 -2
12.48	.5307 -5	.1706 -3	.3110 -1	12.44	.5786 -3	1541	2.411094	107.77	4.006	.3842	181.5	5.813	31.23	.1067 -2	.4975 -2
12.50	.5250 -5	.1693 -3	.3101 -1	12.46	.5742 -3	1553	2.411214	107.80	4.059	.3841	182.1	5.814	31.33	.1050 -2	.4960 -2
12.52	.5193 -5	.1680 -3	.3091 -1	12.48	.5698 -3	1565	2.411335	107.84	4.051	.3841	182.7	5.815	31.42	.1051 -2	.4944 -2
12.54	.5137 -5	.1667 -3	.3082 -1	12.50	.5655 -3	1577	2.411452	107.87	4.054	.3841	183.3	5.815	31.52	.1043 -2	.4927 -2
12.56	.5082 -5	.1654 -3	.3072 -1	12.52	.5612 -3	1589	2.411571	107.90	4.057	.3841	183.9	5.816	31.62	.1035 -2	.4912 -2
12.58	.5028 -5	.1642 -3	.3063 -1	12.54	.5570 -3	1601	2.411688	107.94	4.059	.3841	184.5	5.816	31.72	.1027 -2	.4897 -2
12.60	.4973 -5	.1629 -3	.3053 -1	12.56	.5527 -3	1614	2.411805	107.98	4.052	.3840	185.1	5.817	31.81	.1019 -2	.4881 -2
12.62	.4920 -5	.1617 -3	.3044 -1	12.58	.5486 -3	1626	2.411922	108.01	4.045	.3840	185.6	5.817	31.91	.1011 -2	.4865 -2
12.64	.4868 -5	.1604 -3	.3035 -1	12.60	.5444 -3	1639	2.412038	108.05	4.038	.3840	186.2	5.818	32.01	.1004 -2	.4850 -2
12.66	.4816 -5	.1592 -3	.3025 -1	12.62	.5403 -3	1651	2.412154	108.08	4.030	.3840	186.8	5.819	32.11	.0986 -1	.4835 -2
12.68	.4764 -5	.1580 -3	.3016 -1	12.64	.5362 -3	1664	2.412269	108.12	4.023	.3840	187.4	5.819	32.21	.0988 -1	.4820 -2
12.70	.4714 -5	.1568 -3	.3007 -1	12.66	.5322 -3	1676	2.412383	108.15	4.016	.3839	188.0	5.820	32.31	.0981 -1	.4805 -2
12.72	.4663 -5	.1556 -3	.2998 -1	12.68	.5282 -3	1689	2.412407	108.18	4.009	.3838	188.6	5.820	32.41	.0973 -1	.4790 -2
12.74	.4614 -5	.1544 -3	.2989 -1	12.70	.5242 -3	1702	2.412611	108.22	4.002	.3838	189.2	5.821	32.50	.0964 -1	.4775 -2
12.76	.4565 -5	.1532 -3	.2979 -1	12.72	.5203 -3	1715	2.412723	108.25	4.005	.3839	189.8	5.821	32.60	.0951 -1	.4760 -2
12.78	.4517 -5	.1521 -3	.2970 -1	12.74	.5164 -3	1728	2.412836	108.29	4.008	.3839	190.4	5.822	32.70	.0940 -1	.4745 -2
12.80	.4469 -5	.1509 -3	.2961 -1	12.76	.5126 -3	1741	2.412948	108.32	4.021	.3838	191.0	5.822	32.80	.0948 -1	.4730 -2
12.82	.4422 -5	.1498 -3	.2952 -1	12.78	.5087 -3	1754	2.413059	108.35	4.024	.3838	191.6	5.823	32.90	.0937 -1	.4715 -2
12.84	.4376 -5	.1487 -3	.2944 -1	12.80	.5050 -3	1767	2.413170	108.39	4.027	.3838	192.2	5.823	33.00	.0930 -1	.4701 -2
12.86	.4329 -5	.1475 -3	.2935 -1	12.82	.5012 -3	1781	2.413280	108.42	4.030	.3838	192.8	5.824	33.10	.0929 -1	.4686 -2
12.88	.4284 -5	.1464 -3	.2926 -1	12.84	.4975 -3	1794	2.413390	108.45	4.033	.3838	193.4	5.825	33.20	.0917 -1	.4672 -2
12.90	.4239 -5	.1453 -3	.2917 -1	12.86	.4938 -3	1807	2.413500	108.49	4.040	.3838	194.0	5.825	33.30	.0912 -1	.4657 -2
12.92	.4195 -5	.1442 -3	.2908 -1	12.88	.4901 -3	1821	2.413609	108.52	4.043	.3837	194.6	5.826	33.40	.0905 -1	.4643 -2
12.94	.4151 -5	.1432 -3	.2900 -1	12.90	.4866 -3	1835	2.413717	108.55	4.042	.3837	195.2	5.826	33.50	.0898 -1	.4629 -2
12.96	.4107 -5	.1421 -3	.2891 -1	12.92	.4829 -3	1848	2.413825	108.59	4.045	.3837	195.8	5.827	33.60	.0892 -1	.4614 -2
12.98	.4065 -5	.1410 -3	.2882 -1	12.94	.4794 -3	1862	2.413932	108.62	4.049	.3837	196.4	5.827	33.70	.0886 -1	.4600 -2
13.00	.4023 -5	.1400 -3	.2874 -1	12.96	.4750 -3	1876	2.414039	108.65	4.042	.3837	197.0	5.828	33.81	.0871 -1	.4586 -2
13.02	.3981 -5	.1389 -3	.2855 -1	12.98	.4723 -3	1890	2.414146	108.68	4.045	.3837	197.6	5.828	33.91	.0870 -1	.4572 -2
13.04	.3939 -5	.1379 -3	.2857 -1	13.00	.4689 -3	1904	2.414252	108.72	4.038	.3836	198.2	5.829	34.01	.0862 -1	.4559 -2
13.06	.3898 -5	.1369 -3	.2848 -1	13.02	.4655 -3	1918	2.414357	108.75	4.031	.3836	198.8	5.829	34.11	.0858 -1	.4544 -2
13.08	.3858 -5	.1359 -3	.2840 -1	13.04	.4620 -3	1933	2.414462	108.78	4.035	.3836	199.4	5.830	34.21	.0851 -1	.4530 -2
13.10	.3818 -5	.1349 -3	.2831 -1	13.06	.4586 -3	1947	2.414567	108.82	4.038	.3836	200.1	5.830	34.31	.0845 -1	.4517 -2
13.12	.3779 -5	.1339 -3	.2823 -1	13.08	.4553 -3	1961	2.414671	108.85	4.031	.3836	200.7	5.831	34.42	.0839 -1	.4503 -2
13.14	.3740 -5	.1329 -3	.2814 -1	13.10	.4520 -3	1976	2.414775	108.88	4.024	.3836	201.3	5.831	34.52	.0831 -1	.4489 -2
13.16	.3701 -5	.1319 -3	.2806 -1	13.12	.4487 -3	1990	2.414878	108.91	4.018	.3836	201.9	5.832	34.62	.0821 -1	.4475 -2
13.18	.3663 -5	.1309 -3	.2798 -1	13.14	.4454 -3	2005	2.414981	108.94	4.031	.3835	202.5	5.832	34.72	.0812 -1	.4462 -2
13.20	.3626 -5	.1300 -3	.2790 -1	13.16	.4422 -3	2020	2.415083	108.97	4.034	.3835	203.1	5.833	34.82	.0815 -1	.4448 -2
13.22	.3589 -5	.1290 -3	.2781 -1	13.18	.4390 -3	2034	2.415155	109.01	4.038	.3835	203.7	5.833	34.93	.0809 -1	.4435 -2
13.24	.3552 -5	.1281 -3	.2773 -1	13.20	.4358 -3	2049	2.415266	109.04	4.032	.3835	204.4	5.834	35.03	.0803 -1	.4422 -2
13.26	.3516 -5	.1271 -3	.2765 -1	13.22	.4327 -3	2064	2.415387	109.07	4.025	.3835	205.0	5.834	35.13	.0794 -1	.4409 -2
13.28	.3480 -5	.1262 -3	.2757 -1	13.24	.4296 -3	2079	2.415488	109.10	4.019	.3834	205.6	5.835	35.24	.0791 -1	.4395 -2
13.30	.3444 -5	.1253 -3	.2740 -1	13.26	.4264 -3	2095	2.415588	109.13	4.012	.3834	206.2	5.835	35.34	.0786 -1	.4382 -2
13.32	.3409 -5	.1244 -3	.2741 -1	13.28	.4234 -3	2110	2.415676	109.16	4.006	.3834	206.8	5.836	35.44	.0780 -1	.4369 -2
13.34	.3374 -5	.1235 -3	.2733 -1	13.30	.4203 -3	2125	2.415768	109.20	4.009	.3834	207.5	5.836	35.55	.0774 -1	.4356 -2
13.36	.3340 -5	.1226 -3	.2725 -1	13.32	.4173 -3	2141	2.415856	109.23	4.003	.3834	208.1	5.837	35.65	.0769 -1	.4342 -2
13.38	.3306 -5	.1217 -3	.2717 -1	13.34	.4143 -3	2156	2.415989	109.26	4.026	.3834	208.7	5.837	35.76	.0763 -1	.4330 -2
13.40	.3273 -5	.1208 -3	.2709 -1	13.36	.4113 -3	2172	2.4160818	109.29	4.020	.3833	209.3	5.838	35.86	.0759 -1	.4323 -2
13.42	.3240 -5	.1199 -3	.2701 -1	13.38	.4084 -3	2188	2.4161792	109.32	4.013	.3833	210.0	5.838	35.96	.0752 -1	.4310 -2
13.44	.3207 -5	.1191 -3	.2694 -1	13.40	.4055 -3	2204	2.4162763	109.35	4.006	.3833	210.6	5.838	36.07	.0747 -1	.4301 -2
13.46	.3175 -5	.1182 -3	.2686 -1	13.42	.4026 -3	2219	2.4163730	109.38	4.001	.3833	211.2	5.839	36.17	.0742 -1	.4278 -2
13.48	.3143 -5	.1174 -3	.2678 -1	13.44	.3997 -3	2236	2.4164692	109.41	4.024	.3833	211.8	5.839	36.28	.0737 -1	.4265 -2
13.50	.3111 -5	.1165 -3	.2670 -												

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{P}{P_1}$	$\frac{p}{p_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{g}{p_1}$	$\frac{A}{A_\infty}$	$V$ $a_\infty$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{p_2}{p_1}$	$T_2$ $T_1$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_{t_2}}{p_{t_1}}$		
14.10	.2313	-5	.9427	-1	.2453	-1	14.06	.3219	-3	2780	2.4192560	110.32	4.067	.3826	231.8	5.853	39.60
14.12	.2290	-5	.9382	-1	.2447	-1	14.08	.3197	-3	2799	2.4193409	110.35	4.061	.3826	232.4	5.853	39.71
14.14	.2268	-5	.9297	-1	.2440	-1	14.10	.3175	-3	2818	2.4194248	110.38	4.055	.3826	233.1	5.854	39.82
14.16	.2246	-5	.9233	-1	.2433	-1	14.13	.3153	-3	2838	2.4195079	110.41	4.050	.3826	233.8	5.854	39.93
14.18	.2225	-5	.9170	-1	.2426	-1	14.15	.3132	-3	2857	2.4195899	110.44	4.044	.3826	234.4	5.854	40.04
14.20	.2204	-5	.9108	-1	.2420	-1	14.17	.3111	-3	2877	2.4196735	110.46	4.038	.3826	235.1	5.855	40.15
14.22	.2183	-5	.9045	-1	.2413	-1	14.19	.3089	-3	2897	2.4197558	110.49	4.033	.3827	235.7	5.855	40.26
14.24	.2162	-5	.8983	-1	.2406	-1	14.21	.3068	-3	2916	2.4198378	110.52	4.027	.3827	236.4	5.856	40.37
14.26	.2141	-5	.8922	-1	.2400	-1	14.23	.3048	-3	2936	2.4199104	110.54	4.021	.3827	237.1	5.856	40.48
14.28	.2121	-5	.8861	-1	.2393	-1	14.25	.3027	-3	2956	2.4200007	110.57	4.016	.3827	237.7	5.856	40.60
14.30	.2100	-5	.8800	-1	.2387	-1	14.27	.3006	-3	2977	2.4200816	110.60	4.010	.3827	238.4	5.857	40.71
14.32	.2080	-5	.8740	-1	.2380	-1	14.29	.2986	-3	2997	2.4201622	110.63	4.004	.3827	239.1	5.857	40.82
14.34	.2061	-5	.8682	-1	.2374	-1	14.31	.2967	-3	3017	2.4202425	110.65	3.999	.3827	239.7	5.858	40.93
14.36	.2041	-5	.8623	-1	.2367	-1	14.33	.2946	-3	3038	2.4203225	110.68	3.993	.3827	240.4	5.858	41.04
14.38	.2022	-5	.8563	-1	.2361	-1	14.35	.2927	-3	3058	2.4204021	110.71	3.988	.3820	241.1	5.858	41.15
14.40	.2003	-5	.8506	-1	.2355	-1	14.37	.2907	-3	3079	2.4204815	110.74	3.982	.3820	241.8	5.859	41.26
14.42	.1984	-5	.8449	-1	.2348	-1	14.39	.2888	-3	3100	2.4205604	110.76	3.977	.3820	242.4	5.859	41.38
14.44	.1965	-5	.8392	-1	.2342	-1	14.41	.2869	-3	3121	2.4206391	110.79	3.971	.3820	243.1	5.860	41.49
14.46	.1947	-5	.8335	-1	.2335	-1	14.43	.2849	-3	3142	2.4207175	110.81	3.966	.3820	243.8	5.860	41.60
14.48	.1929	-5	.8280	-1	.2329	-1	14.45	.2830	-3	3163	2.4207955	110.84	3.960	.3820	244.5	5.860	41.71
14.50	.1910	-5	.8224	-1	.2323	-1	14.47	.2812	-3	3184	2.4208732	110.87	3.955	.3826	245.1	5.861	41.83
14.52	.1892	-5	.8168	-1	.2317	-1	14.49	.2793	-3	3206	2.4209526	110.90	3.949	.3826	245.8	5.861	41.94
14.54	.1875	-5	.8114	-1	.2310	-1	14.51	.2774	-3	3227	2.4210277	110.92	3.944	.3825	246.5	5.861	42.05
14.56	.1857	-5	.8059	-1	.2304	-1	14.53	.2756	-3	3249	2.4211045	110.95	3.938	.3825	247.2	5.862	42.17
14.58	.1840	-5	.8005	-1	.2298	-1	14.55	.2737	-3	3271	2.4211810	110.97	3.933	.3825	247.8	5.862	42.28
14.60	.1823	-5	.7952	-1	.2292	-1	14.57	.2720	-3	3292	2.4212572	111.00	3.927	.3825	248.5	5.863	42.39
14.62	.1806	-5	.7899	-1	.2286	-1	14.59	.2702	-3	3314	2.4213330	111.03	3.922	.3825	249.2	5.863	42.51
14.64	.1789	-5	.7847	-1	.2280	-1	14.61	.2684	-3	3336	2.4214086	111.05	3.917	.3825	249.9	5.863	42.62
14.66	.1772	-5	.7794	-1	.2274	-1	14.63	.2666	-3	3359	2.4214838	111.08	3.911	.3825	250.6	5.864	42.73
14.68	.1756	-5	.7743	-1	.2268	-1	14.65	.2649	-3	3381	2.4215588	111.10	3.906	.3825	251.3	5.864	42.85
14.70	.1739	-5	.7691	-1	.2262	-1	14.67	.2631	-3	3404	2.4216385	111.13	3.901	.3824	251.9	5.864	42.96
14.72	.1723	-5	.7640	-1	.2256	-1	14.69	.2614	-3	3426	2.4217078	111.16	3.895	.3824	252.6	5.865	43.08
14.74	.1707	-5	.7590	-1	.2250	-1	14.71	.2597	-3	3449	2.4217819	111.18	3.890	.3824	253.3	5.865	43.19
14.76	.1692	-5	.7540	-1	.2244	-1	14.73	.2580	-3	3472	2.4218557	111.21	3.885	.3824	254.0	5.865	43.31
14.78	.1676	-5	.7490	-1	.2238	-1	14.75	.2563	-3	3494	2.4219292	111.23	3.880	.3824	254.7	5.866	43.42
14.80	.1660	-5	.7440	-1	.2232	-1	14.77	.2546	-3	3518	2.4220023	111.26	3.874	.3824	255.4	5.866	43.54
14.82	.1645	-5	.7392	-1	.2226	-1	14.79	.2530	-3	3541	2.4220752	111.28	3.869	.3824	256.1	5.866	43.65
14.84	.1630	-5	.7343	-1	.2220	-1	14.81	.2513	-3	3564	2.4221479	111.31	3.864	.3824	256.8	5.867	43.77
14.86	.1615	-5	.7295	-1	.2214	-1	14.83	.2497	-3	3588	2.4222202	111.34	3.859	.3823	257.5	5.867	43.88
14.88	.1600	-5	.7247	-1	.2208	-1	14.85	.2480	-3	3611	2.4222922	111.36	3.853	.3823	258.2	5.868	43.99
14.90	.1586	-5	.7199	-1	.2203	-1	14.87	.2464	-3	3635	2.4223640	111.38	3.848	.3823	258.9	5.868	44.11
14.92	.1571	-5	.7153	-1	.2197	-1	14.89	.2449	-3	3659	2.4224355	111.41	3.843	.3823	259.5	5.868	44.23
14.94	.1557	-5	.7106	-1	.2191	-1	14.91	.2433	-3	3683	2.4225066	111.43	3.838	.3823	260.2	5.869	44.35
14.96	.1543	-5	.7059	-1	.2185	-1	14.93	.2417	-3	3707	2.4225776	111.46	3.833	.3823	260.9	5.869	44.46
14.98	.1520	-5	.7014	-1	.2180	-1	14.95	.2401	-3	3731	2.4226482	111.49	3.828	.3823	261.6	5.869	44.58
15.00	.1515	-5	.6968	-1	.2174	-1	14.97	.2386	-3	3755	2.4227186	111.51	3.823	.3823	262.3	5.870	44.69
15.02	.1501	-5	.6923	-1	.2168	-1	14.99	.2371	-3	3779	2.4227860	111.53	3.817	.3823	263.0	5.870	44.81
15.04	.1487	-5	.6878	-1	.2163	-1	15.01	.2355	-3	3804	2.4228585	111.56	3.812	.3822	263.7	5.870	44.93
15.06	.1474	-5	.6833	-1	.2157	-1	15.03	.2340	-3	3829	2.4229280	111.59	3.807	.3822	264.4	5.871	45.05
15.08	.1461	-5	.6789	-1	.2151	-1	15.05	.2326	-3	3854	2.4229973	111.61	3.802	.3822	265.1	5.871	45.16
15.10	.1447	-5	.6745	-1	.2146	-1	15.07	.2310	-3	3879	2.4230663	111.63	3.797	.3822	265.9	5.871	45.28
15.12	.1434	-5	.6702	-1	.2140	-1	15.09	.2296	-3	3904	2.4231350	111.66	3.792	.3822	266.6	5.872	45.40
15.14	.1421	-5	.6658	-1	.2135	-1	15.11	.2281	-3	3929	2.4232035	111.68	3.787	.3822	267.3	5.872	45.52
15.16	.1406	-5	.6615	-1	.2129	-1	15.13	.2266	-3	3955	2.4232717	111.71	3.782	.3822	268.0	5.872	45.63
15.18	.1396	-5	.6573	-1	.2124	-1	15.15	.2252	-3	3980	2.4233390	111.73	3.777	.3822	268.7	5.873	45.75
15.20	.1383	-5	.6531	-1	.2118	-1	15.17	.2237	-3	4005	2.4234073	111.76	3.772	.3822	269.4	5.873	45.87
15.22	.1371	-5	.6489	-1	.2113	-1	15.19	.2223	-3	4032	2.4234747	111.78	3.767	.3821	270.1	5.873	45.99
15.24	.1359	-5	.6447	-1	.2107	-1	15.21	.2209	-3	4057	2.4235410	111.80	3.762	.3821	270.8	5.874	46.11
15.26	.1347	-5	.6406	-1	.2102	-1	15.23	.2195	-3	4083	2.4236088	111.83	3.757	.3821	271.5	5.874	46.22
15.28	.1335	-5	.6365	-1	.2097	-1	15.25	.2181	-3	4110	2.4236754	111.85	3.752	.3821	272.2	5.874	46.31
15.30	.1323	-5	.6325	-1	.2091	-1	15.27	.2167	-3	4135	2.4237418	111.88	3.748	.3821	272.9	5.875	46.46
15.32	.1311	-5	.6284	-1	.2086	-1	15.29	.2154	-3	4162	2.4238079	111.90	3.743	.3821	273.7	5.875</	

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M_{\infty}$ or $A_1$	$\frac{P}{P_1}$	$\frac{P}{P_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{q}{P_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{P_2}{P_1}$	$\frac{P_2}{A_1}$	$\frac{T_2}{T_1}$	$\frac{P_2}{P_1}$	$\frac{P_2}{P_2}$	
15.90	1.01	-	.5238	-	.1839	-	.1587	-	.1798	-	.4980	2.425600	112.57	.3.006	.3818	.204.8
15.92	1.007	-	.5200	-	.1835	-	.1589	-	.1787	-	.5020	2.426797	112.59	.3.001	.3818	.205.5
15.94	1.002	-	.5174	-	.1835	-	.1589	-	.1787	-	.5051	2.425785	112.59	.3.001	.3818	.205.5
15.96	1.000	-	.5142	-	.1825	-	.1593	-	.1765	-	.5082	2.425707	112.63	.3.002	.3818	.206.3
15.98	.9815	-	.5111	-	.1820	-	.1595	-	.1754	-	.5118	2.426855	112.66	.3.003	.3818	.207.8
16.00	.9731	-	.5079	-	.1816	-	.1597	-	.1754	-	.5145	2.4269137	112.68	.3.004	.3817	.208.5
16.02	.9647	-	.5048	-	.1811	-	.1597	-	.1738	-	.5176	2.426797	112.70	.3.005	.3817	.209.3
16.04	.9565	-	.5017	-	.1806	-	.1601	-	.1723	-	.5208	2.426205	112.72	.3.006	.3817	.209.5
16.06	.9481	-	.4987	-	.1807	-	.1605	-	.1702	-	.5239	2.4269871	112.74	.3.007	.3817	.209.7
16.08	.9404	-	.4957	-	.1807	-	.1605	-	.1702	-	.5271	2.426144	112.76	.3.008	.3817	.209.8
16.10	.9323	-	.4926	-	.1802	-	.1607	-	.1692	-	.5304	2.4262015	112.79	.3.009	.3817	.209.9
16.12	.9244	-	.4897	-	.1808	-	.1609	-	.1681	-	.5339	2.4262058	112.81	.3.010	.3817	.209.7
16.14	.9165	-	.4867	-	.1803	-	.1611	-	.1671	-	.5376	2.426312	112.83	.3.011	.3817	.209.5
16.16	.9089	-	.4838	-	.1809	-	.1613	-	.1661	-	.5401	2.426317	112.85	.3.012	.3817	.209.3
16.18	.9011	-	.4808	-	.1804	-	.1615	-	.1651	-	.5434	2.426420	112.87	.3.013	.3817	.209.1
16.20	.8936	-	.4776	-	.1807	-	.1617	-	.1642	-	.5468	2.4260491	112.89	.3.014	.3817	.208.9
16.24	.8784	-	.4721	-	.1801	-	.1621	-	.1622	-	.5538	2.4262058	112.91	.3.015	.3817	.208.7
16.28	.8638	-	.4695	-	.1805	-	.1625	-	.1603	-	.5570	2.426613	112.93	.3.016	.3817	.208.5
16.34	.8552	-	.4554	-	.1834	-	.1633	-	.1595	-	.5605	2.426555	112.94	.3.017	.3817	.208.3
16.40	.8476	-	.4527	-	.1830	-	.1635	-	.1560	-	.5650	2.426958	112.96	.3.018	.3817	.208.1
16.44	.8377	-	.4493	-	.1825	-	.1637	-	.1546	-	.5684	2.4267017	113.00	.3.019	.3817	.207.9
16.48	.8288	-	.4460	-	.1816	-	.1641	-	.1528	-	.5714	2.426813	113.04	.3.020	.3817	.207.7
16.52	.8191	-	.4420	-	.1812	-	.1643	-	.1519	-	.5750	2.4269713	113.08	.3.021	.3817	.207.5
16.58	.8020	-	.4365	-	.1806	-	.1645	-	.1510	-	.5770	2.4269258	113.09	.3.022	.3817	.207.3
16.70	.7250	-	.4117	-	.1701	-	.1657	-	.1475	-	.6010	2.4273019	113.21	.3.023	.3817	.206.9
16.72	.7191	-	.4083	-	.1707	-	.1659	-	.1470	-	.6051	2.4273042	113.21	.3.024	.3817	.206.7
16.74	.7132	-	.4069	-	.1708	-	.1659	-	.1469	-	.6087	2.4274062	113.25	.3.025	.3817	.206.5
16.76	.7074	-	.4045	-	.1704	-	.1661	-	.1464	-	.6128	2.4274062	113.29	.3.026	.3817	.206.3
16.78	.7016	-	.4021	-	.1705	-	.1675	-	.1450	-	.6166	2.4277119	113.39	.3.027	.3817	.206.1
16.80	.6950	-	.3959	-	.1707	-	.1677	-	.1441	-	.6206	2.4277932	113.41	.3.028	.3817	.205.9
16.82	.6882	-	.3902	-	.1709	-	.1679	-	.1437	-	.6243	2.4280770	113.41	.3.029	.3817	.205.7
16.84	.6816	-	.3846	-	.1705	-	.1681	-	.1431	-	.6280	2.4287473	113.43	.3.030	.3817	.205.5
16.86	.6750	-	.3791	-	.1703	-	.1683	-	.1425	-	.6317	2.4291772	113.45	.3.031	.3817	.205.3
16.88	.6785	-	.3735	-	.1705	-	.1685	-	.1418	-	.6355	2.4292760	113.47	.3.032	.3817	.205.1
16.90	.6690	-	.3683	-	.1707	-	.1687	-	.1406	-	.6398	2.4292768	113.49	.3.033	.3817	.204.9
16.92	.6626	-	.3628	-	.1709	-	.1689	-	.1397	-	.6435	2.4298574	113.51	.3.034	.3817	.204.7
16.94	.6561	-	.3572	-	.1703	-	.1691	-	.1391	-	.6470	2.4298574	113.53	.3.035	.3817	.204.5
16.96	.6496	-	.3517	-	.1705	-	.1693	-	.1385	-	.6507	2.4298574	113.55	.3.036	.3817	.204.3
16.98	.6431	-	.3460	-	.1707	-	.1695	-	.1379	-	.6544	2.4298574	113.57	.3.037	.3817	.204.1
17.00	.6365	-	.3372	-	.1701	-	.1697	-	.1371	-	.6580	2.4298574	113.59	.3.038	.3817	.203.9
17.02	.6301	-	.3278	-	.1693	-	.1699	-	.1367	-	.6617	2.4298574	113.61	.3.039	.3817	.203.7
17.04	.6236	-	.3170	-	.1695	-	.1701	-	.1361	-	.6654	2.4298574	113.63	.3.040	.3817	.203.5
17.06	.6170	-	.3064	-	.1697	-	.1703	-	.1355	-	.6691	2.4298574	113.65	.3.041	.3817	.203.3
17.08	.6105	-	.2958	-	.1699	-	.1705	-	.1349	-	.6728	2.4298574	113.67	.3.042	.3817	.203.1
17.10	.6040	-	.2851	-	.1701	-	.1707	-	.1343	-	.6765	2.4298574	113.69	.3.043	.3817	.202.9
17.12	.5975	-	.2744	-	.1703	-	.1709	-	.1337	-	.6802	2.4298574	113.71	.3.044	.3817	.202.7
17.14	.5910	-	.2638	-	.1705	-	.1711	-	.1331	-	.6839	2.4298574	113.73	.3.045	.3817	.202.5
17.16	.5845	-	.2531	-	.1707	-	.1713	-	.1325	-	.6876	2.4298574	113.75	.3.046	.3817	.202.3
17.18	.5666	-	.3602	-	.1709	-	.1715	-	.1319	-	.6913	2.4298574	113.77	.3.047	.3817	.202.1
17.20	.5918	-	.3511	-	.1702	-	.1717	-	.1313	-	.6950	2.4298574	113.79	.3.048	.3817	.201.9
17.22	.5851	-	.3441	-	.1698	-	.1721	-	.1307	-	.6987	2.4298574	113.81	.3.049	.3817	.201.7
17.24	.5784	-	.3322	-	.1696	-	.1723	-	.1301	-	.7024	2.4298574	113.83	.3.050	.3817	.201.5
17.26	.5658	-	.3201	-	.1694	-	.1725	-	.1295	-	.7061	2.4298574	113.85	.3.051	.3817	.201.3
17.28	.5732	-	.3181	-	.1697	-	.1725	-	.1289	-	.7098	2.4298574	113.87	.3.052	.3817	.201.1
17.30	.5687	-	.3101	-	.1698	-	.1727	-	.1283	-	.7135	2.4298574	113.89	.3.053	.3817	.200.9
17.32	.5642	-	.3044	-	.1695	-	.1729	-	.1277	-	.7172	2.4298574	113.91	.3.054	.3817	.200.7
17.34	.5597	-	.2944	-	.1693	-	.1731	-	.1271	-	.7209	2.4298574	113.93	.3.055	.3817	.200.5
17.36	.5553	-	.2822	-	.1691	-	.1733	-	.1265	-	.7246	2.4298574	113.95	.3.056	.3817	.200.3
17.38	.5498	-	.2706	-	.1689	-	.1735	-	.1259	-	.7283	2.4298574	113.97	.3.057	.3817	.200.1
17.40	.5436	-	.2621	-	.1687	-	.1737	-	.1253	-	.7319	2.4298574	113.99	.3.058	.3817	.199.9
17.42	.5371	-	.2514	-	.1685	-	.1739	-	.1247	-	.7356	2.4298574	114.01	.3.059	.3817	.199.7
17.44	.5306	-	.2409	-	.1683	-	.1741	-	.1241	-	.7393	2.4298574	114.03	.3.060	.3817	.199.5
17.46	.5259	-	.2303	-	.1681	-	.1743	-	.1235	-	.7430	2.4298574	114.05	.3.061	.3817	.199.3
17.48	.5206	-	.2206	-	.1679	-	.1745	-	.1229	-	.7467	2.4298574	114.07	.3.062	.3817	.199.1
17.50	.5154	-	.2127	-	.1677	-	.1747	-	.1223	-	.7504	2.4298574	114.09	.3.063	.3817	.198.9
17.52	.5123	-	.2034	-	.1675	-	.1749	-	.1217	-	.7541	2.4298574	114.11	.3.064	.3817	.198.7
17.54	.5092	-	.1936	-	.1673	-	.1751	-	.1211	-	.7578	2.4298574	114.13	.3.065	.3817	.198.5
17.56	.5056	-	.1836	-	.1671	-	.1753	-	.1205	-	.7615	2.4298574	114.15	.3.066	.3817	.198.3
17.58	.5022	-	.1818	-	.1669	-	.1755	-	.1199	-	.7652	2.4298574	114.17	.3.067	.3817	.198.1
17.60	.5052	-	.1810	-	.1667	-	.1757	-	.1193	-	.7689	2.4298574	114.19	.3.068	.3817	.197.9
17.62	.5013	-	.1808	-	.1665	-	.1759	-	.1187	-	.772					

TABLE II.—SUPERSONIC FLOW—Continued

 $\gamma = 7/5$ 

$M$ or $M_1$	$\frac{p}{p_1}$	$\frac{\rho}{\rho_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{g}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t2}}{p_{t1}}$	$\frac{p_t}{p_1}$					
17.70	.4859	-6	.3093	-1	.1571	-1	17.67	.1066	-3	8434	2.4301741	114.36	3.289	.3811	385.3	5.900	61.86	.1902	-3	.2476
17.72	.4821	-6	.3076	-1	.1667	-1	17.69	.1060	-3	8481	2.4302172	114.38	3.285	.3810	386.2	5.906	62.00	.1951	-3	.2471
17.74	.4783	-6	.3059	-1	.1664	-1	17.71	.1054	-3	8529	2.4302601	114.40	3.281	.3810	387.0	5.906	62.14	.1911	-3	.2465
17.76	.4747	-6	.3042	-1	.1561	-1	17.73	.1048	-3	8575	2.4303029	114.42	3.228	.3810	387.8	5.906	62.28	.1930	-1	.2460
17.78	.4710	-6	.3025	-1	.1557	-1	17.75	.1042	-3	8623	2.4303455	114.44	3.224	.3810	388.7	5.907	62.41	.1919	-3	.2451
17.80	.4674	-6	.3009	-1	.1554	-1	17.77	.1037	-3	8670	2.4303880	114.45	3.221	.3810	389.5	5.907	62.55	.1909	-1	.2419
17.82	.4637	-6	.2992	-1	.1550	-1	17.79	.1031	-3	8719	2.4304204	114.47	3.217	.3810	390.3	5.907	62.69	.1903	-3	.2413
17.84	.4602	-6	.2975	-1	.1547	-1	17.81	.1025	-3	8767	2.4304620	114.49	3.213	.3810	391.1	5.907	62.83	.1888	-1	.2437
17.86	.4566	-6	.2959	-1	.1543	-1	17.83	.1020	-3	8815	2.4305147	114.51	3.210	.3810	392.0	5.907	62.97	.1878	-1	.2432
17.88	.4531	-6	.2943	-1	.1540	-1	17.85	.1014	-3	8864	2.4305566	114.52	3.206	.3810	392.8	5.908	63.11	.1867	-3	.2427
17.90	.4496	-6	.2926	-1	.1537	-1	17.87	.1000	-3	8913	2.4305984	114.54	3.203	.3810	393.7	5.908	63.25	.1857	-3	.2421
17.92	.4462	-6	.2910	-1	.1533	-1	17.89	.1003	-3	8962	2.4306401	114.56	3.199	.3810	394.5	5.908	63.39	.1847	-3	.2416
17.94	.4428	-6	.2895	-1	.1530	-1	17.91	.9976	-1	9010	2.4306810	114.58	3.195	.3810	395.3	5.908	63.53	.1837	-1	.2411
17.96	.4394	-6	.2879	-1	.1526	-1	17.93	.9921	-1	9060	2.4307230	114.59	3.192	.3810	396.2	5.908	63.67	.1827	-1	.2405
17.98	.4361	-6	.2863	-1	.1523	-1	17.95	.9868	-1	9109	2.4307642	114.61	3.188	.3810	397.0	5.909	63.80	.1817	-3	.2400
18.00	.4328	-6	.2848	-1	.1520	-1	17.97	.9815	-1	9159	2.4308053	114.63	3.185	.3810	397.8	5.909	63.94	.1807	-1	.2395
18.02	.4294	-6	.2832	-1	.1516	-1	17.99	.9760	-1	9210	2.4308463	114.65	3.181	.3809	398.7	5.909	64.08	.1797	-1	.2389
18.04	.4261	-6	.2816	-1	.1513	-1	18.01	.9707	-1	9260	2.4308872	114.66	3.178	.3809	399.5	5.909	64.23	.1788	-1	.2381
18.06	.4229	-6	.2801	-1	.1510	-1	18.03	.9655	-1	9311	2.4309279	114.68	3.174	.3809	390.4	5.909	64.37	.1778	-1	.2379
18.08	.4197	-6	.2786	-1	.1507	-1	18.05	.9602	-1	9362	2.4309685	114.70	3.171	.3809	391.2	5.910	64.51	.1768	-3	.2373
18.10	.4165	-6	.2771	-1	.1503	-1	18.07	.9552	-1	9411	2.4310089	114.72	3.167	.3809	392.1	5.910	64.65	.1759	-3	.2368
18.12	.4134	-6	.2756	-1	.1500	-1	18.09	.9500	-1	9463	2.4310492	114.73	3.164	.3809	392.9	5.910	64.79	.1749	-1	.2363
18.14	.4102	-6	.2741	-1	.1497	-1	18.11	.9448	-1	9515	2.4310894	114.75	3.160	.3809	393.7	5.910	64.93	.1740	-3	.2357
18.16	.4071	-6	.2726	-1	.1494	-1	18.13	.9398	-1	9566	2.4311295	114.77	3.157	.3809	394.6	5.910	65.07	.1731	-3	.2353
18.18	.4041	-6	.2711	-1	.1490	-1	18.15	.9349	-1	9617	2.4311694	114.78	3.153	.3809	395.4	5.911	65.21	.1721	-3	.2345
18.20	.4010	-6	.2696	-1	.1487	-1	18.17	.9207	-1	9671	2.4312092	114.80	3.150	.3809	396.3	5.911	65.35	.1712	-3	.2342
18.22	.3979	-6	.2682	-1	.1484	-1	18.19	.9247	-1	9723	2.4312488	114.82	3.146	.3809	397.1	5.911	65.49	.1703	-3	.2337
18.24	.3949	-6	.2667	-1	.1481	-1	18.21	.9198	-1	9775	2.4312884	114.83	3.143	.3809	398.0	5.911	65.64	.1694	-3	.2332
18.26	.3920	-6	.2653	-1	.1477	-1	18.23	.9148	-1	9828	2.4313278	114.85	3.139	.3809	398.8	5.911	65.78	.1685	-3	.2327
18.28	.3890	-6	.2639	-1	.1474	-1	18.25	.9099	-1	9881	2.4313671	114.87	3.136	.3809	399.7	5.912	65.92	.1676	-3	.2321
18.30	.3861	-6	.2625	-1	.1471	-1	18.27	.9052	-1	9933	2.4314062	114.89	3.133	.3809	400.5	5.912	66.06	.1667	-3	.2317
18.32	.3832	-6	.2611	-1	.1468	-1	18.29	.9008	-1	9987	2.4314452	114.90	3.129	.3809	401.4	5.912	66.20	.1658	-3	.2312
18.34	.3803	-6	.2596	-1	.1465	-1	18.31	.8964	+1	1004	2.4314841	114.92	3.126	.3808	392.3	5.912	66.35	.1649	-1	.2306
18.36	.3775	-6	.2583	-1	.1462	-1	18.33	.8907	+1	1010	2.4315229	114.94	3.122	.3808	393.1	5.912	66.49	.1640	-1	.2302
18.38	.3747	-6	.2569	-1	.1459	-1	18.35	.8861	+1	1015	2.4315616	114.95	3.119	.3808	394.0	5.913	66.63	.1632	-3	.2297
18.40	.3718	-6	.2555	-1	.1455	-1	18.37	.8812	+1	1020	2.4316001	114.97	3.115	.3808	394.8	5.913	66.78	.1623	-3	.2291
18.42	.3691	-6	.2541	-1	.1452	-1	18.39	.8765	+1	1026	2.4316385	114.99	3.112	.3808	395.7	5.913	66.92	.1614	-3	.2287
18.44	.3663	-6	.2528	-1	.1449	-1	18.41	.8719	+1	1031	2.4316768	115.00	3.109	.3808	396.5	5.913	67.06	.1606	-1	.2281
18.46	.3636	-6	.2514	-1	.1446	-1	18.43	.8673	+1	1037	2.4317149	115.02	3.105	.3808	397.4	5.913	67.21	.1597	-3	.2277
18.48	.3609	-6	.2501	-1	.1443	-1	18.45	.8628	+1	1042	2.4317530	115.04	3.102	.3808	398.3	5.913	67.35	.1589	-3	.2272
18.50	.3582	-6	.2488	-1	.1440	-1	18.47	.8582	+1	1048	2.4317909	115.05	3.099	.3808	399.1	5.914	67.49	.1580	-3	.2267
18.52	.3555	-6	.2475	-1	.1437	-1	18.49	.8536	+1	1054	2.4318287	115.07	3.095	.3808	400.0	5.914	67.61	.1572	-3	.2262
18.54	.3530	-6	.2462	-1	.1434	-1	18.51	.8492	+1	1059	2.4318664	115.08	3.092	.3808	400.9	5.914	67.79	.1561	-3	.2257
18.56	.3503	-6	.2448	-1	.1431	-1	18.53	.8446	+1	1066	2.4319039	115.10	3.089	.3808	401.7	5.914	67.93	.1555	-3	.2252
18.58	.3477	-6	.2436	-1	.1428	-1	18.55	.8403	+1	1070	2.4319413	115.12	3.085	.3808	402.6	5.914	68.07	.1547	-3	.2218
18.60	.3452	-6	.2423	-1	.1425	-1	18.57	.8359	+1	1076	2.4319787	115.13	3.082	.3808	403.5	5.915	68.21	.1539	-3	.2213
18.62	.3426	-6	.2410	-1	.1422	-1	18.59	.8315	+1	1082	2.4320159	115.15	3.079	.3808	404.3	5.915	68.36	.1531	-3	.2208
18.64	.3400	-6	.2397	-1	.1419	-1	18.61	.8270	+1	1088	2.4320529	115.17	3.075	.3808	405.2	5.915	68.50	.1523	-3	.2203
18.66	.3375	-6	.2384	-1	.1416	-1	18.63	.8226	+1	1093	2.4320899	115.18	3.072	.3807	406.1	5.915	68.65	.1515	-3	.2228
18.68	.3351	-6	.2372	-1	.1413	-1	18.65	.8185	+1	1099	2.4321267	115.20	3.069	.3807	408.9	5.916	68.79	.1507	-3	.2221
18.70	.3326	-6	.2359	-1	.1410	-1	18.67	.8142	+1	1105	2.4321635	115.21	3.065	.3807	407.8	5.915	68.91	.1499	-1	.2199
18.72	.3301	-6	.2347	-1	.1407	-1	18.69	.8099	+1	1111	2.4322001	115.23	3.062	.3807	408.7	5.916	69.09	.1491	-3	.2194
18.74	.3278	-6	.2335	-1	.1404	-1	18.71	.8058	+1	1116	2.4322366	115.25	3.059	.3807	409.6	5.916	69.23	.1481	-3	.2186
18.76	.3253	-6	.2322	-1	.1401	-1	18.73	.8015	+1	1122	2.4322729	115.26	3.056	.3807	410.4	5.916	69.38	.1476	-3	.2185
18.78	.3220	-6	.2310	-1	.1398	-1</td														

## EQUATIONS, TABLES, AND CHARTS FOR COMPRESSIBLE FLOW

37

TABLE II.—SUPERSONIC FLOW—Continued

γ=7/5

<i>M</i> or <i>M<sub>1</sub></i>	$\frac{p}{p_1}$	$\frac{p_2}{p_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{g}{p_1}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	<i>M<sub>2</sub></i>	$\frac{p_2}{p_1}$	$\frac{p_2}{p_1}$	$\frac{T_2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_t}{p_{t_1}}$							
19.50	.2491	-4	.1919	-4	.1298	-1	19.47	.6630	-4	1357	+1	2.4385424	115.83	2.940	.3805	443.5	5.922	74.88	.1221	-3	.2041	-3
19.52	.2473	-4	.1909	-4	.1295	-1	19.49	.6595	-4	1365	+1	2.4385747	115.85	2.937	.3805	444.4	5.922	75.03	.1214	-3	.2036	-3
19.54	.2455	-4	.1900	-4	.1293	-1	19.51	.6563	-4	1371	+1	2.4386070	115.86	2.934	.3805	445.3	5.922	75.19	.1208	-3	.2032	-3
19.56	.2438	-4	.1890	-4	.1290	-1	19.53	.6530	-4	1378	+1	2.4386291	115.88	2.931	.3805	446.2	5.923	75.34	.1202	-3	.2028	-3
19.58	.2421	-4	.1881	-4	.1287	-1	19.55	.6497	-4	1385	+1	2.4386712	115.89	2.928	.3805	447.1	5.923	75.49	.1196	-3	.2024	-3
19.60	.2404	-4	.1871	-4	.1285	-1	19.57	.6464	-4	1392	+1	2.4387031	115.91	2.925	.3805	448.0	5.923	75.64	.1190	-3	.2020	-3
19.62	.2387	-4	.1862	-4	.1282	-1	19.59	.6432	-4	1399	+1	2.4387350	115.92	2.922	.3805	448.9	5.923	75.80	.1184	-3	.2016	-3
19.64	.2371	-4	.1853	-4	.1280	-1	19.61	.6401	-4	1406	+1	2.4387687	115.94	2.919	.3805	449.9	5.923	75.95	.1178	-3	.2012	-3
19.66	.2354	-4	.1843	-4	.1277	-1	19.63	.6369	-4	1413	+1	2.4387984	115.95	2.916	.3805	450.8	5.923	76.10	.1173	-3	.2008	-3
19.68	.2337	-4	.1834	-4	.1275	-1	19.65	.6336	-4	1420	+1	2.4388300	115.97	2.913	.3805	451.7	5.924	76.25	.1167	-3	.2003	-3
19.70	.2321	-4	.1825	-4	.1272	-1	19.67	.6306	-4	1427	+1	2.4388615	115.98	2.910	.3805	452.6	5.924	76.41	.1161	-3	.2000	-3
19.72	.2305	-4	.1816	-4	.1269	-1	19.69	.6274	-4	1435	+1	2.4388928	116.00	2.907	.3805	453.5	5.924	76.56	.1155	-3	.1995	-3
19.74	.2289	-4	.1807	-4	.1267	-1	19.72	.6243	-4	1442	+1	2.4389241	116.01	2.904	.3805	454.4	5.924	76.71	.1149	-3	.1991	-3
19.76	.2273	-4	.1798	-4	.1264	-1	19.74	.6213	-4	1449	+1	2.4389553	116.03	2.901	.3804	455.4	5.924	76.87	.1144	-3	.1988	-3
19.78	.2257	-4	.1788	-4	.1262	-1	19.76	.6180	-4	1456	+1	2.4389864	116.04	2.898	.3804	456.3	5.924	77.02	.1138	-3	.1983	-3
19.80	.2241	-4	.1780	-4	.1259	-1	19.78	.6150	-4	1464	+1	2.4381074	116.05	2.895	.3804	457.2	5.924	77.17	.1132	-3	.1979	-3
19.82	.2226	-4	.1771	-4	.1257	-1	19.80	.6120	-4	1471	+1	2.4381493	116.07	2.892	.3804	458.1	5.925	77.33	.1127	-3	.1975	-3
19.84	.2210	-4	.1762	-4	.1254	-1	19.82	.6090	-4	1478	+1	2.4381792	116.08	2.889	.3804	459.1	5.925	77.48	.1121	-3	.1971	-3
19.86	.2195	-4	.1753	-4	.1252	-1	19.84	.6059	-4	1486	+1	2.4384109	116.10	2.886	.3804	460.0	5.925	77.64	.1116	-3	.1967	-3
19.88	.2179	-4	.1745	-4	.1249	-1	19.86	.6029	-4	1493	+1	2.43841405	116.11	2.883	.3804	460.9	5.925	77.79	.1110	-3	.1963	-3
19.90	.2165	-4	.1736	-4	.1247	-1	19.88	.6001	-4	1500	+1	2.43841711	116.13	2.880	.3804	461.9	5.925	77.95	.1105	-3	.1960	-3
19.92	.2150	-4	.1727	-4	.1244	-1	19.90	.5971	-4	1508	+1	2.43842015	116.14	2.878	.3804	462.8	5.925	78.10	.1099	-3	.1956	-3
19.94	.2135	-4	.1719	-4	.1242	-1	19.92	.5941	-4	1515	+1	2.43842819	116.15	2.875	.3804	463.7	5.926	78.26	.1094	-3	.1952	-3
19.96	.2120	-4	.1710	-4	.1240	-1	19.94	.5913	-4	1523	+1	2.43842622	116.17	2.872	.3804	464.6	5.926	78.41	.1088	-3	.1948	-3
19.98	.2105	-4	.1702	-4	.1237	-1	19.96	.5883	-4	1530	+1	2.43842924	116.18	2.869	.3804	465.6	5.926	78.57	.1083	-3	.1944	-3
20.00	.2091	-4	.1694	-4	.1235	-1	19.98	.5855	-4	1538	+1	2.43843225	116.20	2.866	.3804	466.5	5.926	78.72	.1078	-3	.1940	-3
20.20	.1952	-4	.1612	-4	.1211	-1	20.18	.5574	-4	1615	+1	2.43846186	116.34	2.838	.3803	475.9	5.927	80.29	.1026	-3	.1902	-3
20.40	.1828	-4	.1536	-4	.1187	-1	20.38	.5311	-4	1695	+1	2.43849062	116.47	2.810	.3803	485.4	5.929	81.86	.9778	-4	.1865	-3
20.60	.1704	-4	.1463	-4	.1165	-1	20.58	.5062	-4	1779	+1	2.43851855	116.61	2.782	.3802	494.9	5.930	83.46	.9319	-4	.1829	-3
20.80	.1594	-4	.1395	-4	.1143	-1	20.78	.4827	-4	1836	+1	2.43854569	116.74	2.756	.3802	504.6	5.932	85.07	.8887	-4	.1794	-3
21.00	.1492	-4	.1331	-4	.1121	-1	20.98	.4606	-4	1956	+1	2.43857207	116.87	2.729	.3802	514.3	5.933	86.69	.8478	-4	.1760	-3
21.20	.1397	-4	.1270	-4	.1100	-1	21.18	.4396	-4	2049	+1	2.43859772	117.00	2.704	.3801	524.2	5.934	88.34	.8091	-4	.1727	-3
21.40	.1309	-4	.1212	-4	.1080	-1	21.38	.4197	-4	2147	+1	2.43862265	117.12	2.678	.3801	534.1	5.935	89.99	.7725	-4	.1695	-3
21.60	.1227	-4	.1158	-4	.1080	-1	21.58	.4009	-4	2248	+1	2.43864690	117.24	2.654	.3800	544.2	5.936	91.06	.7380	-4	.1663	-3
21.80	.1151	-4	.1106	-4	.1041	-1	21.78	.3830	-4	2353	+1	2.43867050	117.36	2.629	.3800	554.3	5.938	93.35	.7052	-4	.1633	-3
22.00	.1081	-4	.1057	-4	.1023	-1	21.98	.3662	-4	2461	+1	2.43869346	117.48	2.605	.3800	564.5	5.939	95.05	.6742	-4	.1604	-3
22.20	.1015	-4	.1011	-4	.1004	-1	22.18	.3502	-4	2574	+1	2.43871581	117.60	2.582	.3799	574.8	5.940	96.77	.6447	-4	.1575	-3
22.40	.9541	-7	.9670	-5	.9867	-2	22.38	.3351	-4	2690	+1	2.43873757	117.71	2.559	.3799	585.2	5.941	98.51	.6168	-4	.1547	-3
22.60	.8971	-7	.9238	-5	.9694	-2	22.58	.3207	-4	2811	+1	2.43875876	117.82	2.536	.3799	595.7	5.942	100.3	.5904	-4	.1520	-3
22.80	.8439	-7	.8858	-5	.9527	-2	22.78	.3071	-4	2936	+1	2.43877940	117.93	2.514	.3798	606.8	5.943	102.0	.5653	-4	.1493	-3
23.00	.7943	-7	.8483	-5	.9363	-2	22.98	.2941	-4	3065	+1	2.43879951	118.04	2.492	.3798	617.0	5.944	103.8	.5414	-4	.1467	-3
23.20	.7480	-7	.8127	-5	.9204	-2	23.18	.2818	-4	3199	+1	2.43881911	118.15	2.470	.3798	627.8	5.945	105.6	.5188	-4	.1442	-3
23.40	.7048	-7	.7789	-5	.9049	-2	23.38	.2701	-4	3338	+1	2.43883821	118.25	2.449	.3797	638.7	5.946	107.4	.4972	-4	.1418	-3
23.60	.6644	-7	.7467	-5	.8897	-2	23.58	.2590	-4	3481	+1	2.43885683	118.36	2.429	.3797	649.6	5.947	109.2	.4768	-4	.1394	-3
23.80	.6266	-7	.7161	-5	.8750	-2	23.78	.2485	-4	3630	+1	2.43887499	118.46	2.408	.3797	660.7	5.948	111.1	.4573	-4	.1370	-3
24.00	.5913	-7	.6871	-5	.8606	-2	23.98	.2384	-4	3783	+1	2.4389270	118.56	2.388	.3796	671.8	5.948	112.9	.4388	-4	.1348	-3
24.20	.5582	-7	.6594	-5	.8465	-2	24.18	.2288	-4	3942	+1	2.43890938	118.65	2.368	.3796	681.1	5.949	114.8	.4211	-4	.1325	-3
24.40	.5272	-7	.6330	-5	.8282	-2	24.38	.2197	-4	4106	+1	2.43892683	118.75	2.349	.3796	694.4	5.950	116.7	.4044	-4	.1304	-3
24.60	.4981	-7	.6079	-5	.8195	-2	24.58	.2110	-4	4275	+1	2.43894328	118.85	2.330	.3796	705.9	5.951	118.6	.3884	-4	.1283	-3
24.80	.4709	-7	.5839	-5	.8044	-2	24.78	.2027	-4	4450	+1	2.43895934	118.94	2.311	.3795	717.4	5.952	120.5	.3731	-4	.1262	-3
25.00	.4454	-7	.5611	-5	.7937	-2	24.98	.1948	-4	4631	+1	2.43897502	119.03	2.292	.3795	729.0	5.952					

## REPORT 1135—NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

TABLE II.—SUPERSONIC FLOW—Continued

T=7/5

$M$ or $M_1$	$\frac{P}{P_1}$	$\frac{P}{P_1}$	$\frac{T}{T_1}$	$\beta$	$\frac{\rho}{\rho_1}$	$\frac{A}{A_1}$	$\frac{V}{u_{\infty}}$	$\mu$	$M_2$	$\frac{P_2}{P_1}$	$\frac{P_2}{P_1}$	$\frac{T_2}{T_1}$	$\frac{P_4}{P_1}$	$\frac{P_4}{P_1}$	
33.00	.6454	-1	1.412	-1	4.570	-1	32.98	.4920	-1	1.837	+2	2.4438888	121.79	1.737	.3789
33.20	.6188	-1	1.370	-5	4.518	-1	33.18	.4774	-1	1.893	+2	2.4438529	121.84	1.726	.3788
33.40	.5935	-4	1.330	-5	4.452	-1	33.38	.4634	-1	1.950	+2	2.4438035	121.89	1.716	.3788
33.60	.5692	-4	1.291	-5	4.400	-1	33.59	.4499	-1	2.009	+2	2.443845	121.94	1.709	.3788
33.80	.5462	-4	1.253	-5	4.358	-1	33.79	.4368	-1	2.069	+2	2.4441471	121.98	1.695	.3788
34.00	.5242	-4	1.217	-5	4.307	-1	33.99	.4242	-1	2.131	+2	2.4442025	122.04	1.685	.3788
34.20	.5032	-4	1.182	-5	4.257	-1	34.19	.4124	-1	2.194	+2	2.4442709	122.08	1.676	.3788
34.40	.4832	-4	1.148	-5	4.208	-1	34.39	.4002	-1	2.259	+2	2.4443812	122.14	1.666	.3788
34.60	.4610	-4	1.116	-5	4.159	-1	34.59	.3889	-1	2.325	+2	2.444505	122.19	1.656	.3788
34.80	.4407	-4	1.084	-5	4.112	-1	34.79	.3778	-1	2.392	+2	2.4444488	122.24	1.647	.3788
35.00	.4283	-4	1.054	-5	4.056	-1	34.99	.3672	-1	2.462	+2	2.4445080	122.28	1.637	.3788
35.20	.4116	-4	1.024	-5	4.010	-1	35.19	.3570	-1	2.532	+2	2.4445623	122.33	1.628	.3788
35.40	.3956	-4	9.964	-1	3.974	-2	35.39	.3471	-1	2.605	+2	2.4446177	122.37	1.619	.3787
35.60	.3804	-4	9.850	-1	3.930	-2	35.59	.3375	-1	2.679	+2	2.4446721	122.42	1.610	.3787
35.80	.3658	-4	9.414	-1	3.886	-2	35.79	.3292	-4	2.754	+2	2.4447266	122.47	1.601	.3787
36.00	.3510	-4	9.166	-1	3.801	-2	35.99	.3192	-4	2.828	+2	2.4447788	122.51	1.592	.3787
36.20	.3386	-4	8.866	-1	3.760	-2	36.19	.3101	-4	2.911	+2	2.4448810	122.56	1.583	.3787
36.40	.3228	-4	8.433	-1	3.679	-2	36.39	.2944	-1	2.992	+2	2.4449311	122.60	1.574	.3787
36.80	.3019	-4	8.207	-4	3.679	-3	36.79	.2862	-5	3.159	+2	2.4449893	122.68	1.557	.3787
37.00	.2877	-4	7.752	-4	3.602	-3	37.19	.2712	-4	3.246	+2	2.4450288	122.72	1.549	.3787
37.20	.2737	-4	7.274	-4	3.524	-3	37.59	.2561	-4	3.324	+2	2.4450755	122.77	1.540	.3787
37.40	.2598	-4	6.733	-4	3.457	-3	37.79	.2504	-4	3.412	+2	2.4451572	122.81	1.532	.3787
37.80	.2504	-4	6.781	-4	3.487	-3	38.19	.2504	-4	3.511	+2	2.4451812	122.89	1.516	.3786
38.00	.2454	-4	6.345	-4	3.405	-3	38.59	.2327	-4	3.607	+2	2.4452474	122.93	1.507	.3787
38.40	.2224	-4	5.638	-4	3.379	-3	38.99	.2216	-4	3.694	+2	2.4453940	123.04	1.495	.3787
38.80	.2164	-4	5.040	-4	3.345	-3	39.39	.2199	-4	3.782	+2	2.4454321	123.08	1.485	.3787
39.00	.2087	-4	4.635	-4	3.310	-3	39.79	.2199	-5	4.112	+2	2.4455321	123.12	1.477	.3787
39.30	.2033	-4	4.145	-4	3.277	-3	40.19	.1844	-2	4.406	+2	2.4456714	123.30	1.433	.3786
39.50	.1981	-4	3.991	-4	3.243	-3	40.59	.1799	-2	4.496	+2	2.4457490	123.34	1.425	.3786
39.80	.1935	-4	3.891	-4	3.211	-3	40.99	.1744	-2	5.015	+2	2.4458148	123.38	1.418	.3786
40.00	.1875	-4	3.654	-4	3.178	-3	41.39	.1695	-2	5.428	+2	2.4458547	123.42	1.404	.3785
40.30	.1821	-4	3.424	-4	3.145	-3	41.79	.1648	-2	5.831	+2	2.4459183	123.44	1.394	.3785
40.50	.1767	-4	3.183	-4	3.087	-3	42.19	.1601	-2	6.248	+2	2.4459559	123.48	1.388	.3785
40.80	.1702	-4	3.086	-4	2.986	-3	42.59	.1552	-2	6.599	+2	2.4459940	123.54	1.374	.3785
41.00	.1640	-4	2.937	-4	2.953	-3	43.19	.1505	-2	7.018	+2	2.4460266	123.58	1.364	.3785
41.30	.1581	-4	2.881	-4	2.854	-3	43.79	.1458	-2	7.432	+2	2.4460653	123.62	1.354	.3785
41.50	.1521	-4	2.831	-4	2.825	-3	44.39	.1414	-2	7.845	+2	2.4461223	123.66	1.344	.3785
41.80	.1461	-4	2.781	-4	2.754	-3	44.99	.1369	-2	8.258	+2	2.4461586	123.71	1.334	.3785
42.00	.1401	-4	2.727	-4	2.727	-3	45.59	.1324	-2	8.671	+2	2.4462451	123.75	1.324	.3785
42.30	.1341	-4	2.674	-4	2.674	-3	46.19	.1278	-2	9.084	+2	2.446328	123.79	1.314	.3785
42.60	.1280	-4	2.626	-4	2.626	-3	46.79	.1232	-2	9.497	+2	2.4464170	123.83	1.304	.3785
42.80	.1220	-4	2.575	-4	2.575	-3	47.39	.1186	-2	9.910	+2	2.4464643	123.87	1.294	.3785
43.00	.1161	-4	2.520	-4	2.520	-3	47.99	.1149	-2	10.323	+2	2.4465102	123.91	1.284	.3785
43.30	.1101	-4	2.464	-4	2.464	-3	48.59	.1110	-2	10.736	+2	2.4465612	123.95	1.274	.3785
43.60	.1041	-4	2.414	-4	2.414	-3	49.19	.1051	-2	11.149	+2	2.4466170	123.99	1.264	.3785
43.80	.981	-4	2.363	-4	2.363	-3	49.79	.1058	-2	11.562	+2	2.4466743	124.03	1.254	.3785
44.00	.921	-4	2.313	-4	2.313	-3	50.39	.1066	-2	11.975	+2	2.4467328	124.07	1.244	.3785
44.30	.860	-4	2.263	-4	2.263	-3	50.99	.1073	-2	12.388	+2	2.4468170	124.11	1.234	.3785
44.50	.800	-4	2.213	-4	2.213	-3	51.59	.1080	-2	12.791	+2	2.4468645	124.15	1.224	.3785
44.80	.740	-4	2.163	-4	2.163	-3	52.19	.1087	-2	13.194	+2	2.4469143	124.19	1.214	.3785
45.00	.680	-4	2.113	-4	2.113	-3	52.79	.1094	-2	13.597	+2	2.4469639	124.23	1.204	.3785
45.30	.620	-4	2.063	-4	2.063	-3	53.39	.1101	-2	13.910	+2	2.4470143	124.27	1.194	.3785
45.60	.560	-4	2.013	-4	2.013	-3	53.99	.1108	-2	14.313	+2	2.4470639	124.31	1.184	.3785
45.80	.500	-4	1.963	-4	1.963	-3	54.59	.1115	-2	14.716	+2	2.4471137	124.35	1.174	.3785
46.00	.440	-4	1.913	-4	1.913	-3	55.19	.1122	-2	15.119	+2	2.4471634	124.39	1.164	.3785
46.30	.380	-4	1.863	-4	1.863	-3	55.79	.1129	-2	15.522	+2	2.4472131	124.43	1.154	.3785
46.60	.320	-4	1.813	-4	1.813	-3	56.39	.1136	-2	15.925	+2	2.4472628	124.47	1.144	.3785
46.80	.260	-4	1.763	-4	1.763	-3	56.99	.1143	-2	16.328	+2	2.4473125	124.51	1.134	.3785
47.00	.200	-4	1.713	-4	1.713	-3	57.59	.1150	-2	16.731	+2	2.4473622	124.55	1.124	.3785
47.30	.140	-4	1.663	-4	1.663	-3	58.19	.1157	-2	17.134	+2	2.4474119	124.59	1.114	.3785
47.60	.080	-4	1.613	-4	1.613	-3	58.79	.1164	-2	17.537	+2	2.4474616	124.63	1.104	.3785
47.80	.020	-4	1.563	-4	1.563	-3	59.39	.1171	-2	17.940	+2	2.4475113	124.67	1.094	.3785
48.00	.-40	-4	1.513	-4	1.513	-3	59.99	.1178	-2	18.343	+2	2.4475610	124.71	1.084	.3785
48.30	.-80	-4	1.463	-4	1.463	-3	60.59	.1185	-2	18.746	+2	2.4476107	124.75	1.074	.3785
48.60	.-120	-4	1.413	-4	1.413	-3	61.19	.1192	-2	19.149	+2	2.4476504	124.79	1.064	.3785
48.80	.-160	-4	1.363	-4	1.363	-3	61.79	.1199	-2	19.552	+2	2.4477001	124.83	1.054	.3785
49.00	.-200	-4	1.313	-4	1.313	-3	62.39	.1206	-2	19.955	+2	2.4477498	124.87	1.044	.3785
49.30	.-240	-4	1.263	-4	1.263	-3	62.99	.1213	-2	20.358	+2	2.4477995	124.91	1.034	.3785
49.60	.-280	-4	1.213	-4	1.213	-3	63.59	.1220	-2	20.761	+2	2.4478492	124.95	1.024	.3785
49.80	.-320	-4	1.163	-4	1.163	-3	64.19	.1227	-2	21.164	+2	2.4478989	124.99	1.014	.3785
50.00	.-360	-4	1.113	-4	1.113	-3	64.79	.1234	-2	21.567	+2	2.4479486	125.03	1.004	.3785
50.30	.														

TABLE II.—SUPERSONIC FLOW—Concluded

 $\gamma=7/5$ 

$M$ or $M_1$	$\frac{p}{p_t}$	$\frac{\rho}{\rho_t}$	$\frac{T}{T_t}$	$\beta$	$\frac{q}{p_t}$	$\frac{A}{A_*}$	$\frac{V}{a_*}$	$\nu$	$\mu$	$M_2$	$\frac{p_2}{p_1}$	$\frac{\rho_2}{\rho_1}$	$\frac{T^2}{T_1}$	$\frac{p_{t_2}}{p_{t_1}}$	$\frac{p_1}{p_{t_2}}$
55.00	.1826 -4	.1106 -6	.1650 -2	54.99	.3866 -6	2341 +3	2.4474679	125.25	1.042	.3783	3529	5.990	539.1	.7111 -4	.2567 -2
56.00	.1609 -4	.1011 -6	.1592 -2	55.99	.3533 -6	2562 +3	2.4475394	125.34	1.023	.3783	3659	5.990	610.7	.6499 -6	.2476 -3
57.00	.1422 -4	.9256 -7	.1537 -2	56.99	.3235 -6	2798 +3	2.4476071	125.43	1.005	.3783	3790	5.991	632.7	.5950 -6	.2390 -3
58.00	.1259 -4	.8485 -7	.1484 -2	57.99	.2965 -6	3052 +3	2.4476714	125.52	.9879	.3783	3925	5.991	655.1	.5455 -6	.2303 -3
59.00	.1118 -4	.7791 -7	.1434 -2	58.99	.2723 -6	3324 +3	2.4477325	125.60	.9712	.3782	4061	5.991	677.8	.5009 -6	.2231 -3
60.00	.9937 -10	.7165 -7	.1387 -2	59.99	.2504 -6	3615 +3	2.4477905	125.68	.9550	.3782	4200	5.992	700.9	.4606 -6	.2157 -3
61.00	.8852 -10	.6598 -7	.1342 -2	60.99	.2306 -6	3926 +3	2.4478457	125.76	.9393	.3782	4341	5.992	724.5	.4241 -6	.2087 -3
62.00	.7900 -10	.0082 -7	.1299 -2	61.99	.2126 -6	4258 +3	2.4478982	125.84	.9241	.3782	4485	5.992	748.4	.3911 -6	.2020 -3
63.00	.7065 -10	.5815 -7	.1258 -2	62.99	.1963 -6	4612 +3	2.4479483	125.91	.9095	.3782	4630	5.993	772.7	.3611 -6	.1957 -3
64.00	.6328 -10	.5190 -7	.1219 -2	63.99	.1814 -6	4990 +3	2.4479901	125.98	.8953	.3782	4779	5.993	797.4	.3338 -6	.1896 -3
65.00	.5678 -10	.4803 -7	.1182 -2	64.99	.1679 -6	5391 +3	2.4480416	126.05	.8815	.3782	4929	5.993	822.5	.3039 -6	.1838 -3
66.00	.5103 -10	.4451 -7	.1147 -2	65.99	.1556 -6	5818 +3	2.4480851	126.12	.8682	.3782	5092	5.993	847.9	.2863 -6	.1783 -3
67.00	.4594 -10	.4129 -7	.1113 -2	66.99	.1444 -6	6271 +3	2.4481267	126.18	.8552	.3782	5237	5.993	873.8	.2655 -6	.1730 -3
68.00	.4141 -10	.3834 -7	.1080 -2	67.99	.1340 -6	6754 +3	2.4481665	126.24	.8426	.3782	5395	5.994	900.1	.2466 -6	.1679 -3
69.00	.3740 -10	.3565 -7	.1049 -2	68.99	.1246 -6	7264 +3	2.4482045	126.30	.8304	.3782	5554	5.994	926.7	.2293 -6	.1631 -3
70.00	.3382 -10	.3318 -7	.1019 -2	69.99	.1160 -6	7804 +3	2.4482410	126.36	.8185	.3782	5717	5.994	953.7	.2134 -6	.1585 -3
71.00	.3062 -10	.3091 -7	.9909 -3	70.99	.1081 -6	8378 +3	2.4482759	126.42	.8070	.3782	5881	5.994	981.1	.1988 -6	.1540 -3
72.00	.2777 -10	.2882 -7	.9638 -3	71.99	.1008 -6	8984 +3	2.4483093	126.48	.7958	.3782	6048	5.994	1009	.1854 -6	.1498 -3
73.00	.2522 -10	.2690 -7	.9374 -3	72.99	.9406 -7	9625 +3	2.4483414	126.53	.7849	.3781	6217	5.994	1037	.1730 -6	.1457 -3
74.00	.2293 -10	.2513 -7	.9122 -3	73.99	.8789 -7	1030 +4	2.4483722	126.59	.7742	.3781	6389	5.995	1066	.1617 -6	.1418 -3
75.00	.2038 -10	.2351 -7	.8881 -3	74.99	.8220 -7	1102 +4	2.4484018	126.64	.7639	.3781	6562	5.995	1095	.1512 -6	.1381 -3
76.00	.1903 -10	.2200 -7	.8649 -3	75.99	.7693 -7	1177 +4	2.4484302	126.69	.7539	.3781	6739	5.995	1124	.1415 -6	.1345 -3
77.00	.1737 -10	.2061 -7	.8426 -3	76.99	.7207 -7	1256 +4	2.4484576	126.74	.7441	.3781	6917	5.995	1154	.1326 -6	.1310 -3
78.00	.1587 -10	.1932 -7	.8212 -3	77.99	.6757 -7	1340 +4	2.4484938	126.78	.7345	.3781	7098	5.995	1184	.1243 -6	.1276 -3
79.00	.1451 -10	.1813 -7	.8005 -3	78.99	.6341 -7	1428 +4	2.4485001	126.83	.7253	.3781	7281	5.995	1215	.1166 -6	.1244 -3
80.00	.1329 -10	.1703 -7	.7806 -3	79.99	.5954 -7	1521 +4	2.4485335	126.88	.7162	.3781	7487	5.995	1245	.1095 -6	.1214 -3
81.00	.1219 -10	.1600 -7	.7615 -3	80.99	.5596 -7	1618 +4	2.4485659	126.92	.7074	.3781	7654	5.995	1277	.1030 -6	.1184 -3
82.00	.1118 -10	.1505 -7	.7431 -3	81.99	.5254 -7	1720 +4	2.4485795	126.96	.6987	.3781	7845	5.996	1308	.9832 -7	.1185 -3
83.00	.1027 -10	.1417 -7	.7253 -3	82.99	.4954 -7	1828 +4	2.4486013	127.00	.6903	.3781	8037	5.996	1341	.9113 -7	.1127 -3
84.00	.9148 -11	.1334 -7	.7081 -3	83.99	.4667 -7	1940 +4	2.4486225	127.05	.6821	.3781	8232	5.996	1373	.8585 -7	.1101 -3
85.00	.8697 -11	.1258 -7	.6916 -3	84.99	.4399 -7	2059 +4	2.4486426	127.09	.6741	.3781	8429	5.996	1406	.8092 -7	.1075 -3
86.00	.8014 -11	.1186 -7	.6756 -3	85.99	.4149 -7	2182 +4	2.4486622	127.12	.6662	.3781	8629	5.996	1439	.7632 -7	.1050 -3
87.00	.7391 -11	.1120 -7	.6602 -3	86.99	.3916 -7	2312 +4	2.4486811	127.16	.6586	.3781	8830	5.996	1473	.7204 -7	.1026 -3
88.00	.6823 -11	.1058 -7	.6452 -3	87.99	.3699 -7	2448 +4	2.4486904	127.20	.6511	.3781	9035	5.996	1507	.6804 -7	.1003 -3
89.00	.6305 -11	.9995 -3	.6308 -3	88.99	.3496 -7	2590 +4	2.4487170	127.24	.6438	.3781	9241	5.996	1541	.6431 -7	.9305 -4
90.00	.5831 -11	.9452 -3	.6169 -3	89.99	.3308 -7	2739 +4	2.4487341	127.27	.6366	.3781	9450	5.996	1576	.6082 -7	.9588 -4
91.00	.5397 -11	.8944 -3	.6034 -3	90.99	.3129 -7	2894 +4	2.4487508	127.31	.6296	.3781	9661	5.996	1611	.5755 -7	.9378 -4
92.00	.5000 -11	.8469 -3	.5904 -3	91.99	.2962 -7	3057 +4	2.4487666	127.34	.6228	.3781	9875	5.997	1647	.5450 -7	.9175 -4
93.00	.4636 -11	.8023 -3	.5778 -3	92.99	.2807 -7	3226 +4	2.4487820	127.38	.6160	.3781	1009 +1	5.997	1683	.5163 -7	.8978 -4
94.00	.4302 -11	.7606 -3	.5656 -3	93.99	.2661 -7	3403 +4	2.4487970	127.41	.6095	.3781	1031 +1	5.997	1719	.4894 -7	.8790 -4
95.00	.3995 -11	.7214 -3	.5537 -3	94.99	.2524 -7	3588 +4	2.4488115	127.44	.6031	.3781	1053 +1	5.997	1756	.4642 -7	.8605 -4
96.00	.3712 -11	.6846 -3	.5422 -3	95.99	.2395 -7	3781 +4	2.4488255	127.47	.5968	.3781	1075 +1	5.997	1793	.4405 -7	.8427 -4
97.00	.3453 -11	.6501 -3	.5311 -3	96.99	.2274 -7	3982 +4	2.4488392	127.50	.5907	.3781	1098 +1	5.997	1831	.4183 -7	.8254 -4
98.00	.3214 -11	.6176 -3	.5204 -3	97.99	.2161 -7	4191 +4	2.4488524	127.53	.5847	.3781	1121 +1	5.997	1869	.3874 -7	.8087 -4
99.00	.2993 -11	.5870 -3	.5099 -3	98.99	.2054 -7	4410 +4	2.4488652	127.56	.5787	.3781	1143 +1	5.997	1907	.3778 -7	.7923 -4
100.00	.2790 -11	.5583 -3	.4998 -3	100.00	.1953 -7	4637 +4	2.4488776	127.59	.5730	.3781	1167 +1	5.997	1945	.3593 -7	.7765 -4

## NOTATIONS FOR TABLES I AND II

$M$  or  $M_1$  local Mach number or Mach number upstream of a normal shock wave

$\frac{p}{p_t}$  ratio of static pressure to total pressure

$\frac{\rho}{\rho_t}$  ratio of static density to total density

$\frac{T}{T_t}$  ratio of static temperature to total temperature

$\beta = \sqrt{M^2 - 1}$

$\frac{q}{p_t}$  ratio of dynamic pressure,  $\frac{1}{2} \rho V^2$ , to total pressure

$\frac{A}{A_*}$  ratio of local cross-sectional area of an isentropic stream tube to cross-sectional area at the point where  $M=1$

$\frac{V}{a_*}$  ratio of local speed to speed of sound at the point where  $M=1$

$\nu$  Prandtl-Meyer angle (angle through which a supersonic stream is turned to expand from  $M=1$  to  $M>1$ ), deg

$\mu$  Mach angle,  $\sin^{-1} \frac{1}{M}$ , deg

$M_2$  Mach number downstream of a normal shock wave

$\frac{p_2}{p_1}$  static pressure ratio across a normal shock wave

$\frac{\rho_2}{\rho_1}$  static density ratio across a normal shock wave

$\frac{T_2}{T_1}$  static temperature ratio across a normal shock wave

$\frac{p_{t_2}}{p_{t_1}}$  total pressure ratio across a normal shock wave

$\frac{p_1}{p_{t_2}}$  ratio of static pressure upstream of a normal shock wave to total pressure downstream

## CHARTS

The charts that follow present numerical values of certain physical quantities that are functions of two variables and hence are cumbersome to tabulate. These charts are designed to provide accuracy to three significant figures.

Charts 1 through 8 and chart 25 are for a perfect gas. The values presented in charts 1 through 4 and chart 25 were calculated for a ratio of specific heats of 7/5. The values presented in charts 5 through 8 were taken from references 6 and 14 and are for a ratio of specific heats of 1.405.

Charts 9 through 24 provide correction factors to account for the effects of caloric imperfections on the quantities tabulated in tables I and II and plotted in charts 2, 3, and 4.

On many charts, points corresponding to static temperatures of 5000° R and 100° R ( $-360^{\circ}$  F) have been indicated. These temperatures represent very approximately the limits of validity of the charts. Exact limits cannot be stated simply as they depend on pressure as well as temperature. At temperatures near 5000° R dissociation effects, which were neglected in the calculations, can be significant at high altitudes though perhaps not at sea level. At temperatures less than about 100° R, air may condense at the pressures encountered in many wind tunnels.


On the Reynolds number chart (chart 25), points corresponding to a static temperature of 180° R ( $-280^{\circ}$  F) also are indicated since this is the lowest temperature for which experimental viscosity data have been obtained. At temperatures much lower than  $-280^{\circ}$  F, Sutherland's equation (A2) may significantly underestimate the true viscosity.

The contents of the charts are as follows:

## Chart

Chart	Page
1. Variation of mass-flow rate per unit area with Mach number for various total temperatures. Perfect gas, $\gamma=7/5$ .	41
2. Variation of shock-wave angle with flow-deflection angle for various upstream Mach numbers. Perfect gas, $\gamma=7/5$ .	42
3. Variation of pressure coefficient across shock waves with flow-deflection angle for various upstream Mach numbers. Perfect gas, $\gamma=7/5$ .	44
4. Variation of Mach number downstream of a shock wave with flow-deflection angle for various upstream Mach numbers. Perfect gas, $\gamma=7/5$ .	46
5. Variation of shock-wave angle with cone semivertex angle for various upstream Mach numbers. Perfect gas, $\gamma=1.405$ .	48

Chart	Page
6. Variation of surface pressure coefficient with cone semivertex angle for various upstream Mach numbers. Perfect gas, $\gamma=1.405$ .	50
7. Variation of Mach number at the surface of a cone with cone semivertex angle for various upstream Mach numbers. Perfect gas, $\gamma=1.405$ .	52
8. Variation of the initial slope of the normal-force curve with upstream Mach number for various cone semivertex angles. Perfect gas, $\gamma=1.405$ .	54
9. Effect of caloric imperfections on the ratio of local speed to speed of sound at the point where $M=1$ .	55
10. Effect of caloric imperfections on the ratio of static temperature to total temperature.	55
11. Effect of caloric imperfections on the ratio of static density to total density.	55
12. Effect of caloric imperfections on the ratio of static pressure to total pressure.	56
13. Effect of caloric imperfections on the ratio of dynamic pressure to total pressure.	56
14. Effect of caloric imperfections on the ratio of local cross-sectional area of a stream tube to the cross-sectional area at the point where $M=1$ .	57
15. Effect of caloric imperfections on the static-temperature ratio across a normal shock wave.	57
16. Effect of caloric imperfections on the static-density ratio across a normal shock wave.	58
17. Effect of caloric imperfections on the ratio of static pressure upstream of a normal shock wave to total pressure downstream.	58
18. Effect of caloric imperfections on the static-pressure ratio across a normal shock wave.	58
19. Effect of caloric imperfections on the Mach number downstream of a normal shock wave.	59
20. Effect of caloric imperfections on the total-pressure ratio across a normal shock wave.	59
21. Effect of caloric imperfections on the variation with flow-deflection angle of the shock-wave angle for a weak oblique shock wave.	60
22. Effect of caloric imperfections on the variation with flow-deflection angle of the Mach number downstream of a weak oblique shock wave.	64
23. Effect of caloric imperfections on the variation with flow-deflection angle of the pressure coefficient across a weak oblique shock wave.	66
24. Effect of caloric imperfections on the Prandtl-Meyer angle.	68
25. Variation of Reynolds number per unit length with Mach number for various total temperatures. Perfect gas, $\gamma=7/5$ .	69

CHART 1.—Variation of mass-flow rate per unit area with Mach number for various total temperatures. Perfect gas,  $\gamma = \frac{7}{5}$ .




CHART 2.—Variation of shock-wave angle with flow-deflection angle for various upstream Mach numbers. Perfect gas,  $\gamma = \frac{5}{3}$ .





CHART 2.—Concluded

CHART 3.—Variation of pressure coefficient across shock waves with flow-deflection angle for various upstream Mach numbers. Perfect gas,  $\gamma = 7/6$ .




CHART 3.—Concluded




CHART 4.—Variation of Mach number downstream of a shock wave with flow-deflection angle for various upstream Mach numbers. Perfect gas,  $\gamma = \frac{7}{5}$ .




CHART 4.—Concluded




CHART 5.—Variation of shock-wave angle with cone semivertex angle for various upstream Mach numbers. Perfect gas,  $\gamma = 1.405$ .




CHART 5.—Concluded




CHART 6.—Variation of surface pressure coefficient with cone semivertex angle for various upstream Mach numbers. Perfect gas,  $\gamma = 1.405$ .




CHART 6.—Concluded




CHART 7.—Variation of Mach number at the surface of a cone with cone semivertex angle for various upstream Mach numbers. Perfect gas.  
 $\gamma = 1.405$ .




CHART 7.—Concluded




CHART 8.—Variation of the initial slope of the normal-force curve with upstream Mach number for various cone semivertex angles. Perfect gas,  $\gamma = 1.405$ .



CHART 9.—Effect of caloric imperfections on the ratio of local speed to speed of sound at the point where  $M=1$ .

CHART 10.—Effect of caloric imperfections on the ratio of static temperature to total temperature.




CHART 11.—Effect of caloric imperfections on the ratio of static density to total density.




CHART 12.—Effect of caloric imperfections on the ratio of static pressure to total pressure.




CHART 13.—Effect of caloric imperfections on the ratio of dynamic pressure to total pressure.




CHART 14.—Effect of caloric imperfections on the ratio of local cross-sectional area of a stream tube to the cross-sectional area at the point where  $M=1$ .




CHART 15.—Effect of caloric imperfections on the static-temperature ratio across a normal shock wave.




CHART 16.—Effect of caloric imperfections on the static-density ratio across a normal shock wave.




CHART 17.—Effect of caloric imperfections on the ratio of static pressure upstream of a normal shock wave to total pressure downstream.




CHART 18.—Effect of caloric imperfections on the static-pressure ratio across a normal shock wave.




CHART 19.—Effect of caloric imperfections on the Mach number downstream of a normal shock wave.




CHART 20.—Effect of caloric imperfections on the total-pressure ratio across a normal shock wave.




CHART 21.—Effect of caloric imperfections on the variation with flow-deflection angle of the shock-wave angle for a weak oblique shock wave.



(b)  $T_1=390^\circ\text{R}$ 

CHART 21.—Continued



(c)  $T_1 = 500^\circ R$   
 CHART 21.—Continued


(d)  $T_1=630^\circ R$ 

CHART 21.—Concluded



(a)  $T_1 = 100^\circ \text{ R}$ (b)  $T_1 = 390^\circ \text{ R}$ 

CHART 22.—Effect of caloric imperfections on the variation with flow-deflection angle of the Mach number downstream of a weak oblique shock wave.


 (c)  $T_1 = 500^\circ \text{ R}$ 

 (d)  $T_1 = 630^\circ \text{ R}$ 

CHART 22.—Concluded




CHART 23.—Effect of caloric imperfections on the variation with flow-deflection angle of the pressure coefficient across a weak oblique shock wave.


(c)  $T_1=500^{\circ}\text{R}$ (d)  $T_1=630^{\circ}\text{R}$ 

CHART 23.—Concluded





CHART 24.—Effect of caloric imperfections on the Prandtl-Meyer angle.

CHART 25.—Variation of Reynolds number per unit length with Mach number for various total temperatures. Perfect gas,  $\gamma = 1.4$ .